Marpac Pre-Packaged USCG Compliance and Safety Kits



96 2 Safety Kits Marpac Pre-Packaged USCG Compliance and Safety Kits - UPS Able

THE "BUDGET BOATER" NON-HAZ-MAT KIT

• Kit Includes:

Fun &

Flotation

Anchor

& Dock

Safety

Electronics Trolling Motors Lighting

Electrica Topside Acc Cockpit & Deck Instruments Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers Seating & Pedestals Tons & Covers Pumps Cleaning & Care Paint & Paint Acc. Hardware, Fasteners

- (4) Adult (Over 90 lb.) Life Vests.
- (1) Signal Horn.
- (1) #10 Slip Ring Anchor.

(4) Adult (Over 90 lb.) Life Vests.

7-0734 Fresh Water Kit #1 Safety Kit

(1) Gear Bag.

Order No. Description


(1) Telescoping Paddle.

Trailering

Misc

Comm.

- (2) 3/8" x 15' White, Twisted Nylon Mooring/Docklines.
 - (1) 3/8" x 100' Twisted Nylon Anchor Line.



(1) White Boat Cushion.

(1) Coast Guard Booklet.

(1) 1/4" Galvanized Anchor Shackle.

Price

\$129.98 H

BAG

THE "SMALL BOATER" NON-HAZ-MAT KIT

• Kit Includes:

narpac

- (4) Adult (Over 90 lb.) Life Vests.
- (1) Signal Horn.
- (1) #10 Slip Ring Anchor.
- (1) White Boat Cushion.
- (1) Coast Guard Booklet.
- (2) 1/4" Galvanized Anchor Shackle.
- (1) Gear Bag.

Order No. Description

- (2) 3/8" x 20' White, Twisted Nylon Mooring/Docklines.
- (1) 3/8" x 100' Twisted Nylon Anchor Line.
- Price \$149.98 H
- 7-0739 Small Boater Non-Haz-Mat Kit

THE "MID-RANGE DELUXE BOATER" NON-HAZ-MAT KIT	THE "DELUXE YACHTORS" NON-HAZ-MAT KIT
 Kit Includes: (4) Adult (Over 90 lb.) Life Vests. (1) White Boat Cushion. (1) Gear Bag. (1) Signal Horn. (1) Coast Guard Booklet. (1) Rapid Set #8 Anchor. (2) 5/16" Galvanized Anchor Shackles. (2) 3/8" x 20' White, Twisted Nylon Mooring/Docklines. (1) 3/8" x 150' Twisted Nylon Anchor Line. (1) 1/4" x 4' White Vinyl Coated Anchor Chain. 	 Kit Includes: (1) Weekender First Aid Kit. (6) Adult (Over 90 lb.) Life Vests. (1) White Boat Cushion. (1) Gear Bag. (1) Signal Horn. (1) Orange Police Style Whistle. (1) Coast Guard Booklet. (1) Rapid Set #13 Anchor. (2) 3/8" Galvanized Anchor Shackles. (2) 1/2" x 25' White, Twisted Nylon Mooring/Docklines. (1) 1/2" x 150' Twisted Nylon Anchor Line. (1) 5/16" x 5' White Vinyl Coated Anchor Chain.
Order No. Description Price	Order No. Description Price
7-0740 Mid-Range Deluxe Boater Non-Haz-Mat Kit \$176.98 H	7-0741 Deluxe Yachtors Non-Haz-Mat Kit \$312.98 H
UPSable	
FRESH WATER KIT #1 • Kit Includes:	FRESH WATER KIT #2 • Kit Includes:
(1) 5BC White Fire Extinguisher with Gauge.	(1) 5BC White Fire Extinguisher with Gauge.

- (1) White Boat Cushion.
- (1) Gear Bag. (1) Telescoping Paddle.

(4) Adult (Over 90 lb.) Life Vests.

- (1) Orange Police Style Whistle.

```
Order No. Description
7-0735 Fresh Water Kit #2 Safety Kit
```

Price \$116.98 G

Note: All USCG Compliance and Safety Kits Contents are Subject to Change Without Notice.

Price


\$143.98 G


(1) White Boat Cushion.

(1) Signal Horn.













First Aid Kits

\$19.98 LQ



\$39.98 LQ

586426 (26-120-01) Yellow







	Signal Kit	s 107
Please Note: Some products on this pag	e can not be shipped via UPS	Safety
Orion 12-Gauge HP (High Performance) Alert/Locate PLUS Signaling Kit	Orion 12-Gauge HP (High Performance) Alerter Basic Signal Kit	af
	ORION Tre Brightest Name in Safety	60
 Kit contains: 12-Gauge Safety Launcher with bandolier that can hold up to 6 High Performance Signals, (4) 12-Gauge High Performance Red Aerial Signals, (4) Handheld Red Signal Flares, (2) Handheld Orange Smoke Signals in waterproof floating storage case. USCG Approved for day and nighttime signal. 	Includes: 12-Gauge safety launcher with bandolier that can hold up to 6 High Performance Signals and (4) 12-Gauge High Performance Red Aerial Signals. Order No. Mfg. No. / Description Price	
Order No. Mfg. No. / Description Price 519112 (544) Single Kit Sold Case of 2 \$157.98 F	519470 (584) Single Kit Sold Case of 4 \$70.98 F 519471 (584SNGL) Single Kit \$81.98 F	Fun &
	rmance) Red Aerial Signal Pack	Flotation
Altitude: Up to 500 feet.		Anchor & Dock
 Average burn time: Up to 7 seconds. Average candlepower: Up to 16,000 candela. USCG Approved as a day or nighttime signal. Includes: (4) 12-Gauge High Performance Red Aerial Signals. 	The Brighteet Name in Safety	Safety Electronics
Order No. Mfg. No. / Description Price		Trolling Motors
519124 (539) 4 Pack Sold Case of 6 \$36.98 F 518891 (539SNGL) 4 Pack \$46.98 G		Lighting
Orion 25mm HP Alert/Locate PLUS Signaling Kit	Orion 25mm HP Red Aerial Signal Pack	Electrical
ORION	ORION	Topside
The Brighteet Name in Salery	The Brightest Name in Estery	Acc.
	New design will fit all existing Orion 25mm launchers in the market.	& Deck
	 Can be seen for over 25 miles. Altitude: Up to 375 feet. 	
Kit contains: 25mm Launcher	 Average burn time: Up to 7 seconds. Average candlepower: Up to 33,000 candela. 	Steering, Controls
with bandolier that can hold up to (6) 25mm Signals, (4) 25mm High Performance Red Aerial Signals, (4) Handheld Red Signal Flares,	Includes: 25mm HP Red Aerial Signals.	Perform.
(2) Handheld Orange Smoke Signals, (4) signal mirror, (1) SOLAS and USCG Approved whistle, (1) USCG Approved distress flag and storage case.	USCG Approved as a day or nighttime signal. Order No. Mfg. No. / Description Price	Fuel System
 USCG Approved as a day or nighttime signal. 	519150 (589) 4 Pack Sold Case of 12 \$74.98 F 519151 (589SNGL) 4 Pack \$76.98 F	Engine & Parts
Order No. Mfg. No. / Description Price 519105 (511) Single Kit Sold Case of 2 \$266.98 E	Orion 25mm Launcher with Bandolier	Engine
519106 (511-SNGL) Single Kit \$290.98 E		Care
Orion Canister Mounting Bracket	The Brightest Name is Safety	Propellers Seating &
		Pedestals
Canister mounting bracket		Tops & Covers
mounts canister to bulkhead. Order No. Mfg. No. / Description Price	Includes: 25mm launcher with bandolier. Order No. / Description Price	Pumps
518998 (995) \$12.98 LQ	519225 (583) \$156.98 F	Cleaning & Care
Watertight Flare Box	Datrex Ammo Can	Paint &
• Water resistant O-ring seal.	-DATREX	Paint Acc. Hardware,
Five section lid compartment.Full size lift out tray. Large comfortable handle.		Fasteners
 Thick sidewall construction. Double padlock tabs. Dimensions: 15" L x 8.8" W x 9.4" H. 	 30 Caliber ammo can. For transport and storage of distress signals. 	Trailering
• Orange.	Painted weather-tight steel container.	Misc.
Order No. Mfg. No. / Description Price 772233 (SPUD1-35) \$26.98 F	Order No. Mfg. No. / Description Price 320806 (Cl3569P) \$73.98	Comm.

108	EPIRBs	
Sa	ACR GlobalFix™ Pro 406 MHz GPS EPIRB - Category I	ACR Optical GPS Interface Cable for Satellite3 406™ EPIRB
fety		
Fun & Flotation Anchor & Dock Safety Electronics Trolling Motors	 The GlobalFix Pro broadcasts a unique registered distress signal that not only tells rescuers where you are, but who you are. The internal GPS will automatically turn on and acquire your position upon activation and then utilizes a powerful 406 MHz signal to relay your distress call to orbiting satellites. As local Search and Rescue is deployed, a separate homing signal and integrated LED strobe light guide rescuers to your exact location. Highly visible LED strobe - Energy efficient. Internal 66 Channel GPS - Fast cold start. 	 This connects the Satellite3 406 to your vessel's GPS receiver to continuously update and store precise position data. GPS positioning provides SAR notification typically within 2 - 15 minutes. Order No. Mtg. No. / Description Price 201498 (9388.1) *120.98 F ACR HydroFixTM Hydrostatic Release Unit ACR HydroFixTM Hydrostatic Release Unit Patented rod system allows release of the beacon from a Category I bracket when submerged in water between 1.5 - 4 meters (4.9 - 13.1 feet). Designed to work with Sea Shelter, Sea Shelter 2 and Sea Shelter 3 brackets. Dimensions: 2.5" x 3.4" x 2.0".
Lighting	 Ergonomic, compact design; Smallest, feature-rich EPIRB available. Size (no antenna): 7" x 4.2" x 3.6". 	Order No. Mfg. No. / Description Price 201486 (9490.1) HRU-100 \$109.98 C
	• Weight: 20.5 oz.	ACR Accessories for Satellite2 406™ EPIRB
Electrical Topside Acc. Cockpit & Deck	 Battery: Class 2 (Non-Hazmat) lithium batteries. Waterproof: 33 ft. (10 m) @ 10 min. Exceeds RTCM standard. Operational Life: 48 hours minimum @ -4° F (-20° C). Order No. Mfg. No. / Description Price 200430 (2842) RLB-37 	Order No. Mfg. No. / Description Price 200990 (9368) Replacement Antenna \$114.98 F 200989 (1096) Lithium Battery \$288.98 F 201340 (1098.1) Lithium Battery \$299.98 F
Instruments	Ocean Signal SafeSea E100G EPIRB - Category I	McMurdo Smartfind 406 EPIRBs
Steering, Controls Perform. Fuel		MCMURDO
System Engine & Parts Engine Care Propellers		 Internationally Approved. Transmits on 406 MHz and 121.5 MHz. Non-hazardous battery for safe and easy transportation. Unique CARRY SAFE bracket available for safe transportation. High brightness LED flashing locator light.
Seating & Pedestals	Monitored by Cospas-Sarsat - Rapid Worldwide	60 comprehensive diagnostic and self-tests during battery life.
Tops &	Response. • 406 Mhz/121.5 MHz (homing beacon).	• Once activated, will transmit for a minimum of 48 hours.
Covers Pumps Cleaning & Care Paint & Paint Acc.	 High brightness LED strobe. Superb Battery Life >96 hours operating time!. Temperature range: -4° F to +131° F. Automatic release housing - "Float Free". 2 year user replaceable HRU. Intuitive operating control (protected by inadvertent activation). Built-in-test switch. 	 5 year warranty and 5 year battery storage life. E5 SMARTFIND A 406 MHz EPIRB designed to operate with the COSPAS-SARSAT international search and rescue system. Once removed from its CARRY SAFE mounting bracket the unit can be activated automatically by immersion in water, or manually by following the activation instructions printed on the unit.
Hardware, Fasteners	User replaceable Non-Hazardous battery. Integrated tether line.	Order No. Mfg. No. / Description Price 496379 (1082800-004A) \$612.98 C
Trailering	• Compact: 11-1/2" x 7-3/4" x 5".	G5 SMARTFIND PLUS
Misc.	FCC/IMO/MED/USCG. NATO Stock Number: 5820-99-484-3721. Order No. Mfg. No. / Description Price	Has all the advanced features of the standard E5 Smartfind with the addition of an integral multi-channel GPS receiver. Order No. Mfg. No. / Description Price
Comm.	696311 (0\$00767M) Category L with GPS \$808.98 F	496375 (1082800-002A) \$595.98 B

Order No. Mfg. No. / Description 696311 (0S00767M) Category I with GPS

Order No. Mfg. No. / Description **\$808.98** E **496375** (1082800-002A)

Price \$595.98 B

				EPIRBs, S.O.S. Flag, Rac	lar Reflectors	109
GME MT403 Series 406 MHz El	PIRB	McN	Aurdo Fastfind 22	0 406 MHz Personal Locator Beaco	n with GPS	
		мсйи	IRDO			Safety
 Zero warm-up digital technology. High reliability solid state strobe. Rugged, lightweight, compact design. Easy, built-in self-test facility with audible alert confirms correct operation. Non-hazardous batteries for restriction free transport. Enclosed in a UV resistant float free housing that automatically deploys and activates the EPIRB when submersed to a depth of 6.6 ft - 13 ft. Antenna releases automatically when the unit is removed from the quick-release bracket or housing. 		 Works No sub Built-ir Unique Built-ir Global Freque 121.5 I Positio 	all as an average r anywhere on eart oscription fees req o GPS. flashing SOS feat operational indic alert to Cospas-Sa ncy: 406.037 MHz MHz homing frequ nal accuracy to wi proof to 32 feet.	th. uired. ture. ator lights. arsat satellites.		Fun & Flotation
• 121.5 MHz homer.		 FCC ap 				Anchor
Order No. Mfg. No. / Description	Price		Mfg. No. / Description	1	Price	& Dock
696310 (OS00766M)	\$764.98 E	496377	(210PLB)		\$499.98 C	Safety
ACR Pathfinder™ 3 SART Survival Craft Ra	dar Transponder		Brit	tmar MKV Signaling Lantern		Electronics
ACR				V		Trolling Motors
	-		d			Lighting
			ø			Electrical
	- N		1 × 10			Topside Acc.
• Enhances radar returns with 12 intense blips, whereby the first blip represents the SART.	Putter start				-	Cockpit & Deck
 Unit transmits through the 9.2 - 9.5 GHz band marin radar when interrogated by radar. Vessel mounting bracket and collapsible pole stowed 						Instruments
 Vessel mounting bracket and conapsible pole stowed inside SART. Exclusive ACR Test mode for visual/audible feedba 	Transa and	• Fulfils †	the requirements of	of the SOLAS (1997) Regulations.		Steering, Controls
 High impact polystyrene case designed to withstan rugged environments. 				ng light can be used on all vessels. onstruction and is fully waterproofed		Perform.
Compact 12-1/2" x 3" unit easily packs into liferaft.	10 0. 10 M	• Semi-G	Gloss black stoved	enamel paint finish.		Fuel
 33' lanyard for security. Waterproof to 33'. 	all the second s			to operate the lantern. bulb not included.		System
Requires lithium battery (5-year replacement life).		Order No.	Mfg. No. / Description	1	Price	Engine & Parts
 Worldwide certification; complies with IMO/GMDS Operational life: 96 hours in stand-by mode; in exce 			(A4023/C01424) (C02681-00)	Lantern with Wood Carrying Case 3 Pin Socket and Cap	\$2,543.98 D \$75.98 D	Engine Care
operational mode.		233701	(202640)	Aldis Battery in Battery Box	\$631.98 C	Propellers
Order No.Mfg. No. / Description200410(2714NH) Non-Hazardous Lithium Battery	Price \$1,199.98 E		(108006) (108008)	Spare Bulb, 12 volt, 60 watts Spare Bulb, 24 volt, 60 watts	\$45.98 D \$45.98 D	Seating &
Jim-Buoy S.O.S. Flag	Davis Emergency	y Radar Re	eflector	Davis Standard Echomaster™ Ra	dar Reflector	Pedestals Tops &
	Davise			Davise	1	Covers
	• It is a compact,			Comes in a plastic		Pumps Cleaning
	lightweight and economical unit that disassembles and stows flat for storage	~		case and folds flat for easy storage and is made of stamped		& Care Paint & Paint Acc.
	 stows flat for storage. When needed, it pops c and installs in seconds. 	pen to 11-	1/2" diameter	aluminum sheets with locking corner rivets.	tovor	Hardware, Fasteners
Durable plastic. Comes in tip look storage bag	• Its three perpendicular	planes refle	ect radar from	Can be assembled around a backs rigging.		Trailering
 Comes in zip-lock storage bag. S.O.S. flag has full USCG Approval. Made in the USA 	 all directions. Made of special plastic Resists corrosion and period 		laminate.	 Mounting holes in corner latches a attachment points for suspending Non-anodized marine grade alumi 	from a bridle.	Misc.
Order No. Mfg. No. / Description Price	Order No. Mfg. No. / Descriptio	0	Price	Order No. Mfg. No. / Description	Price	Comm.
267573 (1851) \$8.98 Q	322407 (151)		\$29.98 Q	322417 (152)	\$79.98 Q	

110	Fire Extinguishers	
S	Kidde ProLine Fire Extinguishers - Multipurpose Dry Chemical	Kidde ProLine Fire Extinguishers - Carbon Dioxide
Safety	Kide Hotne Laugusters - Multipulpose by citemical	Kidde TroLine The Extinguishers - Galboir Dioxide
Fun & Flotation Anchor & Dock Safety Electronics	 Suitable for use on Class A (trash, wood and paper), Class B (liquids and gases) and Class C (energized electrical equipment) fires. Fitted with a pressure gauge that provides at-a-glance status. A tough impact resistant metal valve, handle and lever. Supplied with wall hanger. 	 Suitable for use on Class B (liquids and gases) and Class C (energized electrical equipment) fires. Environmentally safe and ideal for protecting delicate electronic equipment as the clean agent leaves no residue. Powder coated cylinder for corrosion protection. A tough impact resistant metal valve, handle and lever. Supplied with wall hanger.
Trolling Motors Lighting	LIGHTWEIGHT ALUMINUM CYLINDER - POWDER COATED Order No. Mfg. No. / Description Price 435051 (46611201) 3-A, 40-B:C, 5# Sold Case of 4 \$102.98 435052 (466112-01SNG) 3-A, 40-B:C, 5# Sold Each \$112.98	Order No. Mfg. No. / Description Price 435152 (466180) 5-B:C 5# \$269.98 435176 (466181) 10-B:C 10# \$403.98 435190 (466182) 10-B:C 15# \$449.98 Q
Electrical Topside Acc. Cockpit & Deck	IMPACT RESISTANT STEEL CYLINDER - POWDER COATED Order No. Mfg. No. / Description 435077 (466204) 4-A, 60-B:C, 10# 435092 (466206) 10-A, 80-B:C, 20# FIRE EXTINGUISHER BRACKETS	FIRE EXTINGUISHER RUNNING BOARD BRACKETS • USCG Approved only when equipped with bracket. Order No. Mfg. No. / Description 435280 (270191) For Use with 435152 \$51.98 I 435279 (290511) For Use with 435176 and 435190
Instruments Steering, Controls	• USCG Approved only when equipped with bracket. Order No. Mfg. No. / Description Price 435128 (366242) For Use with 435077 \$66.98 R 435136 (292474) For Use with 435092 \$82.98 I	FIRE EXTINGUISHER KITS • Includes: Fire extinguisher and bracket. Order No. Description 435153 5-B:C, 5#
Perform. Fuel	FIRE EXTINGUISHER KITS Includes: Fire extinguisher and bracket. 	435177 10-B:C, 10# \$480.98 435191 10-B:C, 15# \$573.98
System Engine & Parts	Order No. Description Price 435078 4-A, 60-B:C, 10# \$198.98 435093 6-A, 80-B:C, 18# \$316.98	ADAPTER RINGOrder No.Mfg. No. / Description435278(320659) For Use with CO2 Bracket\$3.98 LQ
Engine Care	Wheeled Dry Che	mical Extinguishers
Propellers Seating & Pedestals		
Tops & Covers Pumps		 D.O.T. Approved cylinders with chrome plated brass valve assemblies. Highly visible pressure indicating gauge. Cylinders and carriages are shot blasted, primed and powder coated to
Cleaning & Care Paint & Paint Acc.		 withstand 240 hour salt spray testing. All booster hoses are 1/2" diameter and 25 ft. long. All units are equipped with all weather semipneumatic 12.3" diameter, 3.5" wide tires that allows for easy moveability. Agent capacity: 50 lbs. Discharge range: 25' - 35'.
Hardware, Fasteners		Discharge range: 25 - 35 . Manufactured to ANSI/UL 299 and ANSI/UL 711 standards. Order No. Mfg. No. / Description Price
Trailering Misc.		562125 (30010) ABC Discharge Time: 35 Sec. \$1,838.98 F 562137 (30030) Purple K Discharge Time: 34 Sec. \$1,602.98 F

SPECIAL HANDLING

Comm.

APPLY MAY

Fire Extinguishers

111

Fun &

Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrica

Topside

Cockpit

& Deck

nstruments

Steerina.

Controls

Perform

Fuel

System Engine


& Parts

Engine Care

Propellers

Seating &

Acc



Order No.	Mtg. No. / Descrip	tion	Price
561856	(466628N)	Sold Case of 6	\$24.98 F
561857	(466628SNG)	Sold Each	\$39.98 H

FIRE EXTINGUISHER: 1-A, 10-B:C, 2.5#

- Suitable for use on Class A (trash, wood and paper), Class B (liquids and gases) and Class C (energized electrical equipment) fires.
- Fitted with a pressure gauge that provides at-a-glance status.
- Discharge range: 6 to 8 feet. Discharge time: 8 to 12 seconds.

Order No.	Mfg. No. / Descrip	tion	Price
561882	(466627N)	Sold Case of 6	\$36.98 F
561883	(466627SNG)	Sold Each	\$53.98 H

Kidde Smoke Alarm



- Battery operated (9 volt battery included).
- Flashing LED.
- Test button.
- Low battery indicator.
- Mounting hardware included.

Order No. Mfg. No. / Description 435378 (0915E) KID2E

\$15.98 I

FIREBOY - XINTEX.		Special Order Only			
	Dia.	Height	Agent Wt.	Ship Wt.	Model #
75 cu. ft.	4.3"	11.9"	2.5 lbs.	9 lbs.	(MA2-075)
100 cu. ft.	4.3"	14.5″	3.4 lbs.	13 lbs.	(MA2-100)
125 cu. ft.	4.3"	14.5″	4.2 lbs.	14 lbs.	(MA2-125)
150 cu. ft.	5.1"	13.1″	5.1 lbs.	16 lbs.	(MA2-150)
175 cu. ft.	5.1"	15.5″	5.9 lbs.	18 lbs.	(MA2-175)
200 cu. ft.	5.1"	15.5″	6.8 lbs.	19 lbs.	(MA2-200)
225 cu. ft.	6.4"	14.7″	7.6 lbs.	28 lbs.	(MA2-225)
250 cu. ft.	6.4"	14.7″	8.5 lbs.	29 lbs.	(MA2-250)
275 cu. ft.	6.4"	14.7″	9.3 lbs.	30 lbs.	(MA2-275)
300 cu. ft.	7.2″	15.1″	10.1 lbs.	35 lbs.	(MA2-300)
325 cu. ft.	7.2″	15.1″	11 lbs.	36 lbs.	(MA2-325)
350 cu. ft.	7.2″	15.1″	11.8 lbs.	37 lbs.	(MA2-350)
375 cu. ft.	7.2″	18.8″	12.7 lbs.	38 lbs.	(MA2-375)
400 cu. ft.	7.2″	18.8″	13.5 lbs.	39 lbs.	(MA2-400)
450 cu. ft.	7.2″	18.8″	15.2 lbs.	41 lbs.	(MA2-450)
500 cu. ft.	7.2″	25.7"	16.9 lbs.	47 lbs.	(MA2-500)
550 cu. ft.	7.2″	25.7″	18.6 lbs.	49 lbs.	(MA2-550)
600 cu. ft.	7.2″	25.7″	20.3 lbs.	51 lbs.	(MA2-600)
650 cu. ft.	7.2″	25.7″	22 lbs.	53 lbs.	(MA2-650)
700 cu. ft.	10"	21.6"	23.7 lbs.	77 lbs.	(MA2-700)
750 cu. ft.	10"	21.6"	25.4 lbs.	79 lbs.	(MA2-750)
800 cu. ft.	10"	21.6"	27 lbs.	82 lbs.	(MA2-800)
850 cu. ft.	10"	21.6"	28.7 lbs.	84 lbs.	(MA2-850)
900 cu. ft.	10″	21.6"	30.4 lbs.	86 lbs.	(MA2-900)
950 cu. ft.	10″	21.6"	32.1 lbs.	88 lbs.	(MA2-950)
1,000 cu. ft.	10"	21.6"	33.8 lbs.	90 lbs.	(MA2-1000)
1,050 cu. ft.	10"	21.6"	35.5 lbs.	92 lbs.	(MA2-1050)
1,100 cu. ft.	10"	21.6"	37.2 lbs.	95 lbs.	(MA2-1100)
1,150 cu. ft.	10"	21.6"	38.9 lbs.	97 lbs.	(MA2-1150)
1,200 cu. ft.	10"	27.7″	40.6 lbs.	105 lbs.	(MA2-1200)
1,250 cu. ft.	10"	27.7″	42.3 lbs.	107 lbs.	(MA2-1250)
1,300 cu. ft.	10"	27.7″	60.8 lbs.	109 lbs.	(MA2-1300)
1,350 cu. ft.	10″	27.7″	63.2 lbs.	111 lbs.	(MA2-1350)
1,400 cu. ft.	10"	27.7″	65.5 lbs.	113 lbs.	(MA2-1400)
1,450 cu. ft.	10"	27.7″	67.9 lbs.	116 lbs.	(MA2-1450)
1,500 cu. ft.	10"	27.7″	70.2 lbs.	118 lbs.	(MA2-1500)

Fireboy MA2 Series Manual/Automatic Discharge Systems

Fireboy Discharge Cable Kits for MA2 Series Discharge Systems

FIREBOY - XINIEX.

- Positive backup via a mechanical pull cable.
- Primary activation-heat response is automatic at 175° F (79° C).
- Diesel powered craft must also install the Automatic Engine Shutdown System.
- Systems available with FE-241 or FM-200.
- Manual cables must be installed in order to retain USCG and FM approval.
- Systems from 25 cu. ft. to 1,500 cu. ft. available by special order.
- Includes: All hardware for installation.

Order No. Mfg. No. / Description

 Special Order
 (E-4209-06) Cable Length: 6'

 Special Order
 (E-4209-08) Cable Length: 8'

 Special Order
 (E-4209-10) Cable Length: 10'

 Special Order
 (E-4209-12) Cable Length: 12'

 Special Order
 (E-4209-14) Cable Length: 12'

 Special Order
 (E-4209-16) Cable Length: 14'

 Special Order
 (E-4209-16) Cable Length: 16'

 Special Order
 (E-4209-18) Cable Length: 18'

 Special Order
 (E-4209-20) Cable Length: 20'

 Special Order
 (E-4209-22) Cable Length: 20'

 Special Order
 (E-4209-22) Cable Length: 22'

 Special Order
 (E-4209-24) Cable Length: 24'

 Special Order
 (E-4209-26) Cable Length: 24'

 Special Order
 (E-4209-28) Cable Length: 26'

 Special Order
 (E-4209-28) Cable Length: 26'

 Special Order
 (E-4209-30) Cable Length: 26'





Comm



Immersion Suits

Imperial Immersion Suits (USCG Version)

Stearns Immersion Suits - Type S

113

Fun & Flotation Anchor & Dock

Safety

Electronics Trolling Motors Lighting

Electrical

Topside

Cockpit

& Deck

nstruments

Steering,

Controls

Perform.

Fuel

System

Price

\$513.98 F

Acc





Donovan offers a full service station.

To pressure test and inspect suits. Suits must be in serviceable condition at all times. The pressure test can reveal leaks that can not be seen with the naked eye. A well maintained suit increases your chance of survival, lasts longer and saves you time and money. An experienced service technician can find seemingly minor defects that can cause major problems.

The High Rider Ring.

It is made of neoprene and attached by zippers making it easy for you to replace yourself. Most other suits have air bladders (high rider rings) that must be brought into a certified station to be replaced.

- Features:
 - One piece, sealed construction made of inherently buoyant 5mm neoprene.
- Three fingered mitt to keep your fingers warmer. -
- Dual-zipper pull tabs.
- Wide shoulders and legs for quick donning.
- -Snug-fitting face seal helps keep water out.
- -Back straps keep the ring in place.
- Suits are true to size.
- Equipped with whistle.
- SOLAS-grade reflective tape provides extra visibility of wearer to rescue team
- Comes in sturdy storage bag with two handles.

Order No. Mfg. No. / Description

400325	(80-1409-A-3)	Adult	\$405.98 C
400313	(80-1409-J3)	Jumbo	\$439.98 C

USCG/SOLAS APPROVED - INTERNATIONAL APPROVAL CHART/MODEL NO.

Ship's Registry	Approval	Adult	Jumbo	Intermed.	Child
USA	USCG #160.171/2/0	1409-A			
USA	USCG #160.171/3/0		1409-J		
USA	USCG #160.171/21/0			1409-0	
USA	USCG #160.171/4/0				1409-C
Feature	s includes: High Rider Ring	and storage	bag.		

Size	Height Range M	Weight Range FT/IN	KG	LBS
Adult	1.49 to 1.9	4' 11" to 6' 3"	50 to 150	110 to 330
Intermediate	1.49 to 1.77	4' 11" to 5' 10"	50 to 81	110 to 180
Jumbo	Over 1.9	Over 6' 3"	Over 150	Over 220
Child	0.99 to 1.27	3' 3" to 4' 2"	20 to 50	44 to 110

- Cold Water Immersion Suit Type S (USCG/MED /SOLAS Approved).
- 5mm, stretchable, flame-retardant neoprene for protection from hypothermia
- in the water.
- Inflatable neck support keeps a head in a better position to search for help.
- Immersion suit pocket fits most brands of approved lights.
- SOLAS Approved whistle to alert rescue crews.
- 3M Scotchlite Reflective Material SOLAS grade 3150-A PS with adhesive backing.
- Stainless steel lifting harness for easy recovery from high seas.
- Buddy line with snap hook to attach to other survival suits.
- Durable, non-slip soles for safer walking on deck.
- Each suit comes in its own color-coded storage bag.

Order No. Mfg. No. / Description

Price

01001110.	ing. no. / Dooonprion	
630654	(2000008113) Adult	Bag Color: Orange
630656	(2000008114) Oversized Adult	Bag Color: Green

or: Green \$556.98 F




- Face shields and five-fingered, integrated gloves for easy maneuvering.

114	Blankets, Rainsuits, Reflective Material					
	Junkin Fire Blanket with Vinyl Coated Nylon Bag	Junkin First	Aid Blanke	t	eGear Emergency Bla	ıket
Safety	FIRE BLANKET	N.			eGear	a man
	 80% wool and 20% man-made fiber-treated with fire-resistant chemical. 	• This warm utility blank	ot in machin	0	QUANTITIES	
	 Machine washable. Conforms to Federal Flammable Fabrics Act 	washable.			 Compact, lightweight and waterp Can be used for heat deflection, v 	
	CS-191-53.	 Excellent for indoor and utility purposes. 			 Opens up to 55" x 87". 	
	 Includes: Vinyl coated nylon bag. Dimensions: 62" W x 84" L. 	 Made of 70% wool - 31 Dimensions: 62" W x 8 		de fibers.	 Easily spotted from a distance. 	
Fun & Flotation	Order No. Mfg. No. / Description Price 429212 (JSA-1003) \$109.98 C	Order No. Mfg. No. / Descriptic 429224 (JSA-502)	on	Price \$43.98 C	Order No. Mfg. No. / Description 586414 (26-310-011) Pegable Bag	Price \$1.98 LQ
Anchor & Dock	Stearns Driflex Nylon Rainsu	its			Boss 35mm PVC Rainsuits	
Safety		1	Bos		11	
Electronics		Sec.				-
Trolling Motors		The second				
Lighting	QUANTITIES	N IS Y			Ke	
Electrical			 Polyester 	r lined, 3 piece	X	1-
Topside Acc.		N IS	35mm P\ • Jacket w	/C rain suit. /ith detachable		
Cockpit & Deck			with take	r front, raglan sl e-up snaps at cu h pockets with	uff and	
Instruments	Constructed of heavy duty .30mm PVC/polyester.	1	 Bib overa non-cond 	all pants with si	nap-fly front take-up snaps at ankle, i naps and adjustable elastic suspend	non-corrosive/ ers with plastic
Steering, Controls	 High-wear areas of elbows and knees are reinford Jacket features snap front, corduroy lined collar, underarm air vents. 		buckles.Yellow.			
Perform.	 Dual-entry pockets. Pants have elastic waist, snap fly and snap adjust 	collo log oponinge		Afg. No. / Descriptio 3PR0290Y MED)		Price \$16.98 G
Fuel System	Order No. Mfg. No. / Description	able leg openings. Price		3PRO290Y LG) 3PRO290Y XL)	Large X Large	\$16.98 G \$16.98 G
Engine & Parts	630663 (2000004076) Medium Yellow 630699 (2000004079) XX Large Yellow	\$49.98 LQ \$49.98 LQ	303291 (3	3PR0290Y XXL) 3PR0290YG 3X)	XX Large XXX Large	\$16.98 G \$16.98 G
Engine	630703 (8155-3XL) XXX Large Yellow	\$61.98 LQ		3PR0290Y4X)	XXXX Large	\$16.98 G
Care Propellers	3M Scotchlite™ Reflective Ma	terial		A	CR Res-Q™ Reflective Tape	
Seating & Pedestals	JIVI	Reflective Ruban adhésif Tape réfléchissant	ACR			
Tops & Covers						
Pumps						
Cleaning & Care						
Paint & Paint Acc.		The first and the other BMSC.	• Calf adb	opius rotro rofla		
Hardware, Fasteners	 Intended for reflectorizing SOLAS life support equip jackets and rafts. Silver, flouible reflective meterial with an approach 				glass beads provide high visibility aid	ling both day
Trailering	 Silver, flexible reflective material with an aggressiv adhesive. It conforms to Marine Equipment Directive 06 /08 /F 		 Applies t 		surface making it ideal for life jackets	s, rafts, survival
Misc.	 It conforms to Marine Equipment Directive 96/98/E A.658(16) Annex 2. USCG Approved. 	ο απά πνιο περυιάτιση	• Four 4" x	4" sheets per	card provides 64 sq. in. of reflective s 8/4/0 and complies with SOLAS 74/8	
Comm.	Order No. Mfg. No. / Description 855633 (051131-88619) 2" x 50'	Price \$375.98 H	Order No. N 200054 (2	/fg. No. / Descriptio 2215)	n	Price \$23.98 D
	· · ·		(.			

Emergency Lights









MSA Ultra-Twin[®] Full Facepiece Respirator



- The unit features an inturned lip for a comfortable seal against the face, a large chin cup for easy positioning and five suspension headstraps with roller buckles that hold the facepiece in place while minimizing hair entanglement.
- The wide lens is scratch resistant, while a speaking diaphragm provides clear, short-range communications.
- The unit also features a nosecup that helps eliminate lens fogging.
- Material: Silicone.
- NIOSH Certified.

Order No.	Mfg. No. / Description	Price
773227	(480259) Medium	\$308.98 LQ



- The 6000 Series Respirator is a NIOSH/MSHA approved half-mask respirator that is adaptable to a wide range of respiratory protection.
- Its low maintenance, comfortable design allows greater worker flexibility by the use of five different type cartridges and two types of prefilters for a variety of work environments.
- Cartridges are simply twisted on or off of the facepiece for easy replacement which allows the facepiece to be used over and over.
- Supplied with a storage bag.

Order No.	Mfg. No. / [Description	Price
857044	(07025)	Medium (6200)	\$23.98 H
857046	(07026)	Large (6300)	\$23.98 H
854287	(54356)	Particulate Filter (2071), Sold 2 Per Pack	\$7.98 H
854299	(07000)	Particulate Filter (2091), Sold 2 Per Pack	\$11.98 H
854984	(46464)	Particulate Filter (5N11), Sold 10 Per Pack	\$29.98 H
854996	(017668)	Filter Retainer, Sold 20 Per Pack	\$74.98 H
857041	(21674)	Organic Vapor Cartridge (6001)	\$21.98 H
857039	(07047)	Organic Vapor/Acid Gas Cartridge (6003)	\$22.98 H

3M 6000 Series Full Facepiece Respirators - Reusable

857035

 Unique center adapter to direct exhaled breath and moisture downward, helps reduce debris from depositing in the valve and allows for quick and

· Lightweight, well-balanced design with silicone faceseal for enhanced

• Air purifying respirator (APR), supplied air (SA) and powered air purifying

Large lens for wide field of view and excellent visibility.

3M Cool Flow Valve for cooler, drier comfort.

 Offers versatility for many environments and applications and helps provide respiratory protection against a wide variety of gases and vapors when used approved cartridges and filters.

easy cleaning.

comfort and durability.

119

Fun & Flotation Anchor & Dock Safety

Trolling

Electrical

Topside Acc Cockpit

& Deck nstruments Steerina. Controls

Perform.

Fuel

System

Engine

& Parts

Engine Care

Propellers

Seating &

Pedestals

Tons &

Pumps

Cleaning

& Care

Paint &

Paint Acc

Hardware. Fasteners Trailering

respirator (PAPR) modes. • NIOSH Approved. Electronics Order No. Mfg. No. / Description Price 857053 (54146) Medium (6800) \$229.98 H Motors 857054 (54159) Large (6900) \$229.98 H 856655 (07142) Face Shield Cover (6885) \$78.98 H Lighting 857035 (37004) Nose Cup Assembly (6894) \$56.98 H

3M Half Facepiece Disposable Respirator Assemblies - Dual Cartridge



- NIOSH approved for respiratory protection against certain organic vapors and particulates.
- · Lightweight, well-balanced design enhances comfort.
- Disposable model helps reduce maintenance issues for greater convenience.
- · Multi-purpose respirator assembly works in a variety of workplace applications.
- Half facepiece design is ideal for intermittent use.

Order No.	Mfg. No. / Description	Price
856611	(66069) Medium (52P71)	\$35.98 H
856623	(66070) Large (53P71)	\$35.98 H
856625	(07194) Particulate Filter, Sold 10 Per Box	\$29.98 H

DUAL CARTRIDGE RESPIRATOR PACKOUT

 Includes the 3M Low Maintenance Half Facepiece, (1) pair Organic Vapor Cartridges - 07046, (1) pair Filter Retainers - 07054 and (2) pairs of P-95 Filters - 07194. Order No. Mfr. No. / Description


Urder No.	NITG. No. / Description	Price
857048	(07178) Medium	\$60.98 H
857049	(07179) Large	\$60.98 H

Comm

Misc



Eyewear,	Paddle	S
----------	--------	---



122	Paddles	
No.	Airhead NA PALI Stand Up Paddleboard Paddle	Caviness Economy Wooden Paddles
		CAVINESS
Safety		
	Airhead's lightweight 3-section SUP paddle is the perfect companion to our	• An economical wooden boat paddle with Palm grip.
	Na Pali stand up paddleboard.	• Approximate blade width: 6".
	 This is truly a one-size-fits-all paddle. The length is easily adjustable from 160 to 210 cm. 	• Shaft dimensions: 1-1/4" W x 1" D (Oval).
	The paddle weighs less than 2 lbs. 3 oz.	Order No. Mfg. No. / Description Price 232710 (SG30) Length 3' \$17.98 G
	• The shaft is 100% fiberglass, the "duck foot" shape blade is designed for	232712 (SG35) Length 3-1/2' \$19.98 G
	maximum paddling efficiency and is fiberglass reinforced ABS.	232714 (SG40) Length 4' \$14.98 G
	Order No. Mfg. No. / Description Price	232716 (SG45) Length 4-1/2' \$16.98 G
Fun &	5960160 (AHSUP-P1) \$111.98 R	232718 (SG50) Length 5' \$16.98 G
Flotation	Caviness BP Series Wooden Paddles	Boater Sports Aluminum Paddles
Anchor & Dock	CAVINESS	ADATA A
Calata	······································	SPORTS
Safety		
Electronics		
Trolling	An economical wooden boat paddle with oval shaft and palm grip.	
Motors	 An economical wooden boar padde with ovar shart and paint grip. Approximate blade width: 6". 	Corrosion resistant aluminum shaft boat paddles with high impact handle
Lighting	• Shaft dimensions: 1-1/4" W x 1" D (Oval).	and molded blade.
	Order No. Mfg. No. / Description Price	Order No. Mfg. No. / Description Price
Electrical	232633 (BP30) Length 3' \$19.98 F	1-56010 (56010) Length 3' \$10.95 H
Topside	232657 (BP40) Length 4' \$23.98 F	1-56014 (56014) Length 4' \$13.29 H
Acc.	232669 (BP45) Length 4-1/2' \$29.98 F	1-56018 (56018) Length 4-1/3' \$14.25 H
Cockpit	232671 (BP50) Length 5' \$27.98 F 232708 (BP60) Length 6' \$37.98 F	1-56022 (56022) Length 5' \$15.15 H 1-56026 (56026) Length 5-1/2' \$15.99 H
& Deck	232700 (DF00) Length 0 337.30 F	1-30020 (30020) Lengui 3-1/2 313.33 H
Instruments	Caviness 400 Series Synthetic Paddles	Caviness JP Series Synthetic Paddle
	Caviness 400 Series Synthetic Paddles	Caviness JP Series Synthetic Paddle
Instruments Steering, Controls		
Steering, Controls		CAVINESS
Steering,		
Steering, Controls Perform. Fuel		CAVINESS
Steering, Controls Perform. Fuel System	• The shaft is made of super strong, lightweight, silver anodized aluminum	CAVINESS Caviness 2
Steering, Controls Perform. Fuel	• The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal	• Because of its size and takedown feature, it is perfect
Steering, Controls Perform. Fuel System Engine & Parts	• The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement.	• Because of its size and takedown feature, it is perfect for stowing under the seat of most personal watercraft vehicles.
Steering, Controls Perform. Fuel System Engine	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. 	Contross Contros Contros Contros Contros Contros Contross Contross Contross Contros Contrelife Contrelife Contros Contros Contrelife Co
Steering, Controls Perform. Fuel System Engine & Parts Engine Care	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". 	 Because of its size and takedown feature, it is perfect for stowing under the seat of most personal watercraft vehicles. Has an aluminum reinforced high-impact plastic blade and a super strong aluminum shaft fully clad with 1/16" of black plastic. Palm grip.
Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. 	 Because of its size and takedown feature, it is perfect for stowing under the seat of most personal watercraft vehicles. Has an aluminum reinforced high-impact plastic blade and a super strong aluminum shaft fully clad with 1/16" of black plastic. Palm grip. Approximate blade dimensions: 6-1/8" x 14".
Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers Seating &	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg. No. / Description 	 Because of its size and takedown feature, it is perfect for stowing under the seat of most personal watercraft vehicles. Has an aluminum reinforced high-impact plastic blade and a super strong aluminum shaft fully clad with 1/16" of black plastic. Palm grip. Approximate blade dimensions: 6-1/8" x 14". Shaft dimensions: 1-1/8" (Takedown).
Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers Seating & Pedestals	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mg. No. / Description Price 232948 (440BP) Length 4' Black 	 Continues Contension Contension
Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers Seating &	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mg. No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G 	 Controls Con
Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg.No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G 	 Continues Continues
Steering, Controls Perform. Fuel System Engine Care Propellers Seating & Pedestals Tops &	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mg. No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G 	 Controls Con
Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers Pumps Cleaning	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg.No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G 	 Continues Continues
Steering, Controls Perform. Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers Pumps Cleaning & Care	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg.No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G 	 Continues Continues
Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers Pumps Cleaning	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg.No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G 	 Continues Continues
Steering, Controls Perform. Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers Pumps Cleaning & Care Paint & Paint Acc. Hardware,	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg. No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G Caviness Neon Orange Synthetic Paddles 	Our providence of the set of t
Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers Pumps Cleaning & Care Paint & Paint Acc.	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg. No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G Caviness Neon Orange Synthetic Paddles CAVINESS The aluminum shaft is fully clad in plastic and is color matched to our aluminum reinforced high-impact plastic blade. 	 Converse and takedown feature, it is perfect for stowing under the seat of most personal watercraft vehicles. Has an aluminum reinforced high-impact plastic blade and a super strong aluminum shaft fully clad with 1/16" of black plastic. Palm grip. Approximate blade dimensions: 6-1/8" x 14". Shaft dimensions: 1-1/8" (Takedown). Order No. Mg. No. / Description Price 23229 (JP 30) 34-1/2" (20" Unassembled) State SP Series Synthetic Paddles Converses The SP Synthetic Paddle has a comfortable palm grip, fully plastic clad
Steering, Controls Perform. Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers Pumps Cleaning & Care Paint & Paint Acc. Hardware,	 CANINESS The shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg. No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G Caviness Neon Orange Synthetic Paddles 	Our providence of the set of t
Steering, Controls Perform. Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers Pumps Cleaning & Care Paint & Paint Acc. Hardware, Fasteners	CANINESS Control of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mtg. No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G Caviness Neon Orange Synthetic Paddles Contension The aluminum shaft is fully clad in plastic and is color matched to our aluminum reinforced high-impact plastic blade. Palm grip.	 CANINESS Controver Because of its size and takedown feature, it is perfect for stowing under the seat of most personal watercraft vehicles. Has an aluminum reinforced high-impact plastic blade and a super strong aluminum shaft fully clad with 1/16" of black plastic. Palm grip. Approximate blade dimensions: 6-1/8" x 14". Shaft dimensions: 1-1/8" (Takedown). Order No. Mfg. No. / Description Price 233229 (JP 30) 34-1/2" (20" Unassembled) Standard SP Series Synthetic Paddles One SP Synthetic Paddle has a comfortable palm grip, fully plastic clad aluminum shaft and fully aluminum reinforced high impact plastic blade. Standard box 12.
Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers Pumps Cleaning & Care Paint & Paint Acc. Hardware, Fasteners	 CANINESS Control of the shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg. No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G Caviness Neon Orange Synthetic Paddles Caviness Neon Orange Synthetic Paddles Approximate blade dimensions: 6-1/8" x 22". Shaft dimensions: 1-1/8". Order No. Mfg. No. / Description 	Corriness Corrines Corrines Corrines Corrines Corrines Corrines Corrines Corrine Co
Steering, Controls Perform. Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers Pumps Cleaning & Care Paint & Paint Acc. Hardware, Fasteners	CAVINESS Other shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg. No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G Caviness Neon Orange Synthetic Paddles Our endowman shaft is fully clad in plastic and is color matched to our aluminum reinforced high-impact plastic blade. Palm grip. Approximate blade dimensions: 6-1/8" x 22". Shaft dimensions: 1-1/8". Order No. Mfg. No. / Description Price 272330 (SP40NO) Length 4' Neon Orange Synthetic Paddles F	Corress of its size and takedown feature, it is perfect for stowing under the seat of most personal watercraft vehicles. Has an aluminum reinforced high-impact plastic blade and a super strong aluminum shaft fully clad with 1/16" of black plastic. Palm grip. Approximate blade dimensions: 6-1/8" x 14". Shaft dimensions: 1-1/8" (Takedown). Crer No. Mfg.No. / Description Price 233229 (JP 30) 34-1/2" (20" Unassembled) \$28.98 L0 Caviness SP Series Synthetic Paddles Order No. Mg.No. / Description Price Standard box 12. Order No. Mfg.No. / Description Price Standard box 12. Order No. Mfg.No. / Description Price Standard box 12. Order No. Mfg.No. / Description Price Standard box 12.
Steering, Controls Perform. Fuel System Engine & Parts Engine Care Propellers Seating & Pedestals Tops & Covers Pumps Cleaning & Care Paint & Paint Acc. Hardware, Fasteners Trailering Misc.	 CANINESS Control of the shaft is made of super strong, lightweight, silver anodized aluminum that extends fully into the high-impact plastic blade's length for internal reinforcement. Each shaft is partially clad around normal hand position with a full 1/16" wall of plastic for extra comfort and better grip. Approximate blade dimensions: 8" x 22". Palm grip. Order No. Mfg. No. / Description Price 232948 (440BP) Length 4' Black \$23.98 G 232962 (450BP) Length 5' Black \$27.98 G Caviness Neon Orange Synthetic Paddles Caviness Neon Orange Synthetic Paddles Approximate blade dimensions: 6-1/8" x 22". Shaft dimensions: 1-1/8". Order No. Mfg. No. / Description 	Corriness Corrines Corrines Corrines Corrines Corrines Corrines Corrines Corrine Co

Marpac Collapsable Paddle	Boater Sports Telescopic Paddle	
marpac	CITATION CONTRACTOR	Safet
michael		
This lightweight paddle adjusts		
easily to variable lengths with a simple twist. A section of the aluminum shaft disappears inside the blade to allow for compact storage under boat seats or in PWC storage compartments.	 Sturdy and compact telescoping paddle. 	
The corrosion resistant aluminum shaft, high-impact molded blade and	• Aluminum shaft adjusts from 22" to 44".	
boat hook handle, and hassle-free locking device ensure years of service. The bright orange blade is great for signaling in emergencies.	Twist to lock and unlock.High impact molded blades.	
For low profile boats and PWCs.	• Easy to grip "T" handle.	
Order No. Description Price 7-0603 Adjustable Length: 20" - 45" \$15.98 G	Order No. Mfg. No. / Description Price 1-56006 (56006) \$16.98 H	Fun & Flotation
Jet Logic Telescoping Paddle	Airhead White Oars	Anchor & Dock
	AIRHIAD	Safety
These lightweight paddles adjust easily to		Electronics
variable lengths with a simple twist. The corrosion-resistant aluminum shaft,		Trolling Motors
nigh-impact molded blade, boat hook handle and hassle-free locking device ensure years of service.	 These inexpensive oars are designed for use with inflatable boats The 2 section aluminum shafts are durable and lightweight. 	Lighting
The bright orange blade is great for signaling in the second	 The 15 in. high impact plastic blades and grips are designed for maximum rowing efficiency and comfort. 	Electrical
Nylon carrying case included.	Sold per pair.	Topside Acc.
Operation Price 960287 (P-2) Length 20" - 45" \$24.98 H	Order No. Mfg. No. / Description Price 596542 (AHIB-53) Length 53" \$26.98 H	Cockpit & Deck
Boater Sports Aluminum Oars	Caviness J0400 Series Synthetic Oars	Instruments
SPURTS	Processing and Annual Annua	Steering, Controls
	 Features a red Power Grip, a super strong, silver anodized aluminum 	Perform.
Lightweight and durable. Will not warp.	 Features a red Power Grip, a super strong, silver anodized aluminum shaft, Twist 'N Lock coupling and a fully aluminum reinforced high impact plastic blade. 	Fuel System
Corrosion resistant aluminum shaft and high impact, cupped, molded blade. I-1/4" shaft.	 Approximate blade dimensions: 5-1/2" x 24". Shaft dimensions: 1-3/8" (Takedown). 	Engine & Parts
Iter No. Mfg. No. / Description Price 56030 (56030) Length 5' \$23.65 H	Sold each. Order No. / Description Price	Engine Care
56030 (56034) (56034) <th< td=""><td>Order No. Mfg. No. / Description Price 232570 (0460) Length 6' \$34.98 G</td><td>Propellers</td></th<>	Order No. Mfg. No. / Description Price 232570 (0460) Length 6' \$34.98 G	Propellers
Caviness BW Series Wooden Oars	Caviness BWL-SU Series Wooden Oars CAVINESS	Seating & Pedestals
		Tops & Covers
		Pumps
Select wood, great balance and excellent workmanship.	Red Caviness power grip. Varnish finish.	Cleaning & Care Paint &
Varnish finish. Approximate blade dimensions: 5" x 21" (6').	 Varnish finish. Lightweight and economical. Blade dimensions: 21" x 5" (6'). Shaft diameter: 1-1/2". 	Paint Acc.
Shaft dimensions: 1-3/8" at grip, 1-3/8" at throat. Sold each.	 Blade dimensions: 21 X 5 (6). Shart diameter: 1-1/2 . To Estimate Oar Length: Take half (1/2) the distance between the oar locks and multiply by 3, then add 6 inches. 	Hardware, Fasteners
rder No. Mfg. No. / Description Price	Order No. Mfg. No. / Description Price	Trailering
32594 (BW50) Length 5' \$28.98 F 32607 (BW60) Length 6' \$33.98 F	232624 (BWLSU50) Length 5' Sold Per Pair \$123.98 LQ 232626 (BWLSU60) Length 6' Sold Per Pair \$146.98 LQ	Misc.
32619 (BW70) Length 7' \$39.98 F	232628 (BWI SLIZO) Length Z' Sold Each \$173.981.0	

\$39.98 F

\$45.98 F

232628 (BWLSU70) Length 7'

232630 (BWLSU80) Length 8'

Sold Each

Sold Per Pair

\$173.98 LQ

\$248.98 LQ

Comm.

232619 (BW70) Length 7'

232621 (BW80) Length 8'

Paddles, Oars

