Attwood Portable Fuel Tanks



INCLUDES FUEL GAUGE

• Impact resistant, high visibility UV protected fuel gauge.

 Order No.
 Mfg. No. / Description
 Price

 333645
 (8812LPG2)
 12 Gallon
 22.75" L x 14.25" W x 14.36" H
 \$129.98 LQ

 333644
 (8812LLPG2)
 12 Gallon
 24" L x 18" W x 11.61" H (Low Profile)
 \$129.98 LQ

Moeller Portable Fuel Tanks - EPA/CARB Compliant Ultra Tanks



- Seamless one-piece polyethylene construction with 2-stage self-venting fuel cap required by EPA/CARB for 2011 and beyond.
- Includes: 90° fuel withdrawal assembly that rotates 360° to reduce fuel line kinks and a direct sight fuel gauge with glass lens for years of clear viewing.
- Non-corrosive and lightweight with a built-in fuel reserve capacity.
- Complies with industry requirements.
- Meets ABYC standards.

| Order No. | Mfg. No. / Desi | cription | | Price |
|-----------|-----------------|-----------|--------------------------------|-------------------|
| 481981 | (620003LP) | 3 Gallon | 16.75" L x 10.75" W x 8.00" H | \$61.98 F |
| 482002 | (620049LP) | 6 Gallon | 20.50" L x 12.75" W x 10.50" H | \$62.98 F |
| 482015 | (620048LP) | 6 Gallon | 4 Pack | \$242.98 F |
| 482076 | (620009LP) | 9 Gallon | 22.90" L x 14.30" W x 11.75" H | \$109.98 G |
| 482115 | (630012LP) | 12 Gallon | 22.90" L x 14.30" W x 13.60" H | \$117.98 G |
| 482127 | (630013LP) | 12 Gallon | 24.30" L x 18.10" W x 10.75" H | \$117.98 G |
| | | | | |

- Automotive Grade multi-layer Co-extruded HDPE/EVOP tank material prevents the evaporation of gasoline saving gas and money
- Compatible with 1/4" NPT fuel fittings
- Exclusive no-joint injection molded tank interfaces ensure leak free performance in severe conditions
- Ratcheting cap with tether ensures proper tank closure and prevents accidental cap loss.
- Cap includes automatic vacuum valve that eliminates the traditional manual thumb screw and prevents water from leaking into tank.
- Cap includes industry leading high-flow automatic vacuum valve with ultralow fuel restriction (less than 1kpa restriction at 50 liters/hour) ensuring proper fuel flow and reducing fuel pump stress.
- True liquid fuel capacity
- Additional tank capacity for 1:16 2 cycle oil blend (.75 gallons) plus 5% vapor space for fuel thermal expansion.
- 100% leak tested prior to delivery.
- UV and ozone resistant.
- EPA and CARB Certified.
- Built and tested to ABYC H25, ASTM F852 and USCG Standards.
- Compatible with Ethanol blended fuels.
- 2 year warranty.

Sceptor Portable Fuel Tanks - EPA/CARB Compliant Ultra Tanks



- Seamless one-piece polyethylene construction with 2-stage self-venting fuel cap required by EPA/CARB for 2011 and beyond.
- Includes 90° fuel withdrawal assembly that rotates 360° to reduce fuel line kinks and a direct sight fuel gauge with glass lens for years of clear viewing.
- Non-corrosive and light-weight with a built-in fuel reserve capacity.
- Complies with industry requirements.
- Meets ABYC standards.

| Order No. | Mfg. No. | / Description | | Price |
|-----------|----------|---------------|--------------------------------|--------------------|
| 481984 | (8590) | 3 Gallon | 16.75" L x 10.75" W x 8.00" H | \$67.98 LQ |
| 482007 | (8592) | 6 Gallon | 20.50" L x 12.75" W x 10.50" H | \$68.98 LQ |
| 482010 | (8580) | 6.6 Gallon | 21.25" L x 14.00" W x 9.75" H | \$88.98 LQ |
| 482088 | (8667) | 9 Gallon | 22.90" L x 14.30" W x 11.75" H | \$134.98 LQ |
| 482019 | (8668) | 12 Gallon | 22.90" L x 14.30" W x 13.60" H | \$148.98 LQ |
| 482021 | (8669) | 12 Gallon | 24.30" L x 18.10" W x 10.75" H | \$147.98 LQ |

BluSkies Portable Fuel Tanks

3luSkies





| • | Comfort | grip | handle | with | rear | handle | assist | for | easy | carry | 1 |
|---|---------|------|--------|------|------|--------|--------|-----|------|-------|---|
|---|---------|------|--------|------|------|--------|--------|-----|------|-------|---|

- Tie down grooves for extra security in transport or under way.
- · Molded rear standoffs for vertical tank standing.
- Underside recesses for multi-directional non-slip action.

 Order No.
 Mfg. No. / Description
 Price

 2000080 (BS-3GAS) 3 Gallon
 \$56.99 LQ

 2000081 (BS-6GAS) 6 Gallon
 \$58.95 LQ

Safety

Electronics

Fun & Flotation

Anchor

& Dock

Trolling

Motors

Lighting

Electrical

Topside Acc.

Cockpit

& Deck
Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc

Hardware, Fasteners

Trailering

Misc.

Comm.

Fun & Flotatio Anchor & Dock Safety

Trolling

Motors

Lighting

Electrical

Topside

Cockpit

& Deck

Steering, Controls

Perform. **Fuel**

Engine

& Parts

Engine

Propellers

Seating &

Pedestals

Tons &

Covers

Care


Acc



• Corrosion/pit resistance and exclusive Moeller Tite pioneering.

- Each tank is complete with Hose Tite, fill spouts, withdraw, and vent fittings molded directly into the shell.
- Utilizes rotationally molded, cross-linked polyethylene plastic, allowing for complex shape designs beyond conventional and restricted aluminum tanks.
- Our fittings hold the highest O.D. and I.D. tolerances in the industry, ensuring you the highest level of input flow available during tank refueling.
- Machined aluminum 3/8" withdraw fitting has 360° rotational capability for hook-up convenience.
- · Convenient hold down grooves molded directly into tank shell work great with 808925 (035710) Moeller's Permanent Fuel Tank Hold Down Kit.

| Pumps | • Confor | ms to all A | ABYC, NMM/ | A and U.S. Coast Guard regulations | |
|--------------------|-----------|--------------|-------------|------------------------------------|------------|
| Classias | Order No. | Mfg. No. / [| Description | | Price |
| Cleaning & Care | 806503 | (032512) | 12 Gallon | 24.50" L x 18.50" W x 7.25" H | \$225.98 F |
| | 806553 | (032612) | 12 Gallon | 20.00" L x 14.00" W x 11.75" H | \$224.98 F |
| Paint & Paint Acc. | 806604 | (032514) | 14 Gallon | 18.00" L x 11.75" W x 16.25" H | \$225.98 F |
| railit Acc. | 806515 | (032518) | 17 Gallon | 36.50" L x 18.25" W x 7.25" H | \$272.98 F |
| Hardware, | 806565 | (032519) | 19 Gallon | 26.00" L x 16.00" W x 11.75" H | \$249.98 F |
| Fasteners | 806616 | (032520) | 20 Gallon | 26.00" L x 11.75" W x 16.25" H | \$245.98 F |
| Trailering | 806527 | (032525) | 25 Gallon | 47.00" L x 18.03" W x 7.50" H | \$326.98 F |
| - Trailorning | 806577 | (032527) | 27 Gallon | 36.50" L x 16.00" W x 11.75" H | \$284.98 F |
| Misc. | 806628 | (032627) | 27 Gallon | 36.00" L x 11.81" W x 16.28" H | \$284.98 F |
| IVIISC. | 806806 | (032535) | 35 Gallon | 69.50" L x 16.00" W x 8.00" H | \$392.98 F |
| 0 | 806844 | (032550) | 50 Gallon | 45.00" L x 12.50" W x 22.00" H | \$399.98 F |
| Comm. | 482052 | (032552) | 52 Gallon | 60.00" L x 24.00" W x 10.00" H | \$519.98 F |



- Provides positive seal with Moeller-exclusive injection molded 2-1/4" fill neck.
- Mechanically vented fuel cap ensures easy gripping with exclusive ribbed design that floats.
- Features 90°, 1/4" NPT fuel withdrawal elbow that rotates 360° eliminating a kinked fuel line hose.
- Includes mechanical direct-sight gauge with easy-to-read indicator.
- Tested to industry standards.
- Specifically designed for use in Boston Whalers, Carolina Skiff and Key West bench style, center console, pontoon, deck and jon boat designs.
- Ok for use with Ethanol based fuels.

| \$259.98 F |
|-------------------|
| \$269.98 F |
| \$269.98 F |
| \$299.98 F |
| |

Moeller Topside White Fuel Tank



- Durable rotomold white topside tank.
- Manufactured in high density polyethylene with UV-stabilized resin.
- E10 Ethanol compliant. Will not delaminate, rust, or experience galvanic
- Specifically designed for use in Boston Whaler Montauk 15' and 17' consoles.
- Molded fill neck with side angle orientation for ease of access.
- Exclusive PL3 pickup design with 360 degree swivel.
- Includes: Moeller (305195) 13-1/4" Kelch fuel cap with site gauge and
- CE Certified and both ABYC and NMMA compliant.

Order No. Mfg. No. / Description **806570** (031626) 22 Gallon 29.25" L x 20.50" W x 12.25" H \$329.98 F

Anchor

& Dock

Safety

Electronics

Trolling

Motors

Lighting

Electrical Topside Acc Cockpit & Deck

Perform.

Engine Care

Propellers

Seating &

Pedestals

Tons &

Covers Pumps

Cleaning & Care Paint &

System Engine & Parts

Moeller Permanent Fuel Tank Installation Kit M•ELLER

• Tank installation kit includes: Gas deck fill, (2) 1-1/8" and (4) 2-1/4" stainless steel hose clamps, chrome plated brass thru-hull vent, 1-1/2" fuel fill hose, 25" of 5/8" vent hose, 5/8" brass hose bar and (2) mounting strips.

Order No. Mfg. No. / Description **808455** (035723) \$68.98 F

Scepter Portable Tank Fuel Removal Spout





Order No. Mfg. No. / Description \$11.98 LQ **482006** (9036)

Moeller Gauge Assembly





• For Ultra 3G, 6G, 6 Bow, 9 Gas and LPT 12G Fuel Tanks.

Order No. Mfg. No. / Description Price **482510** (621001-10) \$16.98 LQ

Moeller Siphon Pump





- Self priming pump.
- Anti-static feature lets you transfer fuel without danger of sparks.

Order No. Mfg. No. / Description Price \$17.98 R 482008 (42907) Diameter 1/2"

Moeller Permanent Fuel Tank Hold Down Kit






- Stainless steel permanent fuel tank hold down kit.
- Sold 4 brackets per kit.

Order No. Mfg. No. / Description **808925** (035710) \$25.98 G

Moeller Manual Vent Fuel Cap

M•=LLER



• For use with 031103, 031106, 031109, 031112, 031212, 620003, 620049, 630012, 630013, 630014, 620040, 720040, 730014 and 730025.



Order No. Mfg. No. / Description **482505** (621501-10) **\$12.98** R

Marpac Fuel Tank Pick-Ups



- Rigid polyethylene fuel tube is formulated for today's fuels.
- E10 and E85 compatible.
- 1/4" NPT aluminum fitting. 3/8" ID pick up tube.

| Order No. | Description | Price |
|-----------|-------------|------------------|
| 7-0947 | Length 12" | \$12.98 G |
| 7-0948 | Length 24" | \$13.98 G |
| | | |

Moeller Withdrawal Assembly





nstruments • For Ultra 3G and 6G Fuel Tanks. Steering, Controls Order No. Mfg. No. / Description

Boater Sports Battery Tray Strap



482515 (621002-10)



\$7.98 R

- Replacement strap for use with 51014, 51016, 51017 battery travs.
- Includes floor mount loops.


1-51026 (51026)

• 54" x 1-1/2". Order No. Mfg. No. / Description

Price \$4.95 H

T-H Marine Fuel Tank Hold Down Kit





• Comes complete with (2) 62" straps, (4) footman loops and mounting hardware for securing system to boat.





Hardware, Fasteners

\$17.98 H

Trailering Misc.

Order No. Mfg. No. / Description **640253** (FCH-1-DP)

Fun &

Flotation

Anchor

& Dock

Safety

Electronics Trolling

Motors

Electrical

Topside Acc

Cockpit

& Deck



- · Ameri-Can EPA CARB fuel containers.
- Scepter's patented "Spill-Proof Spout" is designed to eliminate spillage through a self-venting spout that provides an automatic shut-off feature that engages when the fuel tank reaches capacity.
- This dual functionality significantly reduces the amount of potential organic gases that escape from traditional gas cans. The result: less smog-forming pollution leading to a healthier environment.

| Order No. | Mfg. No. / Description | Price | |
|-----------|------------------------|----------------------|------------------|
| 481950 | (000001) 1.25 Gallon | CARB Gas | \$20.98 F |
| 481951 | (085059) 5 Gallon | CARB Kerosene (Blue) | \$33.98 F |
| 481952 | (000003) 5 Gallon | CARB Gas | \$32.98 F |
| 481954 | (000004) 5 Gallon | CARB Diesel (Yellow) | \$30.98 F |

Scepter Jerry Can Parts Kit

Scepter Lighting



- Kit includes screw cap, stopper, vent cap and flexible spout.
- For use on Scepter self-ventilated fuel cans.

Order No. Mfg. No. / Description Price **481949** (3647) \$6.98 LQ

Instruments **Moeller Gas Docks**

Steering, Controls

Perform

Fuel **System**

Engine & Parts

Care

Propellers

Seating & Pedestals

Tons & Covers

Pumps

Cleaning

& Care Paint &

Paint Acc.

 Certified DOT and UN as "Special Container. Hardware, Fasteners · Built in handle for easy maneuverability.

 Pneumatic tires for easy rolling over rugged terrain. Trailering

Misc

• Dimensions: 22" L x 16" W. Mfg. No. / Description

Includes 8' fuel hose.

808730

Rugged blow mold design.

• Easy-to-grip cap with manual vent.

Shutoff valve located at the bottom of the tank.

Price **808730** (520015) Capacity: 15 Gallon Height 33" \$349.98 LQ 808732 (520025) Capacity: 25 Gallon Height 43" \$399.98 LQ



481948

- · Ecologically friendly, they provide 100% compliance with California's Air Resource Board (CARB) emission and spill control regulations.
- Manufactured using patented technology that provides permeation levels well below the CARB .40 gram/gal/day threshold.
- Feature CRC's and a patented automatic shut-off spout that stops overflows, closes automatically and self-seals to guard against unwanted vapor emissions when not is use.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|---------------------------|------------------|
| 481955 | (000002) 2 Gallon | CARB Jerry Can with CRC | \$23.98 F |
| 481948 | (004933) 5.3 Gallon | Military Style Water Can | \$23.98 F |
| 481953 | (005086) 5.3 Gallon | Square Red/Military Style | \$38.98 F |

Moeller Gas Walker Wheeled Fuel Transport

M•=LLER:

- Compliant with DOT/UN regulations for special containers; meets all US requirements for fuel transport.
- Durable cross-linked polyethylene construction with UV inhibitors.
- 3.5 gallons per minute flow rate with brass safety shutoff valve.
- · Locking plate prevents accidental fuel discharge or theft.
- Easy-to-grip cap with manual vent.
- Includes fuel hose assembly with molded-in storage for safety.
- Dimensions: 19-1/2" L x 19" W x 43-1/4" H.

Order No. Mfg. No. / Description 808715 (730025) Capacity: 29 Gallon



Scepter DuraMax Flo n' Go Wheeled Fuel Transport

Scepter

808732

- · Composed of a durable, high-density polyethylene in vibrant red for use with gasoline, diesel or kerosene fuels.
- Comes complete with a patented Flo n' Go hand pump and pump holder handle.
- 14 gallon volume capacity and a long 10' long fuel hose.
- Quickly refuels, using a UL approved, mechanically vented fill cap.
- · Sturdy, 6" wheels.
- Ergonomically designed, heavy duty top handle with extra deep base unit handholds for transport.
- Dual mechanical shut-off valves, at both tank and hose, for spill-proof Flo n' Go disconnection.
- Meets D.O.T. and UN transportation Requirements.





Fun &

Flotation

Anchor

& Dock

Electronics

Trolling Motors

Lighting

Electrical

Topside

Cockpit

Instruments

& Deck

Acc



- Fully sealed with Fog-resistant lens, built to military specifications.
- Fit standard 2-1/16" gauge mounting holes.
- 0EM replacements are also available.

| Description | Price |
|--|---|
| Elite Domed Gauge with Stainless Bezel | \$29.98 G |
| Elite Domed Gauge | \$24.98 G |
| Performance Domed Gauge | \$25.98 G |
| Red Series Gauge | \$25.98 LQ |
| | Description Elite Domed Gauge with Stainless Bezel Elite Domed Gauge Performance Domed Gauge Red Series Gauge |


Sierra Sahara 2" Fuel Gauge



- Crisp tan dials and fire-orange pointer tip.
- · Combined red through-dial and white perimeter lighting provide great readability at night.
- Domed glass sheds water and resists scratching.
- Scratch-resistant domed glass lenses.
- · Enhanced illumination: through-dial and perimeter lighting for excellent readability at night.

Order No. Mfg. No. / Description Price \$31.98 H **8020260** (59707P)

Sierra



- Crisp white dials and fire-orange pointer tips.
- Scratch-resistant domed glass lenses.

Order No. Mfg. No. / Description **818825** (65496P)

\$29.98 F

Sierra Black Sterling 2" Fuel Gauge

Sierra Lido 2" Fuel Gauge



- Crisp black dials which highlight the stainless accents and fire-orange pointer tips.
- · Scratch-resistant domed glass lenses.

Order No. Mfg. No. / Description **8020303** (67021P)

\$31.98 H

Safety

Moeller Fuel Gauge

M•ELLER:

- Dash mounted electric fuel gauge.
- 33 to 240 Ohm's.
- · Includes retainer ring.

Order No. Mfg. No. / Description 808482 (035727-10)

Price \$36.98 F

· Perimeter-lighted white dial with bold black graphics, white aluminum bezel, contoured black pointer and flat glass lens.

Order No. Mfg. No. / Description **3511285** (13101)



Steerina. Controls Perform.

System Engine & Parts Engine

Propellers

Seating &

Pedestals

Tons &

Faria Professional Red Fuel Gauge



Order No. Mfg. No. / Description **3511655** (14601)

steel bezel, contoured

\$45.98 H

Faria Euro Fuel Gauge



 Perimeter-lighted black dial with hold white graphics, black aluminum bezel, contoured white pointer and flat glass lens.

Order No. Mfg. No. / Description **3511000** (12801)

\$31.98 R

Faria Euro White Fuel Gauge



\$33.98 R

· Perimeter-lighted white dial with bold black graphics, black aluminum bezel, contoured black pointer and flat glass lens.



Order No. Mfg. No. / Description **3511105** (12901)

\$31.98 R

Covers

Pumps

Cleaning & Care

Paint &

Paint Acc Hardware.

Fasteners Trailering

Misc.

Faria Chesapeake Black Stainless Steel Fuel Gauge Faria Chesapeake White Stainless Steel Fuel Gauge



Order No. Mfg. No. / Description Price **3511385** (13701) \$41.98 R

white pointer and domed glass lens.



 Perimeter-lighted white dial with stylish blue and black graphics, polished stainless steel bezel, contoured

black pointer and domed glass lens.

Order No. Mfg. No. / Description **3511485** (13801) \$41.98 R



Faria Coral Fuel Gauge

Order No. Mfg. No. / Description **3511200** (13001)

\$31.98 R

Flotation

Anchor & Dock

Electronics

Trolling

Motors

Lighting

Electrical

Instruments

Perform.

Fuel

Engine

& Parts

Care

Propellers

Seating & Pedestals Tons & Covers

Pumps

Cleaning

& Care

System

Marpac Universal Electric Fuel Senders



· Calibrated for 33 to 240 ohms - an industry standard.

- 100% pre-inspected to ensure full range of calibrated reading from empty to full.
- For use with gasoline or diesel (with separate return line) applications.
- Not for use in water.
- Complete kit includes gasket and screws.
- Made in USA.

Order No. Description 7-2030 Fun &

Fits Tank Depth: 4" to 27" **7-6960** Fits Tank Depth: 6" to 12" \$39.98 G \$27.98 G

7-6960

Marpac Universal Electric Fuel Sender Gasket

Safety

 5-hole design fits most electric and mechanical sending units.

Self-sealing screws included.

Order No. Description 7-6959 Electric Fuel Sender Gasket

\$9.98 G

Price

\$37.50 H

Boater Sports Universal Fuel Sender

Topside Acc

Cockpit & Deck

Steering Controls Adjustable for tank depths

from 4" to 24"

 Standard SAE 5-hole pattern. • Rust proof reinforced Delrin flange with rigid aluminum insert.

• 33 ohm resistance range.

Order No. Mfg. No. / Description

1-53260 (53260)

Engine

Moeller Swingarm Mechanical Sending Units

M•=LLER

 With a direct site gauge or with the conversion capsule gathers fuel level information with the float.

• While accurate, the gauge will fluctuates as the fuel in the tank "slosh" around the tank when boating because of the moving parts - the float.

· Calibrated to 33 to 240 Ohm's.

Paint & Order No. Mfg. No. / Description Price Paint Acc. 808569 (035750-10) Fits Tank Depth: 7-1/2" \$74.98 R Hardware **808571** (035751-10) Fits Tank Depth: 8" \$74.98 R Fasteners **808595** (035752-10) Fits Tank Depth: 10" **\$74.98** R 808608 (035753-10) Fits Tank Depth: 11-3/4" **\$74.98** R Trailering **808610** (035754-10) Fits Tank Depth: 12" **\$74.98** R 808622 (035755-10) Fits Tank Depth: 14" **\$74.98** R Misc 808646 (035756-10) Fits Tank Depth: 16-1/4" **\$74.98** R (035757-10) Fits Tank Depth: 17-3/4" 808658 **\$74.98** R (035758-10) Fits Tank Depth: 22" **\$74.98** R

Marpac Universal Electric Fuel Sender



- Calibrated for 33 to 240 ohms an industry standard.
- 100% pre-inspected to ensure full range of calibrated reading from empty to
- For use with gasoline or diesel (with separate return line) applications.
- · Not for use in water.
- Complete kit includes gasket and screws.
- Made in USA.

Order No. Description

Fits Tank Depth: 6" to 24" 7-6961

Price

\$27.98 G

SeaStar Solutions Fuel Gauge Sender



- · Stainless steel, aluminum and brass construction.
- Injection-molded blade terminals stop leaks.
- · Stainless steel float arm.
- · Closed-cell fuel resistant float.
- 33-240 Ohm's, an industry standard.

• Adjustable for 4" to 24" tank depth.

Order No. Mfg. No. / Description **815297** (90424P)

Price

\$45.98

Moeller Swingarm Electric Sending Units

M•=LLER



- It does, however, connect to a dash mounted gauge without a conversion capsule.
- Calibrated to 33 to 240 Ohm's.
- They are also a DIY product, letting the consumer measure their tank depth and make the swingarm the correct length.
- Internal components will not rust or corrode.
- Float rotates easily in 90 degree increments for tanks wall and baffle clearance.

| Order No. | Mfg. No. / Description | Price |
|-----------|--|------------------|
| 808675 | (035722-10) Fits Tank Depth: 6" - 12" | \$34.98 R |
| 808680 | (035729-10) Fits Tank Depth: 12" - 24" | \$34.98 R |
| 808685 | (035725-10) Fits Tank Depth: 4" - 28" | \$34.98 R |



Moeller Reed Array Sending Unit





- Features protection from corrosion (internal and external to the fuel tank).
- Standard with a SAE 5-hole mounting bolt pattern.
- Construction of head engineering-grade thermo-polymer.
- Suitable for gas, ethanol, diesel, bio-diesel and non-potable water use.
- Temperature range -40° F to 176° F, -40° C to 85° C.
- Meets requirements of ISO 10088, ABYC H-24, 33CFR 183.590 and ISO 8846 standards.

 Order No.
 Mfg. No. / Description
 Price

 806830
 (035791-10) Fits Tank Depth: 6" - 24"
 \$44.98 H

Moeller Universal 5 Hole Gasket

M•=LLER

- For Electric and Mechanical Sending Units.
- · Screws included.

Order No. Mfg. No. / Description **808494** (035728-10)

Price **\$9.98** F

Moeller Replacement Direct Site Gauge





 Order No.
 Mfg. No. / Description
 Price

 808709
 (035759-10)
 \$19.98 R

Moeller Reed Switch Sending Units

M•ELLER

- Collects fuel level information more consistently than swingarm senders.
- They achieve this by taking the measurement from the float which is still a moving part.
- However, the fluctuation is much less because the range of motion is much less.
- Stainless steel construction provides efficient performance.
- A direct original equipment manufactured replacement.
- Calibrated to 33 to 240 Ohm's.
- Sender length is 1" shorter than tank depth.

| Order No. | Mfg. No. / Description | Price |
|-----------|--------------------------------------|------------------|
| 808723 | (035761-10) Fits Tank Depth: 9" | \$79.98 Q |
| 808735 | (035762-10) Fits Tank Depth: 11" | \$79.98 Q |
| 808747 | (035764-10) Fits Tank Depth: 13" | \$89.98 Q |
| 808759 | (035765-10) Fits Tank Depth: 15" | \$89.98 Q |
| 4810038 | (035767-10) Fits Tank Depth: 18-1/2" | \$122.98 H |
| | | |

Moeller Conversion Capsule

M•ELLER



 Converts fuel level reading from standard direct site gauge to electric dash mounted gauge (33 to 240 Ohm's).

 Order No.
 Mfg. No. / Description
 Price

 808711
 (035760-10)
 \$66.98 R

| (000700 10 | , | 0.00 11 | (00070 | , | | | | φου.ου 11 |
|------------------|--|----------------------------|----------------|---------|---------|---------|---------|-----------|
| | | OEM Fuel Line Assembly | Cross Refer | ence Ch | art | | | |
| Manufacturer | Style | Replaces OEM No | Marpac Premier | Marpac | BRP | Attwood | Moeller | Sierra |
| Chrysler/Force | | | | | | | 807366 | |
| Honda | | | | | | 333660 | | |
| Johnson/Evinrude | Clip Style | 398549, 176667, 174513 | 7-6702 | | B766489 | 333655 | 807362 | 188009EP1 |
| Johnson/Evinrude | Blank on Tank Side | 174509 | | | B766490 | | | 188014EP1 |
| Mercury | Clip Style | 32-827927A | 7-6706 | | | 333665 | 807356 | 188016EP1 |
| Mercury | Bayonet Style, Cast Alum. | 32-80188A 2 | | 7-6825 | | | 807358 | 188010EP1 |
| Mercury | Bayonet Style, Plastic | 32-80188A-2 | | | | 333650 | 807364 | |
| Mercury | Hose Barb, Tank Side | 32-858104Q08, 32-858104K08 | | | | | | 188024EP1 |
| Mercury | Hose Barb, Both Ends | 32-858114Q08, 32-858114K08 | | | | | | 188012EP1 |
| Mercury | Bayonet Style (Plastic), Clip Style | | | | | | 807372 | |
| Yamaha | Clip Style | 6Y2-24306-05-00 | 7-6708 | | | 333675 | 807368 | 188017EP1 |
| Universal | 3/8" | | 7-6709 | | B766491 | 333670 | 807360 | 188015EP1 |
| Universal | 3/8", Extra Long | | | 7-6830 | | 2350168 | | |
| Universal | 5/16" | | | | | | | 188013EP1 |
| Universal | 5/16", Extra Long | | | | | | | 188032EP1 |
| | | | | | | | | |

Price \$79.98 Q

Fun & Flotation

Safety

Electronics

Trolling Motors

Lighting

Electrical Topside

Acc.
Cockpit
& Deck

Instruments

Steering, Controls

Perform.

System Engine

& Parts
Engine
Care

Seating & Pedestals

Propellers

Covers Pumps

Cleaning & Care

Paint Acc.

Hardware,
Fasteners

Trailering

Misc.

Comm.

Anchor

& Dock

Safety

Electronics
Trolling
Motors

Lighting

Topside Acc. Cockpit & Deck

Instruments

Steering,

Controls

Fuel System Engine & Parts Engine Care

Propellers
Seating & Pedestals

Tops & Covers
Pumps
Cleaning

& Care
Paint &
Paint Acc.
Hardware,
Fasteners

Marpac Premier Fuel Line Assemblies



- Meets EPA low permeation mandates and the stringent requirements of SAE J1527 B1-15 and ISO 8469.
- Specifically designed for use with ethanol enriched fuels.
- Kink free performance.
- Rapid prime with dual big bore check valves.
- Viton balls and stainless steel components for greater longevity and a better prime every time.
- Bulb stays pliable even in cold weather.
- 3/8" fuel line.
- Stainless steel clamps.

| Order No. | Description | | Price |
|-----------|-------------------|-----------------------------------|------------------|
| 7-6702 | Johnson/Evinrude | Replaces: OEM No. 398549 | \$48.98 G |
| 7-6706 | Mercury Two Prong | Replaces: OEM No. 32-827927A | \$48.98 G |
| 7-6708 | Yamaha | Replaces: 0EM No. 6Y2-24306-05-00 | \$48.98 G |
| 7-6709 | Universal | (Connectors Not Included) | \$42.98 G |
| | | | |

Moeller Low Permeation Fuel Line Assemblies



- Uses a compounded, tough and pliable UV-resistant hose.
- 3/8" I.D. hose promotes maximum fuel flow.
- Includes: Fittings built to OEM Specifications for replacement parts.
- Uses 0-ring construction on all fittings for tight, leak-free connections.

| Order No. | Mfg. No. / Descripti | ion | Pi | rice |
|-----------|----------------------|--|---------|------|
| 807288 | (034393-10LP) | Chrysler/Force | \$44.98 | LQ |
| 807202 | (034388-10LP) | Mercury Bayonet Style, Cast Alum. Fittings | \$55.98 | LQ |
| 807226 | (034392-10LP) | Mercury Bayonet Style, Plastic Fittings | \$42.98 | LQ |
| 807264 | (034394-10LP) | Yamaha | \$39.98 | LQ |
| 807149 | (034390-10LP) | Universal, 80" Long | \$26.98 | LQ |
| | | | | |

OMC® Systematched™ Johnson/Evinrude Fuel Line Assemblies





| rallering | | | | |
|-----------|-----------|-------------------------------|-----------------------|-----------|
| | Order No. | Mfg. No. / Description | | Price |
| Misc. | B766489 | (766489) 8' x 5/16" Hose I.D. | Tank & Engine Conn. | \$65.99 H |
| | B766490 | (766490) 8' x 5/16" Hose I.D. | Engine Connector Only | \$58.99 H |
| Comm. | B766491 | (766491) 10' x 3/8" Hose I.D. | No Connectors | \$64.99 H |
| COIIIII. | B766494 | (766494) 8' x 3/8" Hose I.D. | Tank & Engine Conn. | \$68.99 H |

Sierra Silverado 4000 Complete Fuel Line Assemblies



- Premium rubber fuel line polyester braid.
- Weather resistant CPE cover.
- Flexible THV barrier layer.

| LENGTH 8' | | | |
|-----------|---------------------|---|------------------|
| Order No. | Mfg. No. / Descript | tion | Price |
| 188009EP1 | (18-8009EP-1) | Johnson/Evinrude, Clip Style | \$65.45 H |
| 188014EP1 | (18-8014EP-1) | Johnson/Evinrude, Clip Style Engine End, No Fitting Tank End | \$55.40 H |
| 188010EP1 | (18-8010EP-1) | Mercury/Mariner, Bayonet Fittings | \$65.60 H |
| 188012EP1 | (18-8012EP-1) | Mercury/Mariner, Threaded Barbs | \$57.78 H |
| 188016EP1 | (18-8016EP-1) | Mercury/Mariner, Clip Style | \$62.37 H |
| 188024EP1 | (18-8024EP-1) | Mercury/Mariner, Threaded Barb Tank End, Clip Style Engine End | \$55.80 H |
| 188017EP1 | (18-8017EP-1) | Yamaha, Fits: F75-F250 & 115-300 HP | \$66.30 H |
| 188013EP1 | (18-8013EP-1) | Universal, 5/16" | \$50.57 H |
| 188015EP1 | (18-8015EP-1) | Universal, 3/8" | \$52.52 H |
| | | | |

LENGTH 12' Order No. Mfg. No. / Description Price 188032EP1 (18-8032EP-1) Universal, 5/16" \$65.00 H

Sierra Silverado 3000 Complete Fuel Line Assemblies



• 8' length complete fuel line assemblies.

| Order No. | Mfg. No. / Desc | ription | Price |
|-----------|-----------------|---|-------------------|
| 188009EP | (18-8009EP) | Fits All V8 - 1984 & Later; V6 - 1985 & Later; 120 HP Outboards, 2 HP (1 Cyl.) - 75 HP (3 Cyl.) 1976-2002 | \$55.75 LQ |
| 188010EP | (18-8010EP) | Bayonet Style Connectors | \$42.98 LQ |
| 188015EP | (18-8015EP) | Universal, 3/8" | \$46.95 LQ |
| 188016EP | (18-8016EP) | Mercury/Mariner, Clip Style | \$41.48 LQ |
| 188017EP | (18-8017EP) | Fits F75-F250 and 115-300 HP | \$43.98 LQ |
| 188024EP | (18-8024EP) | Hose Barb Tank Connector, Clip Style Engine Connector | \$49.88 LQ |
| 188027EP | (18-8027EP) | Nissan/Tohatsu | \$70.00 LQ |

Moeller EPA/CARB Compliant Fuel Line Assemblies





- Assemblies use a compounded, tough and pliable UV-resistant hose.
- Promotes maximum fuel flow. Includes fittings built to OEM Specifications for replacement parts.
- Uses O-ring construction on all fittings for tight, leak-free connections.
- Low permeation fuel line is EPA/CARB compliant.

| | Mfg. No. / Description | Price |
|--------|--|------------------------|
| 807366 | (034393-10LPA) Chrysler/Force, 3/8" I.D. | \$54.98 LQ |
| 807362 | (034391-10LPA) Johnson/Evinrude, 3/8" I.D. | \$57.98 LQ |
| 807356 | (034385-10LPA) Mer, 3/8" I.D., Clip Style, 1998 & Newer | \$53.98 LQ |
| 807358 | (034388-10LPA) Mer, 3/8" I.D., Bayonet Style, Cast Alum. | \$55.98 LQ |
| 807364 | (034392-10LPA) Mer, 3/8" I.D., Bayonet Style, Plastic | \$52.98 LQ |
| 807372 | (034399-10LPA) Mercury/Mariner, 3/8" I.D. Bayonet Styl Tank Connector and Clip Style Engine | e \$55.98 LQ |
| 807368 | (034394-10LPA) Yamaha, 3/8" I.D. | \$54.98 LQ |
| 807360 | (034390-10LPA) Universal, 3/8" I.D., Length 80" | \$46.98 LQ |

Attwood Fuel Demand Valve







- Designed in partnership with OEM engine manufacturers the Attwood Fuel Demand Valve is compatible with all OEM Engine brands and helps to ensure proper engine start up and function.
- Prevents fuel spray down stream from the Fuel Demand Valve. Use the Attwood Universal Sprayless Connector to prevent spraying at the fuel tank (8838US6).
- Made of high-strength composite material designed to withstand harsh abuse of marine environment.
- Compatible with 3/8" and 5/16" fuel hose.
- Installs between the fuel tank and the primer bulb.
- Low vacuum restriction helps ensure proper engine function during startup and engine operation (less than 2 kPa at 125 liters/hour) 20 psi max. nominal input pressure. Protected for 40 psi pressure spike.
- Built-in manual override.
- Compatible with Ethanol blended fuels
- Compatible with all OEM brand engines (1 HP 350 HP).
- OEM quality and performance at a fraction of the price.
- 2 Year Warranty.

Order No. Mfg. No. / Description Price 333685 (9300FDV7) \$35.98 H



· Includes Attwood's exclusive

Award Winning Universal Sprayless Connector (hose and tank fittings), Attwood's exclusive Multi-layer low-permeation Primer Bulb and fiber reinforced, low permeation, high performance fuel line.

- Compatible with all fuel tanks with standard 1/4" NPT output.
- Includes 3/8" low-permeation fiber reinforced fuel hose designed to prevent kinking and hardening when used with Ethanol blended fuels.
- High strength fiber reinforced fuel hose rated up to 100C and 600 psi.
- Stepless 360° stainless steel clamps and engineered hose barbs designed for use in pressurized fuel systems and guaranteed to be leak free.
- Compatible with Ethanol blended fuels.
- Compatible with all OEM brand engines (1 HP 350 HP).
- 2 Year Warranty.

| Order No. | Mfg. No. / Descrip | tion | | Price | |
|----------------------------|--------------------|----------------------|-----------|-------------------|--|
| 333662 | (93806HUS7) | Honda | Length 6' | \$49.98 LQ | |
| 333656 | (93806EUS7) | Evinrude | Length 6' | \$50.98 LQ | |
| 333667 | (93806MUS7) | Mercury | Length 6' | \$51.98 LQ | |
| 333677 | (93806YUS7) | Yamaha | Length 6' | \$50.98 LQ | |
| 333672 | (93806UUS7) | Universal/Non-Marine | Length 6' | \$46.98 LQ | |
| | | | | | |
| INCLUDED FUEL DEMAND VALVE | | | | | |

| INCLUD | INCLUDES: FUEL DEMAND VALVE | | | | |
|-----------|-----------------------------|----------------------|-----------|-------------------|--|
| Order No. | Mfg. No. / Descript | ion | | Price | |
| 333660 | (93806HUSD7) | Honda | Length 6' | \$68.98 LQ | |
| 333655 | (93806EUSD7) | Evinrude | Length 6' | \$69.98 LQ | |
| 333650 | (93806AUSD7) | Mercury, Pre-1998 | Length 6' | \$68.98 LQ | |
| 333665 | (93806MUSD7) | Mercury | Length 6' | \$66.98 LQ | |
| 333675 | (93806YUSD7) | Yamaha | Length 6' | \$69.98 LQ | |
| 333670 | (93806UUSD7) | Universal/Non-Marine | Length 6' | \$66.98 LQ | |
| | • | | | | |

Attwood Universal Sprayless Connector

a) attwood



- · A safe way to eliminate the spraying of fuel when connecting and disconnecting pressurized fuel hoses during fueling or maintenance.
- Includes male and female connectors for use with all standard marine fuel tanks in (6.4 mm) NPT fittings. (Always use threaded sealant.)
- · Replaces traditional tank fittings and eliminates spray when connecting or disconnecting fuel fittings.
- Includes both Male Tank and Female Hose Connectors
- High strength body engineered to withstand abuse in harsh marine environment.
- Female hose fitting compatible with 3/8" and 5/16" fuel lines.
- Male tank fitting compatible with standard 1/4" NPT fuel tank output. Use thread sealant.
- Male and female connectors include check valves that automatically close upon disconnecting.
- High fuel flow fitting (less than .25 kpa restriction at 50 liters/hour)
- Connectors designed to automatically seal if accidentally ripped apart.
- Compatible with Ethanol blended fuels
- All Attwood portable fuel components are designed to exceed OEM engine fuel flow requirements.
- Compatible with all OEM brand engines (1 HP 350 HP).
- · Meets all EPA and CARB requirements.
- 2 Year Warranty.

Order No. Mfg. No. / Description Price **333680** (8838US6) \$10.98 F

Fun & Flotation Anchor

& Dock Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside

Cockpit & Deck

nstruments Steerina. Controls

Perform

System

Engine & Parts Engine

Propellers

Seating & Pedestals

> Tons & Covers

Pumps

Cleaning & Care

Paint & Paint Acc

Hardware. Fasteners

Trailering

Misc

& Dock
Safety

Electronics

Trolling

Motors

Lighting

Topside Acc. Cockpit & Deck

Instruments

Steering, Controls Perform.

Marpac FuelAid™ Kit



- · Allows the safe management of pressurized fuel systems.
- Reduces dangerous fuel spray on both engine side and tank side.
- Prevents the engine from flooding due to fuel tank pressure.
- Thread sealant and stainless steel hose clamps included.
- Designed for above deck, portable systems only.
- Fits industry standard 1/4" NPT fuel tank fittings and 3/8" fuel hose.
- EPA Compliant for today's fuel systems.

Order No. Description 7-6970 FuelAid Kit

Price **\$46.98** LQ

Marpac Premier Primer Bulbs are specifically designed for use with E10 and E85 fuel blends. The materials used to produce also make the bulbs more resistant to heat and chemicals improving the tear strength but still allow the bulb to stay pliable in cold weather environments. The Viton check balls are more resistant to Ethanol and the stainless steel springs and dual big bore check valves allows the bulb to prime more rapidly.

Marpac Premier Uniflow Primer Bulbs







- Meets EPA low permeation mandates and the stringent requirements of SAE J1527 B1-15 and ISO 8469.
- Specifically designed for use with ethanol E10 and E85 fuel blends.
- · Works with both gasoline or diesel fuels.
- Rapid prime with dual big bore check valves.
- Viton balls and stainless steel springs for greater longevity and better prime every time.
- Specially formulated blue material stays pliable, even in cold weather.

| Order No. | Description | | Price |
|-----------|-------------|------|------------------|
| 7-6728 | 3/8" Barbs | Blue | \$24.98 H |
| 7-6732 | 5/16" Barbs | Blue | \$24.98 H |
| 7-6730 | 1/4" Barbs | Blue | \$24.98 H |

Attwood EPA Certified Primer Bulbs





Fuel System

Engine

& Parts

Engine

Propellers
Seating & Pedestals
Tops & Covers

Pumps

Cleaning & Care Paint & Paint Acc. Hardware,

Fasteners

Trailering

Misc

Comm.

Care

- It is designed for high performance priming in harsh marine environments.
- Non permeation material prevents fuel evaporation saving fuel and money.
- It is engineered to maintain flexibility in cold temperatures and prevent collapse or bursting in hot conditions.
- Compatible with ethanol blended fuels.

| Order No. N | Mfg. No. / Description | Price |
|-------------|------------------------|------------------|
| 333615 | 93014LP7) 1/4" | \$21.98 F |
| 333624 | 93516LP7) 5/16" | \$21.98 F |
| 333620 | 93038LP7) 3/8" | \$23.98 R |

Moeller Primer Bulbs





- Gasoline and solvent-resistant construction, stainless steel clamps, and dual internal check valves to ensure a more rapid prime while preventing fuel flow back.
- EPA and CARB compliant.

| | Order No. | Mfg. No. / Description | Price |
|---|-----------|------------------------|------------------|
| | 807354 | (034790-10LPA) 1/4" | \$23.98 F |
| | 807352 | (034690-10LPA) 5/16" | \$23.98 F |
| J | 807350 | (034590-10LPA) 3/8" | \$23.98 F |

Marpac Uniflow Primer Bulbs





- Increased fuel flow rate maximizes engine performance.
- Meets EPA low permeation mandates.
- Long life and dependable.
- Ethanol resistant, use with ethanol enriched fuels.
- Prevents back flow with built-in check valve.

| Order No. | Description | | Price |
|-----------|-------------|-------|------------------|
| 7-6718 | 3/8" Barbs | Black | \$22.98 H |
| 7-6722 | 5/16" Barbs | Black | \$22.98 H |

Sierra Primer Bulbs





- Meets current EPA Regulations in effect 1/1/2011 of 15 g/m2/24 hrs.
- Both EPA/CARB Certified.
- Utilizes Floroelastomer (FKM) material for traditional look and operation.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|-----------|
| 188002EP1 | (18-8002EP-1) 1/4" | \$25.85 H |
| 188004EP1 | (18-8004EP-1) 5/16" | \$25.85 H |
| 188005EP1 | (18-8005FP-1) 3/8" | \$25.85 H |

OMC® Systematched™ Primer Bulbs





• Johnson/Evinrude - All HP, all years.

| Order No. Mfg. No. / Description | Price |
|--|------------------|
| B766492 (766492) 5/16", Replaces: 174511 | \$30.99 H |
| B766488 (766488) 3/8" | \$28.99 H |

Marpac Premier Blue Fuel Hose





- Meets EPA low permeation mandates and the stringent requirements of SAE J1527 B1-15 and ISO 8469.
- Ethanol E10 and E85 compatible.
- Flexible, kink-free performance.

| Order No. | Description | | Price |
|-----------|----------------|-------------|-------------------|
| 7-6791 | 1/4" (6.35 mm) | Length 50' | \$94.98 G |
| 7-6795 | 5/16" (8 mm) | Length 50' | \$94.98 G |
| 7-6799 | 3/8" (9 mm) | Length 10' | \$27.98 G |
| 7-6801 | 3/8" (9 mm) | Length 50' | \$107.98 G |
| 7-6797 | 3/8" (9 mm) | Length 250' | \$507.98 G |

Marpac Type "A" Fuel Hose



- Premium quality tube, thermoplastic barrier and cover with braided reinforcement for added strength and flexibility.
- Resists vapor permeation, heat, cold, fire, ozone and premature aging caused by gas, diesel and alcohol-enhanced fuels.
- Meets or exceeds all requirement of ISO 7840 and SAE J1527 standards required by USCG, ABYC (H-24 and H-33) and NMMA.



| Order No. | Description | Price |
|-----------|-------------|-----------|
| 7-2810 | 3/8" x 10' | \$52.98 H |
| 7-2825 | 5/8" x 10' | \$59.98 H |

MPI Products Type A and A2 Marine Fuel Hose - Series 350





- Premium quality fire-retardant fuel hose meets or exceeds all requirements of new ISO 7840 and SAE J5127 standards required by USCG, ABYC and NMMA.
- Inner tube material provides extraordinary resistance to gasoline, diesel and alcohol-enhanced fuels.
- Braided reinforcement provides excellent flexibility and bend radius.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|--------------------------|-------------------|
| 771217 | (350-0566) Type A | 5/16" x 50' | \$100.98 H |
| 771229 | (350-0386) Type A | 3/8" x 50' | \$98.98 H |
| 771230 | (350-0380) Type A | 3/8" x 250' | \$491.98 H |
| 771231 | (350-0126) Type A | 1/2" x 50' | \$145.98 H |
| 771243 | (350-0586) Type A | 5/8" x 50' | \$143.98 H |
| 771116 | (350-1123) Type A | 1-1/2" x 10' | \$80.98 H |
| 771130 | (350-1783) Type A | 1-7/8" x 10' | \$136.98 H |
| 771142 | (350-2003) Type A | 2" x 10' | \$144.98 H |
| 771104 | (352-1123) Type A | 1-1/2" x 10', Corrugated | \$111.98 H |
| 771118 | (350-1126) Type A2 | 1-1/2" x 50' | \$414.98 H |

Sierra Silverado 4000 Outboard Fuel Line - Series No. 337





- Resistant to ethanol blended fuels and is EPA and CARB compliant.
- Silverado 4000 has a THV barrier layer to prevent permeation, polyester reinforcement for strength and a weather and UV resistant CPE cover.
- This hose is for above deck primer bulb applications and is not fire retardant.

| Order No. | Mfg. No. / Description | Price |
|-----------|---------------------------|-------------------|
| 772220 | (16-337-0566) 5/16" x 50' | \$120.98 F |
| 772215 | (16-337-0386) 3/8" x 50' | \$124.98 F |

Marpac Grey Fuel Hose





- Meets EPA low permeation mandates.
- Ethanol resistant, double walled hose.
- E10 and E85 compatible.
- Kink-free performance.

| Order No. | Description | | Price |
|-----------|----------------|-------------|-------------------|
| 7-6790 | 1/4" (6.35 mm) | Length 50' | \$92.98 G |
| 7-6794 | 5/16" (8 mm) | Length 50' | \$92.98 G |
| 7-6798 | 3/8" (9 mm) | Length 10' | \$25.98 G |
| 7-6800 | 3/8" (9 mm) | Length 50' | \$90.98 G |
| 7-6796 | 3/8" (9 mm) | Length 250' | \$445.98 G |
| | | - | |

MPI Products Type B and B2 Marine Fuel Hose - Series 315





- Excellent quality standard fuel hose meets or exceeds all requirements of new ISO 7469 and SAE J5127.
- For use in non-enclosed engine compartments.
- Resistant to gasoline and alcohol-enhanced fuels.
- Braided reinforcement provides excellent flexibility and bend radius.
- Please note: 771332F is sold by the foot. One box = 50'.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|---------|-------------------|
| 771327 | (315-0386) 3/8" x 50' | Type B | \$71.98 H |
| 771332 | (315-0586) 5/8" x 50' | Type B | \$126.98 H |
| 771332F | (315-0580) 5/8" | Type B2 | \$2.54 H |

MPI Products C.A.R.B. Compliant Fuel Line - Series 360





- MPI barrier fuel line hose is certified SAE J1737, SAE J1527 Type A1-15, ISO 7840 and CE.
- It is recommended for applications where low permeation C.A.R.B. compliance is required.
- Used for marine gasoline engines and fuel tanks.
- Inner tube provides extraordinary resistance to gasoline, ethanol, diesel and alcohol-enhanced fuels.
- Excellent flexibility and bend radius.
- Please note: Permeation levels tested below 5 grams.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|------------|
| 771246 | (360-0146) 1/4" x 50' | \$117.98 H |
| 771250 | (360-0566) 5/16" x 50' | \$118.98 H |
| 771252 | (360-0386) 3/8" x 50' | \$128.98 H |
| 771251 | (360-0380) 3/8" x 250' | \$634.98 H |
| 771255 | (360-0126) 1/2" x 50' | \$164.98 H |
| | | |

Sierra Low Permeation Marine Fuel Hose - Series No. 368





- Low permeation marine fuel hose has a plastic barrier veneer with an NBR outer layer tube to limit permeation.
- Complies with EPA and CARB very low permeation requirements.
- Weather and UV resistant.
- Primarily used for fuel feed.

| Order No. | Mfg. No. / Description | Price |
|-----------|----------------------------|-------------------|
| 772223 | (116-368-0566) 5/16" x 50' | \$127.98 F |
| 772224 | (116-368-0386) 3/8" x 50' | \$130.98 F |

Fun & Flotation

Anchor & Dock Safety

Electronics

Trolling

Motors

Lighting

Electrica

Topside Acc.

Cockpit

& Deck
Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning & Care

Paint & Paint Acc

Paint Acc Hardware,

Fasteners

Trailering

Misc.

Comm.

Sierra



| REPLAC | CES: MERCURY 32-99 | 9130122 AN | D 32-892024122 | |
|-----------|------------------------|------------|----------------|------------------|
| Order No. | Mfg. No. / Description | | | Price |
| 188048 | (18-8048) .090" I.D. | .220" O.D. | Length 50' | \$79.17 H |
| REPLAC | CES: MERCURY 32-99 | 9387-79 | | |
| Order No. | Mfg. No. / Description | | | Price |
| 188050 | (18-8050) .0625" I.D. | .190" O.D. | Length 50' | \$62.50 H |
| | | | | |

OMC® Systematched™ Fuel and Bleed Line



Safety

Lighting

Electrical

Topside

Steering,

Controls

Perform. **Fuel** System Engine & Parts Engine Care Propellers

Seating &

Pedestals

Tons &

Covers

Pumps

Cleaning & Care

Paint &

Paint Acc.

Hardware, Fasteners

Trailering

Misc

Comm.

Acc Cockpit & Deck Instruments • 5/32" diameter.

Electronics • Black rubber. Trolling Order No. Mfg. No. / Description Motors

B768677 (768677) Length 25

AWAB Hose Clamps





Mini clamps have an unbroken band with rounded edges.

• The band is folded over to retain the nut, and together with the small screwthread pitch, gives the clamp self locking characteristics.

• Sold 20 per box.

275924 (A316101)

| Order No. | Mfg. No. / Description | Price |
|-----------|--------------------------------|----------------|
| 275811 | (306008) 19/64" - 21/64" | \$42.98 |
| 275823 | (306010) 3/8" - 7/16" | \$43.98 |
| 275859 | (306013) 31/64" - 35/64" | \$44.98 |
| 275861 | (306014) 17/32" - 19/32" | \$45.98 |
| 275873 | (306015) 37/64" - 5/8" | \$45.98 |
| 275885 | (306016) 19/32" - 43/64" | \$47.98 |
| 275897 | (306017) 5/8" - 45/64" | \$47.98 |
| 275900 | (125010) Flexible Clamp Driver | \$24.98 |

AWAB Wall Merchandiser

• Includes (10) of the following hose clamps: 316017, 316020, 316024, 316028, 316032, 316038, 316044, 316050, 316057, 316064 and (1) 125010 flexible clamp driver.



Order No. Mfg. No. / Description

Price **\$497.98** LQ

IDEAL

Ideal Mircro-Gear 62M Stainless Steel Hose Clamps

- All 300 grade stainless steel marine grade
- These clamps are tiny, tough and precision engineered for use in such small hose applications.
- Their slim 5/16" band and low profile housing makes them easy to install in confined areas.

| DMI# | MFG # | Size | Clamp Diameter | Fits Hose ID | Price |
|--------|--------------|------|----------------|---------------|--------|
| 276015 | (62604/02) | 04 | 1/4" - 5/8" | 1/8" to 5/16" | \$0.98 |
| 276027 | (62606MS SS) | 06 | 5/16" - 7/8" | 1/4" to 7/16" | \$0.98 |

Sierra Fuel Line Hose



- · Pressurized fuel tank. Double hose.
- Johnson/Evinrude. Replaces: OMC 322656.

Order No. Mfg. No. / Description **188051** (18-8051) Length 50' \$142.50 H

OMC® Systematched™ Fuel Lines





\$5.99 H

\$6.99 H

· Black rubber.

Order No. Mfg. No. / Description B765541 (765541) 5/16" Length 25' B765540 (765540) 3/8" Lenath 50'

AWAB 316 Stainless Steel Hose Clamps

AWAB

Price

\$2.99 H

- Features rolled band edges to eliminate the risk of damage to the hose.
- The extra wide threads of the band are stamped, leaving the unperforated band smooth on the inside.

• Sold 10 per box.



| Order No. | Mfg. No. / Description | Price |
|-----------|---|----------------|
| 275506 | (319017) SAE Size: 4, 7/16" - 11/16" | \$35.98 |
| 275518 | (319020) SAE Size: 6, 1/2" - 13/16" | \$38.98 |
| 275520 | (316024) SAE Size: 8, 5/8" - 15/16" | \$37.98 |
| 275532 | (316028) SAE Size: 10, 3/4" - 1-1/8" | \$39.98 |
| 275544 | (316032) SAE Size: 12, 7/8" - 1-1/4" | \$39.98 |
| 275556 | (316038) SAE Size: 16, 1-1/16" - 1-1/2" | \$41.98 |
| 275568 | (316044) SAE Size: 20, 1-1/4" - 1-3/4" | \$42.98 |
| 275570 | (316050) SAE Size: 24, 1-1/2" - 2" | \$45.98 |
| 275582 | (316057) SAE Size: 28, 1-1/4" - 2-1/4" | \$46.98 |
| 275594 | (316064) SAE Size: 32, 1-1/2" - 2-1/2" | \$52.98 |
| 275619 | (316076) SAE Size: 40, 2" - 3" | \$57.98 |
| 275621 | (316083) SAE Size: 44, 2-1/4" - 3-1/4" | \$60.98 |
| 275645 | (316095) SAE Size: 52, 2-3/4" - 3-3/4" | \$61.98 |
| 275671 | (316114) SAE Size: 64, 3-1/2" - 4-1/2" | \$73.98 |
| 275695 | (316140) SAE Size: 80, 4" - 5-1/2" | \$81.98 |
| 275710 | (316165) SAE Size: 96, 5" - 6-1/2" | \$95.98 |

Boater Sports Universal Hose Clamps





- Easily attach and seal a hose onto a fitting or barb.
- Stainless steel construction for a long lifetime.
- Sold 2 per package.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|-----------------|
| 1-57202 | (57202) 1/4" - 5/8" | \$1.65 |
| 1-57204 | (v57204) 3/8" - 7/8" | \$1.60 H |
| 1-57206 | (57206) 7/16" - 1" | \$1.99 H |
| 1-57208 | (57208) 1/2" - 1-1/16" | \$2.69 H |
| 1-57210 | (57210) 5/8" - 1-1/4" | \$2.89 H |
| 1-57212 | (57212) 3/4" - 1-1/2" | \$2.25 C |

Fun & Flotation Anchor

Safety

Electronics

Trolling Motors Lighting

Electrical

Topside

Cockpit

Instruments

Steering, Controls Perform.

System

Engine

& Parts

Engine

Propellers

Seating & Pedestals

Tons &

Covers

Pumps

Cleaning & Care

Paint &

Paint Acc.

Care

Sierra Oetiker Hose Clamps





- Size is for outside diameter of hose.
- Sold 10 per package.

| Order No. | Mfg. No. / Description | | Price |
|-----------|-----------------------------|---------|------------------|
| 1891269 | (18-9126-9) Hose OD 3/8" | 9.5 mm | \$13.37 H |
| 1891279 | (18-9127-9) Hose OD 13/32" | 10.5 mm | \$12.01 H |
| 1891289 | (18-9128-9) Hose OD 7/16" | 11.3 mm | \$13.75 H |
| 1891299 | (18-9129-9) Hose OD 1/2" | 13.3 mm | \$14.69 H |
| 1891319 | (18-9131-9) Hose OD 35/64" | 14 mm | \$13.87 H |
| 1891329 | (18-9132-9) Hose OD 9/16" | 14.5 mm | \$13.87 H |
| 1891359 | (18-9135-9) Hose OD 13/16" | 21 mm | \$14.41 H |
| 1891369 | (18-9136-9) Hose OD 1" | 25.6 mm | \$27.00 H |
| 1891379 | (18-9137-9) Hose OD 1-3/16" | 30.1 mm | \$14.88 H |
| 1891389 | (18-9138-9) Hose OD 1-1/4" | 31.6 mm | \$15.12 H |
| 1891399 | (18-9139-9) Hose OD 1-5/8" | 41 mm | \$28.86 H |
| 1891409 | (18-9140-9) Hose OD 22/32" | 18.5 mm | \$16.80 H |

T-H Marine Stainless Steel Oetiker® Stepless Ear Hose Clamps



- Stainless steel.
- Forms a full 360° circle.
- Tongue and groove interlock design.
- Fast clamping with tool. No leaks around hose.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------------------|-------------|------------------|
| 247805 | (16700001) 5.8 - 7.0 mm | 100 Per Bag | \$61.98 H |
| 247808 | (16700004) 7.8 - 9.5 mm | 100 Per Bag | \$61.98 H |
| 247810 | (16700006) 8.8 - 10.5 mm (3/8") | 100 Per Bag | \$61.98 H |
| 247818 | (16700011) 11.0 - 13.8 mm (1/2") | 100 Per Bag | \$61.98 H |
| 247821 | (16700017) 14.5 - 17.0 mm (5/8") | 100 Per Bag | \$64.98 H |
| 247829 | (16700024) 17.8 - 21.0 mm (3/4") | 100 Per Bag | \$76.98 H |
| 247836 | (16700031) 22.4 - 25.6 mm (1") | 100 Per Bag | \$79.98 H |
| 247842 | (16705000) 34.9 - 38.1 mm (1-1/2") | 100 Per Bag | \$91.98 H |

T-H Marine Oetiker® Stepless Ear Clamp Kit





- · Great for shop or rigging work.
- · Contains 10 each of the most needed sizes.
- · Complete with connection tool.

Order No. Mfg. No. / Description **642656** (18500000)

\$183.98 H

2 Ear Crimp Hose Clamp



- · Stainless steel.
- Nominal size 3/4". Width .335".
- Closed/open .669/.787".

Order No. Mfg. No. / Description **645768** (4E589) **\$4.16** B

Ideal 9/16" Hy-Gear® Stainless Steel Hose Clamps

IDEAL

- 300 grade stainless steel.
- High nickel alloy stainless steel meets the demands of inground and marine use.
- A marine grade clamp for boating applications and other corrosive environments.
- Band and housing: 9/16" wide.
- Sold box of 10.

| DMI# | MFG # | Size | Min. (in.) | Max. (in) | Min. (mm) | Max. (mm) | Price |
|---------------|----------------|------|------------|-----------|-----------|-----------|---------------|
| 276039 | (630040006051) | 06 | 3/8" | 7/8" | 10 | 22 | \$1.40 |
| 276041 | (630040008051) | 80 | 7/16" | 1" | 11 | 25 | \$1.40 |
| 276053 | (630040010051) | 10 | 1/2" | 1-1/16" | 13 | 27 | \$1.40 |
| 276067 | (630040012051) | 12 | 1/2" | 1-1/4" | 13 | 32 | \$1.43 |
| 276079 | (630040016051) | 16 | 11/16" | 1-1/2" | 18 | 38 | \$1.43 |
| 276089 | (630040020051) | 20 | 3/4" | 1-3/4" | 19 | 44 | \$1.48 |
| 276091 | (630040024051) | 24 | 1" | 2" | 25 | 51 | \$1.48 |
| 276104 | (630040028051) | 28 | 1-1/4" | 2-1/4" | 32 | 57 | \$1.48 |
| 276116 | (630040032051) | 32 | 1-1/2" | 2-1/2" | 38 | 63 | \$1.48 |
| 276128 | (630040036051) | 36 | 3/4" | 2-3/4" | 19 | 70 | \$1.52 |
| 276130 | (630040040051) | 40 | 1" | 3" | 26 | 76 | \$1.64 |
| 276134 | (630040044051) | 44 | 1-1/4" | 3-1/4" | 32 | 83 | \$1.89 |
| 276142 | (630040048051) | 48 | 1-1/2" | 3-1/2" | 38 | 89 | \$1.89 |
| 276146 | (630040052051) | 52 | 1-3/4" | 3-3/4" | 44 | 95 | \$1.98 |
| 276154 | (630040056051) | 56 | 2" | 4" | 51 | 101 | \$1.98 |
| 276166 | (630040064051) | 64 | 2-1/2" | 4-1/2" | 64 | 114 | \$2.19 |
| 276178 | (630040072051) | 72 | 3" | 5" | 76 | 127 | \$2.29 |
| 276180 | (630040080051) | 80 | 3-1/2" | 5-1/2" | 89 | 140 | \$2.50 |
| 276192 | (630040088051) | 88 | 4" | 6" | 102 | 152 | \$2.55 |
| 276205 | (630040096051) | 96 | 4-1/2" | 6-1/2" | 114 | 165 | \$2.64 |
| 276217 | (630040104051) | 104 | 5" | 7" | 127 | 178 | \$2.67 |
| | | | | | | | |

Ideal Hose Clamp Display





- Yellow, plastic counter top display with 120 stainless steel hose clamps.
- The display includes: (20) 62602, (10) 62606, (10) 6310, (20) 6312, (30) 6320, (20) 6328 and (10) 6336 clamps.

Order No. Mfg. No. / Description 276003 (6304MS)

\$395.98 LQ



Marpac Hose Clamp Display

• This display includes the following:

(10) 276015 - Clamp Diameter 1/4" - 5/8"

(10) 276027 - Clamp Diameter 5/16" - 7/8", 1/4" to 7/16"

(10) 276053 - Clamp Diameter 1/2" - 1-1/16"

(10) 276079 - Clamp Diameter 3/4" - 1-1/2"

(10) 276089 - Clamp Diameter 3/4" - 1-3/4"

(10) 276091 - Clamp Diameter 1" - 2"

(10) 276128 - Clamp Diameter 7/8" - 2-3/4"

(10) 276142 - Clamp Diameter 1-5/8" - 3-1/2"

Order No. Description 7-3005 Hose Clamp Display





Hardware, Fasteners

> Trailering Misc.

Comm

\$156.98 G

Fun & Flotation Anchor & Dock

Safety

Electronics Trolling Motors Lighting

Electrical

Instruments

Marpac Premier Fuel Connectors

Plated brass for corrosion protection. Viton balls and stainless steel springs for long life. Specifically designed for use with Ethanol E10 and E85 fuel blends. Color coded for easier identification.

Marpac Premier Johnson/Evinrude (BRP) Fuel Connectors





| Order No. | Description | | Price |
|-----------|-----------------------|------------|------------------|
| 7-6910 | Male Tank | 1/4" NPT | \$11.98 G |
| 7-6911 | Red, Female Fuel Line | 5/16" Barb | \$6.98 G |
| 7-6912 | Red, Female Fuel Line | 3/8" Barb | \$7.98 G |

Marpac Premier Honda Fuel Connectors





| Topside | Order No. | Description | | Price |
|---------|-----------|-------------------------------|-----------|------------------|
| Acc. | 7-6888 | Male Tank | 1/4" NPT | \$9.98 G |
| Cockpit | 7-6886 | Female Fuel Line | 3/8" Barb | \$13.98 G |
| & Deck | 7-6890 | Female - Grey Square Peg Hole | 3/8" Barb | \$8.98 G |

Marpac Premier Suzuki Large (75 HP and Up) Fuel Connectors



Perform.

| Fuel |
|--------|
| Custom |

Engine

Pedestals Tops & Covers Pumps Cleaning

& Care

Paint & Paint Acc. Hardware,

Fasteners Trailering

Misc

Comm.

| & Parts | | | | 7-6936 | |
|----------------|-----------|-------------|--|--------|--|
| Engine Care | Order No. | Description | | | |

| Care | Order No. | Description | | Price |
|------------|-----------|------------------|-----------|------------------|
| | 7-6936 | Male Tank | 1/4" NPT | \$9.98 G |
| Propellers | 7-6934 | Female Fuel Line | 3/8" Barb | \$12.98 G |

Marpac Quick Fuel Connectors for Johnson/Evinrude



| Order No. | Description | | Price |
|-----------|------------------|-----------------|-----------------|
| 7-0904 | Male Tank | 1/4" NPT, Brass | \$9.98 G |
| 7-0910 | Male Tank | 1/4" NPT, Brass | \$7.98 G |
| 7-0911 | Female Fuel Line | 5/16" Barb | \$6.98 G |
| 7-0912 | Female Fuel Line | 3/8" Barb | \$5.98 G |

Marpac Premier Mercury Fuel Connectors





| Order No. | Description | | Price |
|-----------|-------------------------|-----------|------------------|
| 7-6913 | Male Tank | 1/4" NPT | \$11.98 G |
| 7-6914 | Black, Female Fuel Line | 3/8" Barb | \$8.98 G |

Marpac Premier Yamaha Fuel Connectors







| Order No. | Description | | Price |
|-----------|------------------------|------------|------------------|
| 7-6924 | Male Tank | 1/4" NPT | \$9.98 G |
| 7-6925 | Blue, Female Fuel Line | 5/16" Barb | \$9.98 G |
| 7-6926 | Blue, Female Fuel Line | 3/8" Barb | \$10.98 G |
| | | | |

Marpac Premier Tohatsu Fuel Connectors





| Order No. | Description | | Price |
|-----------|------------------|-----------|------------------|
| 7-6898 | Male Tank | 1/4" NPT | \$9.98 G |
| 7-6896 | Female Fuel Line | 3/8" Barb | \$12.98 G |

Marpac Quick Fuel Connectors for Yamaha, Mercury, Mariner



| Order No. | Description | | Price |
|-----------|------------------|-----------------|-----------------|
| 7-0905 | Male Tank | 1/4" NPT, Brass | \$9.98 G |
| 7-0924 | Male Tank | 1/4" NPT, Brass | \$8.98 G |
| 7-0925 | Female Fuel Line | 5/16" Barb | \$5.98 G |
| 7-0926 | Female Fuel Line | 3/8" Barb | \$5.98 G |

Anchor & Dock Safety

Electronics Trolling

Motors Lighting

Electrical

Topside

Cockpit & Deck Instruments

Steering, Controls Perform.

System Engine & Parts

Engine Care

Propellers

Seating & Pedestals Tons & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware,

Fasteners

Trailering

Acc.

Marpac Quick Fuel Connectors for Mercury (Newer Larger Style)



| Order No. | Description | | Price |
|-----------|------------------|-----------------|------------------|
| 7-0906 | Male Tank | 1/4" NPT, Brass | \$9.98 G |
| 7-0913 | Male Tank | 1/4" NPT, Brass | \$10.98 G |
| 7-0914 | Female Fuel Line | 3/8" Barb | \$6.98 G |

Marpac Quick Fuel Connectors for Suzuki







| Urder No. | Description | | Price |
|-----------|------------------|--------------------|------------------|
| 7-0933 | Male Tank | 1/4" NPT (Small) | \$8.98 G |
| 7-0935 | Female Fuel Line | 5/16" Barb (Small) | \$17.98 G |

Moeller Fuel Line Connectors for Chrysler, Force









• Chrome plated brass.

| Order No. | Mfg. No. / Description | | Price |
|-----------|-----------------------------------|--------|-------------------|
| 807644 | (033461-10) 1/4" NPT Tank Fitting | Male | \$8.98 LQ |
| 807668 | (033484-10) 3/8" Barb | Female | \$14.98 LQ |

Moeller Fuel Line Connector for Tohatsu, Nissan







• Chrome plated brass.

| Order No. | Mtg. No. / Description | | Price |
|-----------|------------------------|------|-------------------|
| 807784 | (033491-10) 1/4" NPT | Male | \$13.98 LQ |

Moeller Fuel Line Connector for Suzuki







Chrome plated brass.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|--------|-------------------|
| 807707 | (033467-10) 5/16" Barb | Female | \$14.98 LQ |

Marpac Bayonet Quick Fuel Connectors for Mercury



| Order No. | Description | | Price |
|-----------|------------------|---------------------|------------------|
| 7-0915 | Female Tank | Aluminum, 1/4" NPT | \$11.98 G |
| 7-0918 | Male Fuel Line | Aluminum, 3/8" Barb | \$9.98 G |
| 7-0919 | Female Fuel Line | Aluminum, 3/8" Barb | \$10.98 G |

Marpac Quick Fuel Connectors for Chrysler, Force





| Uraer No. | Description | | Price |
|-----------|------------------|------------|------------------|
| 7-0920 | Male Tank | 1/4" NPT | \$8.98 G |
| 7-0921 | Female Fuel Line | 5/16" Barb | \$16.98 G |
| 7-0922 | Female Fuel Line | 3/8" Barb | \$17.98 G |
| | | | |

Moeller Fuel Line Connectors for Mercury

M•ELLER







M•=LLER

807757

Order No. 807721

807733

807757

807769



| Order No. | Mfg. No. / Description | Price |
|-----------|--|-------------------|
| 807505 | (033420-10) 1/4" NPT Tank Fitting with 90° Elbow | \$16.98 LQ |
| 807531 | (033421-10) 3/8" NPT 90° Elbow Tank Fitting | \$11.98 LQ |
| 807579 | (033418-10) 3/8" Barb, Female, Die Cast, Bayonet Style | \$14.98 LQ |
| 807517 | (033472-10) 1/4" NPT Tank Fitting, Plastic | \$8.98 LQ |
| 807555 | (033473-10) 5/16" Barb, Male, Plastic, Bayonet Style | \$9.98 LQ |
| 807593 | (033475-10) 5/16" Barb, Female, Plastic, Bayonet Style | \$8.98 LQ |
| | | |

Moeller Fuel Line Connectors for Honda



(033497-10) 3/8" Barb, Female



| M |
|------------|
| LIMITED |
| QUANTITIES |
| 700 |

| Mfg. No. / Description | Price |
|---|-------------------|
| (033501-10) 1/4" NPT Tank Fitting | \$14.98 LQ |
| (033496-10) 1/4" NPT Tank Fitting, 1991 & Newer | \$9.98 LQ |
| (033498-10) 3/8" Barb, Female, 1991 & Newer | \$19.98 LQ |

\$8.98 LQ

Comm.

Misc.

Anchor & Dock

Safety

Electronics

Trolling Motors Lighting

Electrical Topside Acc.

Cockpit

& Deck Instruments Steering, Controls

Perform. **Fuel System**

Engine

& Parts

Engine Care

Propellers Seating & Pedestals Tops &

Covers Pumps

Cleaning & Care

Paint &

Sierra Fuel Connectors for Mercury



| Order No. | Mfg. No. / De | scription | | Price |
|-----------|---------------|--------------|-------------------------------|------------------|
| 188040 | (18-80402) | 1/4" NPT | Male | \$15.28 H |
| 188076 | (18-8076) | 3/8" Barb | Female | \$6.33 H |
| 188075 | (18-8075) | 1/4" Barb | Female | |
| | | Replaces: 22 | ?-14213M, 22-14213Q | \$15.17 H |
| 188085 | (18-8085) | 5/16" Barb | Female | \$9.78 H |
| 188091 | (18-8091) | 2 Prong, Rep | laces: 22-1356307, 22-13563T7 | \$13.27 H |
| 1880410 | (18-80410) | 5/16" Barb | Female, Replaces: 22-13563T3 | \$8.37 H |
| | | | | |

Sierra Fuel Connectors for Johnson/Evinrude





| Order No. | Mfg. No. / D | escription | | Price |
|-----------|--------------|------------|-----------------------------------|-----------------|
| 188092 | (18-8092) | 3/8" Barb | Female | \$6.20 H |
| 188056 | (18-8056) | 5/16" Barb | Female | \$6.27 H |
| 188063 | (18-8063) | 1/4" NPT | 5-75 HP, Replaces: 502867, 772681 | \$8.73 H |

Sierra Fuel Connectors for Suzuki



| Order No. | Mfg. No. / Desi | cription | | Price |
|-----------|-----------------|------------|--|------------------|
| 188079 | (18-8079) | 5/16" | Tank End, Female | \$14.02 H |
| 188062 | (18-8062) | Female | Replaces: 65750-98505 | \$14.43 H |
| 1880404 | (18-80404) | 3/8" Barb | Female, Fits: DF25-DF140 HP | \$18.90 H |
| 1880405 | (18-80405) | 3/8" Barb | Female | \$18.45 H |
| 1880409 | (18-80409) | Motor Side | Replaces: 65720-94401 | \$17.42 H |
| 1880418 | (18-80418) | | Replaces: 65750-94404 | \$13.78 H |
| 1880419 | (18-80419) | 5/16" Barb | Replaces: 65750-87J10 | \$17.28 H |
| 188078 | (18-8078) | 1/4" NPT | Male, Replaces: 65740-95500, 99105-00193 | \$12.72 H |
| 188087 | (18-8087) | Motor Side | Replaces: 65720-94411 | \$16.32 H |
| 188090 | (18-8090) | 1/4" NPT | Tank Side | \$20.77 H |

Sierra Fuel Connectors for Mercury



| Order No. | Mfg. No. / De | escription | | Price |
|-----------|---------------|------------|------------------------------------|------------------|
| 188069 | (18-8069) | 5/16" | Female, Replaces: 22831Q3, 22831A3 | \$12.70 H |
| 188084 | (18-8084) | 3/8" | Male, Replaces: 30185A3, 30185Q3 | \$12.22 H |
| 188070 | (18-8070) | 5/16" | Male, Replaces: 30185A3, 30185Q3 | \$11.27 H |
| 188082 | (18-8082) | 1/4" | Female | \$15.37 H |
| 188083 | (18-8083) | 3/8" | Female | \$11.70 H |

Sierra Fuel Connectors for Yamaha







| Order No. | Mfg. No. / Des | cription | Price |
|-----------|----------------|---|------------------|
| 188077 | (18-8077-1) | 1/4" NPT Male | \$12.53 H |
| 1880413 | (18-80413) | 1/4" Barb, Replaces: 6Y1-24305-04 | \$19.35 H |
| 1880414 | (18-80414) | 5/16" Barb, Replaces: 6G1-24305-05-00, 6G1-24305-04 | \$17.68 H |
| 1880415 | (18-80415) | 3/8" Barb, Replaces: 6E5-24305-05, 6Y2-24305-05 | \$19.20 H |

Sierra Fuel Connectors for Nissan/Tohatsu







| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|---|------------------|
| 188088 | (18-8088) 3/8" Barb | Female | \$16.20 H |
| 188089 | | Metric Threads, Fits: 5-90 HP lels, Replaces: 3B2-70260-0 | \$11.03 H |

Sierra Fuel Connectors for Chrysler/Force/Suzuki

Sierra





| Order No. | Mfg. No. / D | escription | | Price |
|-----------|--------------|------------|-------------|------------------|
| 188071 | (18-8071) | 1/4" NPT | Male | \$7.17 H |
| 188062 | (18-8062) | Replaces: | 65750-98505 | \$14.43 H |

Sierra Fuel Line Connectors for Honda







| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|---------------------------------|------------------|
| 1880403 | (18-80403) 3/8" Barb | Female | \$11.20 H |
| 1880408 | (18-80408) 5/16" Barb | Female, Replaces: 17650-ZW9-003 | \$10.45 H |

Misc.

Trailering

Fun &

Flotation

Anchor

Safety

Electronics Trolling Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Marpac Fuel Hose Barbs



- Machined brass.
- The male connection fits Marpac or Tempo valves and fuel tank withdrawal tube assemblies.
- The female connection fits Marpac or Tempo valves.
- Sold 1 per card, except **7-0308** and **7-0316** sold 2 per card.

| Order No. | Size | Type | Price |
|-----------|-------------------|----------------|------------------|
| 7-7307 | 1/8" NPT x 5/16" | Male | \$4.98 G |
| 7-7308 | 1/8" NPT x 3/8" | Male | \$4.98 G |
| 7-0308 | 1/8" NPT x 3/8" | Male | \$4.98 LQ |
| 7-7313 | 1/4" NPT x 1/4" | Male | \$4.98 G |
| 7-7314 | 1/4" NPT x 5/16" | Male | \$3.98 G |
| 7-7315 | 1/4" NPT x 3/8" | Male | \$3.98 G |
| 7-7323 | 3/8" NPT x 5/16" | Male | \$4.98 G |
| 7-7316 | 3/8" NPT x 3/8" | Male | \$4.48 G |
| 7-0316 | 3/8" NPT x 3/8" | Male | \$4.98 LQ |
| 7-7337 | 1/4" FNPT x 1/4" | Female | \$4.98 G |
| 7-7338 | 1/4" FNPT x 5/16" | Female | \$4.98 G |
| 7-7339 | 1/4" FNPT x 3/8" | Female | \$4.98 G |
| 7-6816 | 3/8" NPT x 3/8" | Male, Aluminum | \$7.98 G |
| | | | |

Marpac Fuel Elbows



- Solid machined brass.
- · Excellent for use in tight spaces.

| | = : | • |
|-----------|-----------------------|-----------------|
| Order No. | Description | Price |
| 7-1646 | 1/4" NPT x 5/16" Barb | \$6.98 G |
| 7-1647 | 1/4" NPT x 3/8" Barb | \$6.98 G |
| 7-1648 | 3/8" NPT x 5/16" Barb | \$6.98 G |
| 7-1649 | 3/8" NPT x 3/8" Barb | \$7.98 G |

90° Brass Elbow

• Sold bulk.

Order No. Mfg. No. / Description

2001350 (32-040) 5/16" Hose 1/4" NPT **\$4.18** H



Marpac Hose Splicers



- Length 2" Machined brass.
- Sold each.

| Order No. | Description | Price |
|-----------|-------------|-----------------|
| 7-0318 | 5/16" | \$3.98 G |
| 7-0319 | 3/8" | \$3.98 G |

Brass Hose Menders



| Order No. | Mfg. No. / Desc | ription | | Price |
|-----------|-----------------|---------|---------|----------|
| 2001373 | (SM32-093) | 1/4" | Package | \$2.86 H |
| 2001355 | (32-095) | 3/8" | Bulk | \$1.65 |

Sierra Hose Barb





Order No. Mfg. No. / Description **188074** (18-8074) 3/8" Barb 1/4" NPT Male \$5.10 H

EMP Male Hose Barb





Order No. Mfg. No. / Description **4-8074** (22-00843) 3/8" Barb 1/4" NPT \$4.89 H

Straight Brass Male Hose Barb





Order No. Mfg. No. / Description 1/4" NPT **\$2.19** LQ **2001339** (32-005) 1/4" Hose Bulk

Sierra 90° Hose Barbs







| Order No | Mfg. No. / Description | | Price | Instruments |
|----------|-------------------------|-----------|-----------------|-----------------------|
| | 0 ' | | | |
| 188067 | (18-8067) 3/8" Barb | 1/4" NPT | \$7.70 H | Steering, Controls |
| 188072 | (18-8072) 3/8" Barb | 3/8" NPT | \$9.03 H | Controls |
| 188216 | (18-8216) 3/4" - 14 NPT | x 1" Hose | \$23.37 H | Perform. |
| | | | | Perform. |

Marpac Brass Elbow - Male/Female



• 1/4" NPT Male x 1/4" FNPT Female.

Order No. Description Price 7-0320 Brass Elbow **\$7.98** G

EMP 90° Fuel Elbows





| rder No. | Mfg. No. / Description | | Price |
|----------|------------------------|----------|-----------------|
| -8067 | (22-01872) 3/8" Barb | 1/4" NPT | \$7.60 H |
| -8072 | (22-00874) 3/8" Barb | 3/8" NPT | \$8.49 H |

Marpac Aluminum Plugs



- Aluminum. 3/8" NPT, male thread.
- Sold 2 per card.

Order No. Description **\$7.98** G **7-6820** Aluminum Plugs



& Parts Engine Care

Propellers

Seating & Pedestals

Tons & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Comm.

Fun &

Flotatio

Anchor

& Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside

Instruments

Steering,

Controls

Perform.

Fuel

Engine

& Parts

Engine

Propellers

Seating &

Pedestals

Tons &

Covers

Pumps

Cleaning

& Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc

Comm.

Care

System

Acc

 Increase sales when you educate your customers on the realities of fuel blends.



Marpac Fuel Depot Display

Marpac Replacement Fuel/Water Separator

(2) 7-0842 Racor Inside Kit with Stainless Steel Head

(2) 7-0843 Racor Inside, Filter with Clear Bowl

(4) 7-0844 Racor Inside, Replacement Filter

(2) 7-0845 Racor Inside, Replacement Clear Bowl

(3) 7-0871 MarPlate Head Kit

(6) 7-0847 Composite Head Kit

(12) 7-0860 Separator Filter

Marpac Qwick View Filter System

(2) 7-6854 Filter Assembly with Drain (No Head)

(2) 7-6858 Replacement Filter

(2) 7-6862 Nichronium Head & Filter Assembly Kit w/ Drain

Marpac Premier Fuel Line Assembly

(2) 7-6702 J/E

(2) 7-6706 Mer, Two Prong

(2) 7-6708 Yamaha

(2) 7-6709 Universal

Marpac Premier Primer Bulb

(2) 7-6728 3/8'

Marpac Fuel Hose Barbs

(2) 7-6732 5/16"

Order No. Description

7-8989 Fuel Depot Display

(6) 7-0938 Female Thread, 1/4" FNPT x 5/16"

Marpac Quick Connectors, Aluminum

Marpac Premier Fuel Line Connectors, Tank

(2) 7-6910 Johnson/Evinrude, Male, 1/4" NPT

(2) 7-6913 Mercury, Male, 1/4" NPT

(2) 7-6924 Yamaha, Male, 1/4" NPT

(2) 7-6936 Suzuki, Large (75 HP & Up), Male, 1/4" NPT

(2) 7-6888 Honda, Male, 1/4" NPT

(2) 7-6898 Tohatsu, Male, 1/4" NPT

Marpac Premier Fuel Line Connectors, Fuel Line

(2) 7-6911 Johnson/Evinrude, Red, Female, 5/16" Barb

(2) 7-6912 Johnson/Evinrude, Red, Female, 3/8" Barb

(2) 7-6914 Mercury, Black, Female, 3/8" Barb

(2) 7-6925 Yamaha, Blue, Female, 5/16" Barb

(2) 7-6926 Yamaha, Blue, Female, 3/8" Barb (2) 7-6934 Suzuki Large (75 HP & Up), Female, 3/8"

Barb

(2) 7-6886 Honda, Female, 3/8" Barb

(2) 7-6890 Honda, Female, Square Peg Hole, 3/8" Barb

(2) 7-6896 Tohatsu, Female, 3/8" Barb

Display

(1) 101120 Header Card

(2) 101129 Sign Holder

Price

Price

Price **\$295.98** G

\$392.98 G

\$1,848.98

Marpac Fuel Line Assortments

(3) 7-0915 Mercury, Bayonet, Female Tank, 1/4" NPT

(3) 7-0918 Mercury, Bayonet, Male Fuel Line, 3/8" Barb

Marpac Quick Connectors

(6) 7-0910 Johnson/Evinrude, Male Tank, 1/4" NPT, Brass (6) 7-0912 Johnson/Evinrude, Female Fuel Line, 3/8" Barb (3) 7-0924 Yam/Mer/Mariner, Male Tank, 1/4" NPT, Brass (9) 7-0926 Yam/Mer/Mariner, Female Fuel Line, 3/8" Barb

(3) 7-0933 Suzuki, Male Tank, 1/4" NPT (Small) (3) 7-0936 Suzuki, Female Fuel Line Fitting, 3/8" Barb

Order No Description

Cockpit **7-6991** Standard B - Fuel Line Assortment & Deck

Marpac Quick Connectors

(6) 7-0910 Johnson/Evinrude, Male Tank, 1/4" NPT, Brass (6) 7-0912 Johnson/Evinrude, Female Fuel Line, 3/8" Barb (3) 7-0924 Yam/Mer/Mariner, Male Tank, 1/4" NPT, Brass (9) 7-0926 Yam/Mer/Mariner, Female Fuel Line, 3/8" Barb

Marpac Fuel Hose Barbs

(6) 7-0938 Female Thread, 1/4" FNPT x 5/16"

Marpac Quick Connectors, Aluminum

(3) 7-0915 Mercury, Bayonet, Female Tank, 1/4" NPT (3) 7-0918 Mercury, Bayonet, Male Fuel Line, 3/8" Barb

Marpac Premier Quick Connectors

(3) 7-6886 Honda, Female Fuel Line Fitting, 3/8" Barb

(6) 7-6913 Mercury, Male Tank, 1/4" NPT

(3) 7-6914 Mercury, Female Fuel Line Fitting, 3/8" Barb

Marpac Premier Quick Connectors

(6) 7-6913 Mercury, Male Tank, 1/4" NPT

Order No. Description

Order No. Description

Order No. Description

7-6992 Standard C - Fuel Line Assortment

Marpac Premier Fuel Line Connectors, Tank

(6) 7-6910 Johnson/Evinrude, Male, 1/4" NPT (6) 7-6913 Mercury, Male, 1/4" NPT

(3) 7-6936 Suzuki, Large (75 HP & Up), Male, 1/4" NPT

(3) 7-6924 Yamaha, Male, 1/4" NPT

Marpac Quick Connectors, Aluminum

(3) 7-0915 Mercury, Bayonet, Female Tank, 1/4" NPT (3) 7-0918 Mercury, Bayonet, Male Fuel Line, 3/8" Barb

Marpac Fuel Hose Barbs

(6) 7-0938 Female Thread, 1/4" FNPT x 5/16"

Marpac Premier Fuel Line Connectors, Fuel Line

(6) 7-6912 Johnson/Evinrude, Red, Female, 3/8" Barb

(3) 7-6914 Mercury, Black, Female, 3/8" Barb (9) 7-6926 Yamaha, Blue, Female, 3/8" Barb

(3) 7-6934 Suzuki, Large (75 HP & Up), Female, 3/8" Barb

(3) 7-6886 Honda, Female, 3/8" Barb

Price **\$426.98** G

7-6994 Premier B - Fuel Line Assortment Marpac Premier Fuel Line Connectors, Tank

(6) 7-6910 Johnson/Evinrude, Male, 1/4" NPT (6) 7-6913 Mercury, Male, 1/4" NPT (3) 7-6924 Yamaha, Male, 1/4" NPT

7-6995 Premier C - Fuel Line Assortment

Marpac Fuel Hose Barbs

(6) 7-0938 Female Thread, 1/4" FNPT x 5/16"

Marpac Premier Fuel Line Connectors, Fuel Line

(6) 7-6912 Johnson/Evinrude, Red, Female, 3/8" Barb (9) 7-6926 Yamaha, Blue, Female, 3/8" Barb

Marpac Quick Connectors, Aluminum

(3) 7-0915 Mercury, Bayonet, Female Tank, 1/4" NPT (3) 7-0918 Mercury, Bayonet, Male Fuel Line, 3/8" Barb

Price

\$295.98 G

Marpac Teflon Seal Tape

• 100% pure PTFE thread seal tape.

For use in all threaded connections

• A naturally lubricated tape that is clean to use and does not harden. and fittings. Seals tight for professional results. Order No. Description Price **7-0305** 1/2" x 520" \$3.15 G

Pipe Thread Seal Tape

- 100% pure PTFE thread seal tape.
- Seals tight for pro results.
- For use in all threaded connections and fittings.
- A naturally lubricated tape that is clean to use and does not harden.
- Sold in bulk.

Order No. Mfg. No. / Description

512144 (M22 1/2X520) 1/2" x 520"



\$1.95 F

Marpac Tank Vent



- Brass.
- For use in attaching 5/8" ID vent hose to the fuel tank for thru hull ventilation.
- 3/8" NPT x 5/8" hose barb, male thread.

Order No. Description Price **7-0310** Tank Vent **\$5.98** G

Marpac Aluminum Anti-Syphon Valve



- Meets USCG/Industry standards for anti-siphoning on gas powered boats.
- Anti-siphon protection with hose barb simplicity.
- 1/4" NPT x 3/8" hose barb.

Order No. Description 7-6952 Anti-Syphon Valve **\$9.98** G

Marpac 3-Way and 4-Way Valves





- NMMA Fire Test Approved.
- Brass.
- 3-Way connects motor to two permanent tanks.
- 4-Way connects motor to three permanent tanks.
- Withdrawals from one tank at a time.

| Order No. | Description | | Price |
|-----------|-------------|-----------------------------|------------------|
| 7-6944 | 3-Way | 1/4" FNPT | \$21.98 G |
| 7-6946 | 3-Way | 1/4" FNPT, with Easy Clicks | \$24.98 G |
| 7-6948 | 3-Way | 3/8" FNPT | \$24.98 G |
| 7-6950 | 4-Way | 1/4" FNPT | \$24.98 G |
| | | | |

Attwood 90° P-Trap Fuel Tank Vents - Black





- Help prevent water from entering the fuel tank, yet allow air to vent freely.
- Eliminates need for an anti-syphon loop in the vent hose, allowing more direct hose routing to the fuel tank and shorter hose length.
- Maximum hull thickness: 1/4" 9/16".
- Installation hole size: 3/4" diameter.
- Vent hose: 5/8" ID.
- Requires 1-1/2" height clearance for anti-siphon feature.
- Meets ABYC Standard.

Order No. Mfg. No. / Description Price 237445 (1670-3) Black Vent Head \$16.98 R 237455 (66419-3) Black Vent Head with Stainless Steel Trim Cover \$15.98 R

Marpac Tank Vent Elbow





- Replaces 3/8" plug on fuel tanks.
- 3/8" NPT.

Order No. Description 7-0321 Tank Vent Elbow **\$9.98** G

Marpac Bulkhead Fitting

- Brass.
- 3/8" to 3/8" hose ID.
- Ideal for routing fuel lines safely through motor wells or bulk heads.
- Straight.

Order No. Description Price 7-0306 Bulk Head Fitting **\$11.98** G

Marpac 2-Way Brass Ball Valve





• Made of brass with stainless steel screw stem.

• 1/4" MNPT x 3/8" barb.

Order No. Description 7-6938 2-Way Brass Ball Valve

\$5.98 G

Price

Marpac Shut-Off Valves



NMMA Fire Test Approved.

• Connects motor to one permanent tank.

Order No. Description

Price **7-6940** 1/4" NPT x 1/4" FNPT \$19.98 G 7-6942 1/4" FNPT \$19.98 G

Fuel Selector



Selector valve for changing between fuel tanks.

Order No. Mfg. No. / Description Price 2003610 (100FSV) \$72.98 G

Fun & Flotation Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc

Cockpit & Deck

nstruments

Steering, Controls

Perform.

System Engine

& Parts Engine Care

Propellers

Seating & Pedestals

Tons & Covers

Pumps

Cleaning & Care

Paint &

Paint Acc Hardware. Fasteners

Trailering

Misc.







• 5/8" line gas tank vent.

Order No. Mfg. No. / Description

Price \$4.99 H



Perko Fig. 506 Fuel Tank Vent

Boater Sports Gas Tank Vent

1-53258 (53258)



Fun & Flotation Anchor & Dock

Safety

Electronics

Trolling

Motors

Lighting

Electrical

Topside Acc Cockpit & Deck Instruments

Steering,

Controls

Perform.

Fuel

Engine

& Parts

Engine

Seating & Pedestals

Tons &

Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Care Propellers

System

• 5/8" Hose ID · Includes stainless steel nut.

• Stainless steel protective cover helps reduce water splash.

Straight, with Protective Cover \$16.98 G 7-1020 7-1021 90°, with Protective Cover \$18.98 G 7-1022 90°, Flush Mount Design \$24.98 G Plated finish.

PERKO

• Vent hose to the fuel tank for thru-hull ventilation.

For hulls up to 1/2" thick and accommodates 5/8" vent hose.

Order No. Mfg. No. / Description **808317** (035732-10)

\$11.98 H

Perko Fig. 570 Fuel Tank Vent

Perko Fig. 561 Fuel Tank Vent with Swivel Elbow





 Chrome plated zinc cowl with black polymer cap and removable 30 mesh, stainless steel wire screen flame arrester.

• Hose size 5/8".

alloy elbow.

• Hose size 5/8".

• Maximum hull thickness 3/4".

Chrome plated zinc alloy cap with zinc

Black polymer splash guard and removable

30 mesh, stainless steel wire screen flame

Design allows elbow to be rotated to any position.

Order No. Mfg. No. / Description

540989 (0570 DP4 BLK)

 Chrome plated zinc alloy with black polymer splash guard and removable 30 mesh, stainless steel wire screen flame arrester.

• Hose size 5/8".

• Maximum hull thickness 3/4".

Order No. Mfg. No. / Description **539645** (0506 DP4 CHR)

\$18.98 R

Perko Fig. 503 90° Fuel Tank Vent











- Removable 30 mesh, stainless steel wire screen flame arrester.
- Thread size 3/8".
- Maximum hull thickness 7/8".

Order No. Mfg. No. / Description **539594** (0503 DP3 CHR)

\$63.98 R

\$18.98 R

\$14.98 R








Maximum hull thickness 1".

Order No. Mfg. No. / Description

541020 (0561 DP4 CHR)





- Fits 5/8" hoses.
- Chrome plated zinc vents with spark-proof holes.

Order No. Mfg. No. / Description **1-53250** (53250) \$14.95 H





Misc

Comm.

Marpac Deck Fills with Color Coded Caps



- Heavy duty cast type 316 marine grade stainless steel.
- Color coded cap and symbol for easier identification and less confusion.
- The keyless cap design makes filling easier since no tools are needed.
- Designed for use with 1-1/2" hose.

| Order No. | Description | Price |
|-----------|-----------------------------------|------------------|
| 7-1640 | Diesel with Green Nylon Cap | \$29.98 G |
| 7-1641 | Gas with Red Nylon Cap | \$29.98 G |
| 7-1642 | Water with Blue Nylon Cap | \$29.98 G |
| 7-9036 | Replacement Green Nylon Cap | \$5.98 G |
| 7-9037 | Replacement Red Nylon Cap | \$5.98 G |
| 7-9038 | Replacement Blue Nylon Cap | \$5.98 G |
| 7-0896 | Replacement Cap for 7-1641 | \$16.98 G |
| 7-9038 | Replacement Blue Nylon Cap | \$5.98 G |

White Cap Hose Deck Fill with Key





- Fuel fill fits 1-1/2" fill hose.
- 316 stainless steel.
- Flange: 3".
- Fastener: #10.
- Complete with cap and key.

| Order No. Mfg. No. / | Description | Price |
|------------------------|-----------------|-----------|
| 2011514 (6123C) | Deck Fill | \$39.97 H |
| 2011501 (6061C) | Replacement Cap | \$17.95 H |

Perko Fig. 1270 Fuel and Water Fills for 1-1/2" Hose



- Chrome plated zinc alloy with black polymer cap.
- · Caps have a slot between the holes.
- Hose size 1-1/2".
- Flange OD 3-1/4". Neck length 2-1/2".
- Uses #8 fasteners.
- Complete with deck plate key, O-ring and integral retainer on cap.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|--|------------------|
| 544343 | (1270 DPG CHR) | Marked "Gas" | \$45.98 R |
| 544355 | (1270 DPW CHR) | Marked "Water" | \$47.98 R |
| 5315060 | (1270 DPG 99A) | Repl. Gas Cap with O-ring and Retainer | \$20.98 H |

Marpac Gas Deck Fill with Key





- Heavy duty cast type 316 marine grade stainless steel with CNC machined threads.
- 0-ring seal for leak prevention.
- Manufactured with sealant groove on back side for positive deck seal.
- Uses #10 fasteners.
- Includes chain and key.
- Flange OD 3-1/8".
- Designed for use with 1-1/2" hose.

• Polished stamped stainless steel.

7-0892 Flanged Gas Deck Fill with Spill Guard

| Order No. | Description | Price |
|-----------|------------------------|------------------|
| 7-0894 | Gas Deck Fill with Key | \$36.98 G |
| 7-0896 | Replacement Cap | \$16.98 G |

Marpac Flanged Gas Deck Fill with Spill Guard



• For gas.



Safety

Fun & Flotation Anchor

Electronics Trolling

Motors Lighting

Electrical

Price Topside \$25.98 G

Cockpit

nstruments Steering,

Perform.

Engine

& Parts

Engine

Propellers

Seating & Pedestals

Tons &

Covers

Care

System

White Cap Gas Deck Fill with Splash Guard



• Fits 1-1/2" hose ID. • Uses #10 fasteners.

Order No. Description



• 1-1/2" chrome plated zamak fuel fill has a 3-1/8" flange.

• Two style caps included: Slotted and finger tighten cap.

• Fastener: #10.

· Packaged for display.

Order No. Mfg. No. / Description 2011640 (S-7022P) Replacement Cap

Price \$6.50 H

Boater Sports Nylon Deck Fill







Pumps Cleaning

& Care Paint &

Paint Acc. Hardware,

Fasteners

Trailering

Misc.

Order No. Mfg. No. / Description

• Designed for use with 1-1/2" hose.

1-53264 (53264)

Black nylon deck fill.

• Cap labels also included.

\$12.95 H

Fun &

Flotation

Anchor

& Dock

Safety

Lighting

Electrical

Topside Acc.

Instruments

Perform. **Fuel System** Engine & Parts

Engine

Propellers

Seating &

Pedestals

Tons &

Covers

Pumps Cleaning & Care Paint & Paint Acc. Hardware, Fasteners

Trailering

Misc

Comm.

Care

Buck Algonquin Stainless Steel Pipe Deck Plates





- 316 stainless steel with polished finish.
- Furnished with a beaded chain, cap, O-ring and key.
- Uses #10 fasteners.



MARKED "GAS" ON FLANGE PLATE Order No. Mfg. No. / Description Price 260593 (70PDPS150G) Pipe Size 1-1/2" Flange OD 3-3/4" \$104.98 H

Buck Algonquin Bronze Pipe Deck Plate





- · Cast bronze.
- Furnished with a beaded chain, cap, O-ring and key.
- Uses #10 fasteners.
- Pipe size 1-1/4", flange OD 3-1/8".
- Shank OD 1-3/4".

Cockpit Order No. Mfg. No. / Description & Deck

Price **260630** (00PDP125NM) \$57.98 H

PERKO



540422



MARKED DECK PLATES

- · Chrome plated bronze.
- · Comes complete with deck plate key and O-ring.
- 1-1/2" cap have a slot between the holes.

| Order No. | Mfg. No. / Description | | Marked | Price |
|-----------|---------------------------|------------------|--------|------------|
| 540395 | (0528 DPD CHR) 1-1/2" IPT | Flange OD 3-5/8" | Diesel | \$143.98 R |
| 540408 | (0528 D09 CHR) 2" IPT | Flange OD 4-1/4" | Diesel | \$232.98 H |
| 540458 | (0528 DPW CHR) 1-1/2" IPT | Flange OD 3-5/8" | Water | \$143.98 R |
| 540422 | (0528 DPG CHR) 1-1/2" IPT | Flange OD 3-5/8" | Gas | \$143.98 R |
| | | | | |

540282

UNMARKED DECK PLATES

- Plain bronze straight pipe thread no markings.
- · Comes complete with deck plate key and O-ring.


| Order No. | Mfg. No. / Description | | Price |
|-----------|---------------------------|------------------|-------------------|
| 540282 | (0528 008 PLB) 1-1/2" IPT | Flange OD 3-5/8" | \$121.98 H |
| 540307 | (0528 009 PLB) 2" IPT | Flange OD 4-1/4" | \$189.98 H |
| 540321 | (0528 011 PLB) 3" IPT | Flange OD 5-3/8" | \$353.98 H |

| SPACE | CAPS WITH O-RING | | |
|-----------|------------------------|--------------|------------|
| Order No. | Mfg. No. / Description | | Price |
| 540357 | (0528-P09 99A) 2" IPT | Plain Bronze | \$117 98 \ |

Boater Sports Deck Fill Replacement Cap







- Highly polished finish.
- Slotted for separate key.
- 0-ring seals cap watertight.
- Designed for use with 1-1/2" hose.

Order No. Mfg. No. / Description Price

1-53255 (53255) \$17.95 H

Perko Fig. 826 Adjustable Deck Plate Key



- Length overall 8-1/2".

Order No. Mfg. No. / Description Price **542438** (0826 DP0 CHR) \$32.98 R

Attwood Replacement Cap and Chain



- · Enhanced 316 stainless steel.
- Highly polished finish.
- Flush cap is slotted for separate key and features an O-ring that seals the cap watertight.
- Cap is attached by a stainless steel, beaded chain.
- For 1-1/2" deck fills.

Order No. Mfg. No. / Description Price **333628** (66061-3) \$18.98 Q


Marpac Deck Plate Key



- Stainless steel.
- Not only fits deck plates, but also doubles as a screw drive and bottle opener.

Price Order No. Description 7-0889 Deck Plate Key **\$6.98** G

Perko Fig. 537 Retaining Cable for Deck Plates



- Stainless steel cable and fittings with 1-3/8" stainless steel ring and self tapping screw.
- Designed for use with 1-1/2" hose.
- Cable length 7".

Order No. Mfg. No. / Description Price **540624** (0537 DP) \$8.98 R

Boater Sports Universal Deck Key





 Universal deck key with lanyard used to loosen and/or tighten deck fill caps.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|----------|
| 1-53257 | (53257) | \$6.95 H |

Fun & Flotation Anchor

& Dock

Safety

Electronics

Trolling

Motors

Lighting

Electrical Topside Acc Cockpit & Deck

nstruments

Steering,

Controls

Perform.

System

Engine & Parts

Engine

Propellers

Care

Price

Price

Boater Sports Tabbed Fuel Fill Key





 Standard deck key used to loosen and/or tighten deck fill caps.

Order No. Mfg. No. / Description Price 1-53256 (53256) \$3.95 H

Perko Fig. 1248 Deck Plate Keys





BLACK POLYMER

• For deck plate size: 1-1/4" and 1-1/2". Center to center of lugs: 1-1/8".

Order No. Mfg. No. / Description Price **533768** (1248 7-8 DP) \$5.98 R

ZINC ALLOY

For deck plate size: 2". Center to center of lugs: 1-11/16".

Order No. Mfg. No. / Description Price 533782 (1248 009 DP) \$6.98 R

Perko Fig. 1399 "Chromalex" Gas Fill with Locking Cap





- Black polymer flange and cap with strap.
- Complete with grounding screw, cap retainer and gasket.
- Locking cap has a cover for the key hole.
- Hose size 1-1/2".
- Flange OD 3-1/8".
- Neck length 1-7/8".
- Uses #6 fasteners.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|-------------------------------------|------------------|
| 534671 | (1399 DP0 CHR) | | \$57.98 R |
| 534506 | (1324 DP0 BLK) | Replacement Locking Cap with 2 Kevs | \$33.98 R |

Perko Fig. 1324 Fuel System Locking Caps for 1-1/2" Non-Vented Fills





- · Black polymer with gasket.
- · Built-in lock cylinder.

FITS PERKO FILLS: 1313 AND 1399

Cap outside thread diameter: 1-15/32".

Order No. Mfg. No. / Description **534506** (1324 DP0 BLK) \$33.98 R

FITS PERKO FILLS: 520, 527, 528, 557, 599 AND 1270

• Cap outside thread diameter: 1-7/8".

Order No. Mfg. No. / Description Price 5315074 (1324 DP1 BLK) \$36.98 H

Perko Fig. 1247 Slotted Fuel Fill Key





- Black polymer.
- Center to center of lugs: 1-1/8".
- Length spade: 1", length overall: 1-3/4".

Order No. Mfg. No. / Description Price **5315055** (1247 DP BLK) \$7.98 H

Perko Fig. 525 Locking Fuel Fill Insert





- Black polymer with zinc allow lock cylinder.
- System for the Most Popular Perko Fuel Fills of all times.
- · Dual purpose key opens fill cap and locking insert.
- Fits the following models, without any additional tools: 540, 541, 590, 591, 1318 and 1319's. (Fuel fill not included.)

Order No. Mfg. No. / Description

5315131 (525DP) \$39.98 H

Perko Fig. 1313 "Chromalex" Gas Fill with Non-Locking Cap





- Black polymer flange and cap with strap.
- · Complete with grounding screw, cap retainer and gasket.
- Hose size 1-1/2".
- Flange OD 3-1/8".
- Neck length 1-7/8".
- Uses #6 fasteners.

Order No. Mfg. No. / Description

534431 (1313 DP0 CHR)

\$23.98 R **533845** (0126 DP0 BLK) Replacement Non-Locking Cap \$11.98 R

Perko Fig. 541 Vented Fill for 1-1/2" Hose - Straight Neck



- Chrome plated bronze cap with black polymer body.
- · Marked "Gas".
- · Integral tank vent with flame arrestor and anti surge valve.
- Deck plate key and 0-ring included.
- · Straight neck.
- · Stainless steel bead chain.
- Fuel hose size 1-1/2".
- Vent hose size 5/8".
- Flange OD 3-3/8'
- Neck length 2-7/16".
- Uses #8 fasteners.

Order No. Mfg. No. / Description **534683** (0541 DPG CHR) \$58.98 R





Seating & Pedestals

Tons & Covers

Pumps

Cleaning

& Care Paint &

Paint Acc

Hardware. Fasteners

Trailering

Misc.

Fun &

Flotation

Electronics

Trolling

Motors

Lighting

Electrical

Topside

Cockpit & Deck

Instruments Steering, Controls Perform. **Fuel System** Engine & Parts Engine

Propellers Seating & Pedestals

Tons &

Covers

Pumps

Cleaning

& Care

Paint &

Paint Acc.

Hardware.

Fasteners

Acc.

Perko Fig. 1319 Vented Fills for 1-1/2" Hose - Straight Neck



• Uses #10 fasteners.

Order No. Mfg. No. / Description Price 534467 (1319 DPG BLK) Black Polymer \$27.98 R \$29.98 H 5315073 (1319 DPG WHT) White Polymer

Perko Fig. 1318 Vented Fill for 1-1/2" Hose - 35° Angled Neck

PERKO Anchor & Dock (UHA) Safety

Black polymer.

• 35° angled neck.

Integral tank vent with flame arrestor.

Flip top cap.

No deck plate key or ground wire required.

· Marked "Gas".

• For hose size: 1-1/2", for vent size: 5/8".

• Neck length: 2-7/16".

• Uses #10 fasteners.

Order No. Mfg. No. / Description

5315071 (1318 DPG BLK)

Price \$29.98 H

Perko Fig. 542 Vented Fill for 1-1/2" Hose - Angled Neck



· Black polymer cap with black polymer body.

Black polymer strap.

· Integral tank vent with flame arrestor and anti surge valve.

• Deck plate key included.

• For hose size: 1-1/2", for vent size: 5/8".

• Neck length: 2-7/16".

• Mounting hole diameter: 2-1/8".

Uses #8 fasteners.

Order No. Mfg. No. / Description 534685 (542DPGBLK)

Perko Fig. 1613 Polymer Gas Fill for 1-1/2" Hose



• Fiber reinforced, UV stabilized black polymer.

Non-vented.

Easy grip cap.

No deck plate key or ground wire required.

Complete with 0-ring and cap retainer.

• Hose size: 1-1/2".

• Flange OD: 3-1/16", neck length 2-7/16",.

• Uses #8 fasteners.

Order No. Mfg. No. / Description

535130 (1613 DP0 BLK)

\$17.98 R





Marpac Premier Fuel/Water Separating Filter Kit





\$38.98 R

Price

Qwick View is a new concept in fuel filtration, just replace the part that needs replacing.

- Qwick Drain casing includes an easy-turn thumb screw for guick, convenient water drainage (Except 7-6856) and a red float that indicates water that needs to be drained.
- Clear bowl on all Qwick View allow for quick checks on fuel quality, remove water or change filter before there is a problem.
- 10 Micron filter cartridge is replaceable (Order #7-6858).
- Ethanol fuel compatible with Viton Seals that won't shrink.
- Universal replacement for Mercury, Yamaha, Honda and Suzuki Style filters.
- Designed for use with Portable Marine Fuel Systems Only.

| | | , | |
|------------|-----------|--|-------------------|
| Trailering | Order No. | Description | Price |
| | 7-6854 | Filter Assembly with Drain, No Head | \$44.98 G |
| Misc. | 7-6856 | Filter Assembly without Drain, No Head | \$40.98 LQ |
| | 7-6858 | Replacement Filter | \$12.98 G |
| Comm. | 7-6862 | Nichronium Head and Filter Assembly Kit with Drain | \$59.98 G |
| COIIIII. | 7-6864 | Composite Head and Filter Assembly Kit without Drain | \$47.98 G |

Includes Racor Filter

- 10 Micron filtration ensures fuel arrives at the outboard engine(s) clean of contaminants and water.
- Stainless steel filter head.
- High flow filter head design with 3/8" NPT ports.
- · Clear contaminate collection bowl with drain valve included.
- Can be used with all 2 and 4 stroke engines.
- · Kit includes: Universal Filter Head, Hose Barbs, Plugs, Thread Sealant, Clear Contaminate Collection Bowl and 10 Micron Water Separating Fuel Filter.
- · For portable fuel systems only.

| Order No. | Description | Price |
|-----------|-------------|------------|
| 7-0879 | Filter Kit | \$149.98 G |

Fun & Flotation
Anchor & Dock

Safety

Electronics

Trolling

Motors

Lighting

Electrical

Topside

Cockpit
& Deck

Instruments

Steering,
Controls

Perform.

Marpac Racor® Inside Fuel/Water Separator Kits with Bowl



- For all 2 and 4 Cycle engines.
- Kits include: Filter Head, Hose Barbs, Plugs, Thread Sealant and Fuel Filter.
- 10 Micron Media filters out 99% of water and 98% of contaminates.
- Filter media sheds water instead of absorbing it.
- Clear bowl extends the life of the filter by allowing water to be drained from the fuel system.
- Maximum media surface area for high dirt holding capacity.
- 3/8" NPT ports provides high fuel flow.
- Water collecting bowl is reusable.
- For vacuum (suction side) applications.
- For portable marine fuel system only.

| Order No. | Description | Price |
|-----------|---------------------------|-------------------|
| 7-0842 | With Stainless Steel Head | \$129.98 G |
| 7-0846 | With Composite Head | \$69.98 G |
| 7-6879 | With Nichronium Head | \$77.98 G |
| 7-0843 | Filter with Clear Bowl | \$58.98 G |
| 7-0844 | Replacement Filter | \$26.98 G |
| 7-0845 | Replacement Clear Bowl | \$29.98 G |
| | | |

Marpac Replacement Universal Filter Brackets



• 11/16" threads, 3/8" ports for maximum fuel flow.

| Order No. | Description | Price |
|-----------|----------------------------------|------------------|
| 7-0859 | Composite Filter Bracket | \$23.98 G |
| 7-0870 | MarPlate Aluminum Filter Bracket | \$27.98 G |
| 7-6876 | Stainless Steel Filter Bracket | \$49.98 G |
| 7-6877 | Nichronium Filter Bracket | \$39.98 G |

Marpac Fuel/Water Separator Filter Kits



• Corrosion resistant filter head choices.

• High flow filter head design with 3/8" NPT ports.

 10 Micron filtration ensures fuel arrives at the outboard engine(s) clean of contaminants and water.

• E-10 ethanol compatible.

• Will not separate 2 Cycle oil from gasoline.

• Can be used with all 2 and 4 stroke engines.

 Kit includes: Universal Filter Head, Hose Barbs, Plugs, Thread Sealant, & One or Two 10 Micron Water Separating Fuel Filter

| Urder No. | Description | | Price |
|-----------|---------------------------|---------------------|------------------|
| 7-0878 | With Stainless Steel Head | 1 Filter | \$69.98 G |
| 7-0874 | With Stainless Steel Head | 2 Filter Value Pack | \$71.98 G |
| 7-0871 | With MarPlate Head | 1 Filter | \$33.98 G |
| 7-0873 | With MarPlate Head | 2 Filter Value Pack | \$45.98 G |
| 7-0847 | With Composite Head | 1 Filter | \$29.98 G |
| 7-0858 | With Composite Head | 2 Filter Value Pack | \$35.98 G |
| 7-6874 | With Nichronium Head | 2 Filter Value Pack | \$45.98 G |
| | | | |

Marpac Fuel/Water Separator Filter

marpac

- Will not separate 2 Cycle oil from gasoline.
- For all 2 and 4 stroke engines.
- For portable fuel systems only.
- 10 Micron filtration. 11/16"-16 center threads.

| Order No. | Description | Price |
|-----------|-------------------------|-------------------|
| 7-0860 | Sold in Display Package | \$6.98 H |
| 7-0860S | Case of 48 Filters | \$329.98 G |

Marpac Replacement Yamaha Fuel/Water Filters



- High capacity for maximum performance.
- For all 2 and 4 stroke engines.
- Will not separate 2 Cycle oil from gasoline.
- 10 Micron filtration ensures fuel arrives at the outboard engine(s) clean of contaminants and water.
- E-10 & E-85 ethanol compatible. For portable fuel systems only.
- Replaces Yamaha MAR-FUELF-IL-TR. 11/16"-16 center threads.

| Order No. | Description | Price |
|-----------|--|------------------|
| 7-0836 | Replacement Filter with 7-0845 Bowl | \$19.98 G |
| 7-0838 | Replacement Filter Only - No Bowl | \$54.98 G |

Fuel System

Engine & Parts Engine

Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Pumps

Cleaning & Care

Paint & Paint Acc.

Paint Acc.
Hardware,

Fasteners

Trailering

Misc.

Comm.

Sierra AquaVue™ and Metal Collection Bowl Fuel/Water Separator Kits



- Sierra AquaVue and metal collection bowl separator filters allow water to be drained from the filter to extend service life.
- Use the AquaVue collection bowl for outboard, above deck installations.
- USCG regulations require the use of the flame resistant metal collection bowl below deck.
- Removes 98.8% of emulsified water.
- 10 micron.
- Designed and recommended for all 2- & 4-cycle gasoline engines.
- Heavy wall filter canister with epoxy coating improves protection against corrosion.

\$183.05 H

\$90.52 H

\$51.48 H

\$24.18 H

\$31.90 H

Price

\$31.90 H

- Filter materials will not separate 2-cycle oil from gasoline.
- Note: Not recommended for use with diesel fuel or with 1992 Gen II 4.3L and 4.3LX engines with electric fuel pumps using in-line fuel filter OEM #35-80531T.

Sierra Fuel/Water Separator Kits with AquaVue™ Bowl

187932

Sierra Replacement AquaVue Bowl

Sierra Replacement Fuel Filters with Sensor for Mercury/Mariner

187937 (18-7937) 1/4" Stainless Steel Head with AquaVue Bowl

187932 (18-7932) 1/4" Aluminum Head with AquaVue Bowl

187928 (18-7928) Replacement Filter with AquaVue Bowl

187919 (18-7919) Replacement Filter (No Bowl)

187922 (18-7922) Replacement AguaVue Bowl

187922 (18-7922) Replacement AquaVue Bowl



187919

Sierra

Order No. Mfg. No. / Description

Order No. Mfg. No. / Description

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting Electrical

Topside Acc.

Cockpit & Deck Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts Engine

Care Propellers

Seating & Pedestals

Tons & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc

• 10 micron filter.

Order No. Mfg. No. / Description Comm.

187967 (18-7967) V6 EFI 1995 & Earlier Replaces: 35-18458Q3 187968 (18-7968) V6 EFI 1996 & Up

Replaces: 35-18458Q4

Price

\$20.33 H

Sierra Fuel/Water Separator Kits with Metal Bowl







| Order No. | Mfg. No. / Description | Price |
|-----------|--|-------------------|
| 187951 | (18-7951) 1/4" Aluminum Head with Metal Bowl | \$125.75 H |
| 187929 | (18-7929) Replacement Filter with Metal Bowl | \$58.67 H |
| 187919 | (18-7919) Replacement Filter (No Bowl) | \$24.18 H |

Sierra Fuel Filter and AquaVue™ Bowl for OMC







10 micron filter.

• Contains: 18-7920 - Fuel Filter and 18-7922 - AquaVue Collection Bowl.

| Order No. | Mfg. No. / Description | Price |
|-----------|--|------------------|
| 187941 | (18-7941) | \$59.25 H |
| 187920 | (18-7920) Replacement Filter (No Bowl) | \$37.25 H |
| 187922 | (18-7922) Replacement AquaVue Bowl | \$31.90 H |
| | | |

Sierra Bowl Wrench





• Fits Sierra, Racor and other aftermarket filter bowls.

Order No. Mfg. No. / Description Price **189884** (18-9884) **\$25.13** K



\$24.18 H

Sierra Fuel/Water Separator Kits for Fuel Injected Engines - 10 Micron







- Heavy wall filter canister with epoxy coating improves protection against corrosion.
- Designed and recommended for all 2 & 4 cycle gasoline engines.
- 10 micron filter element shaped into 66 pleats.
- Meets 0EM specifications.
- Filter materials will not separate 2 cycle oil from gasoline.
- Do not use with diesel fuel.
- Replaces: Mercury, Suzuki, Yamaha and others (not OMC, BRP).
- 10 micron.

| Order No. Mfg. No. / Des | cription | | Price |
|----------------------------|----------------------|----------------------|------------------|
| 1879661 (18-7966-1) | 1/4" Aluminum | High Capacity Filter | \$40.25 H |
| 1879831 (18-7983-1) | 1/4" Aluminum | Short Filter | \$41.05 H |
| 1879821 (18-7982-1) | 1/4" Aluminum | Tall Filter | \$40.43 H |
| 1879861 (18-7986-1) | 3/8" Aluminum | Tall Filter | \$50.22 H |
| 1879841 (18-7984-1) | 1/4" Stainless Steel | Tall Filter | \$109.52 H |
| 1879851 (18-7985-1) | 3/8" Stainless Steel | Tall Filter | \$109.52 H |
| 187944 (18-7944) | Replacement Short Fi | lter - 3.875" | \$7.20 H |
| 187945 (18-7945) | Replacement Long Fil | ter - 4.35" | \$7.35 H |
| 187945C (18-7945C) | Chrome Fuel/Water S | Separator Filter | \$11.85 H |
| 187866 (18-7866) | Replacement High Ca | pacity Filter - 6" | \$19.32 H |

BONUS PACK - CONTAINS SPARE FILTER

 Order No.
 Mfg. No. / Description
 Price

 1879822 (18-7982-2) 1/4" Aluminum
 Tall Filter
 \$46.10 H

Sierra Compact Bracket and Separator Kit - For Outboards up to 115 HP







- Heavy wall filter canister with epoxy coating improves protection against corrosion.
- protection against corrosion.
 Designed and recommended for all 2 & 4 cycle gasoline engines.
- 10 micron filter element shaped into 66 pleats.
- Meets 0EM specifications.
- Filter materials will not separate 2 cycle oil from gasoline.
- Do not use with diesel fuel.
- Replaces: Mercury, Suzuki, Yamaha and others (not OMC, BRP).

| Order No. | Mfg. No. / Desc | cription | Price |
|-----------|-----------------|--|-----------|
| 1879651 | (18-7965-1) | Bracket and Separator Kit | \$37.25 H |
| 187865 | (18-7865) | Replacement Filter - Yam MAR-MINIF-IL-TR | \$11.52 H |
| 187774 | (18-7774) | Aluminum Bracket (Compact) | \$33.72 H |

Sierra Fuel/Water Separating Filters for Carbureted Engines - 21 Micron

Sierra





- Heavy wall filter canister with epoxy coating improves protection against corrosion.
- Designed and recommended for all 2 & 4 cycle gasoline engines.
- 21 micron filter element shaped into 66 pleats.
- Meets 0EM specifications.
- Filter materials will not separate 2 cycle oil from gasoline.
- Do not use with diesel fuel.
- Replaces: Mercury, Suzuki, Yamaha and others (not OMC, BRP).
- 21 micron.

| Order No. | Mfg. No. / Desc | cription | | Price |
|-----------|-----------------|----------------------|----------------|------------------|
| 1878481 | (18-7848-1) | 1/4" Aluminum | Short Filter | \$40.82 H |
| 187852 | (18-7852-1) | 1/4" Aluminum | Tall Filter | \$41.03 H |
| 1877751 | (18-7775-1) | 3/8" Aluminum | Tall Filter | \$47.98 H |
| 1877771 | (18-7777-1) | 1/4" Stainless Steel | Tall Filter | \$95.98 H |
| 1877761 | (18-7776-1) | 3/8" Stainless Steel | Tall Filter | \$96.98 H |
| 187844 | (18-7844) | Replacement Short F | ilter - 3.875" | \$8.63 H |
| 187845 | (18-7845) | Replacement Long Fi | lter - 4.35" | \$8.72 H |
| | | - | | |

BONUS PACK - CONTAINS SPARE FILTER

| Order No. | Mtg. No. / Desc | ription | | Price |
|-----------|-----------------|---------------|--------------|------------------|
| 187848 | (18-7848-2) | 1/4" Aluminum | Short Filter | \$48.50 H |
| 1878522 | (18-7852-2) | 1/4" Aluminum | Tall Filter | \$43.70 H |

Sierra Fuel/Water Separator Brackets





1878531

- Sierra brackets are precision machined powder coated aluminum or marine grade stainless steel.
- They are available with 3/8" or 1/4" inlets.

| Order No. Mfg. No. / Description | | | | Price |
|----------------------------------|-------------|-----------------|-------------|------------------|
| 1878531 | (18-7853-1) | Aluminum | 1/4" Thread | \$32.10 H |
| 187775 | (18-7775) | Aluminum | 3/8" Thread | \$41.98 H |
| 187777 | (18-7777) | Stainless Steel | 1/4" Thread | \$95.98 H |
| 187776 | (18-7776) | Stainless Steel | 3/8" Thread | \$85.98 H |
| | | | | |

Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical

Topside Acc.

Instruments

Steering, Controls

Perform.

System

Engine & Parts

Engine Care

Propellers
Seating &

Pedestals
Tops &

Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc.

Anchor & Dock Safety

Electronics

Trolling

Motors

Lighting

Electrical

Topside Acc Cockpit & Deck

Instruments Steering, Controls Perform

> **Fuel** System

Engine

& Parts

Engine

Propellers

Seating & Pedestals

Tons & Covers

Pumps

Cleaning

& Care

Paint &

Comm.

Care

Sierra Replacement Fuel Filters for OMC







| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|-----------------------------------|------------------|
| 187946 | (18-7946) 10 Micron | OMC Thread - Replaces: OMC 502905 | \$10.90 H |
| 187846 | (18-7846) 21 Micron | OMC Thread - Replaces: OMC 502905 | \$11.27 H |
| 187789 | (18-7789) 21 Micron | Cobra EFI - Replaces: OMC 502906 | \$8.15 H |

Sierra Fuel Filter for Volvo Penta







 Replaces: 838593,3588378, 860874, KAD32P, TAMD42WJ, KAD43P/44P/300, KAMD43P/44P/300, KAMD42A, KAD42A, KAMD42P, KAD42P, MD22L-A, MD22A-A, TMD22A-A, MD22LB, MD22P-B, TMD22-B, TMD22P-C, TAMD22P-B, TAMD42B, KAMD42B, KAD42B, TMD31L, TAMD31P/L/M/S, AD31P/L, TMD41.

Order No. Mfg. No. / Description **187709** (18-7709) \$53.22 H

Racor SNAPP One-Piece Snap-In Fuel Filter Water Separators









Quick-Connect Fitting Kit

- SNAPP is a one-piece fuel filter water separator for 24/7 protection, even with E10 gasoline and bio-diesel.
- Rated flow of 26 GPH (100 LPH).
- Quick connect 3/8" fittings for fast, confident connections.
- Quick release squeeze tabs make filter changes a snap.
- Disposable filter, stainless steel mounting bracket with self-venting drain.

| Paint Acc. | | | | • | · · |
|------------|-----------|-----------------|--|------------|-------------------|
| | Order No. | Mfg. No. / Desc | ription | | Price |
| Hardware, | 315140 | (23299-02) | Complete Kit | 2 Micron | \$62.98 LQ |
| Fasteners | 315144 | (23299-10) | Complete Kit | 10 Micron | \$62.98 G |
| Trailering | 315148 | (R23298-02) | Replacement Filter | 2 Micron | \$52.98 LQ |
| | 315150 | (R23298-10) | Replacement Filter | 10 Micron | \$52.98 G |
| Misc. | 314730 | (RK23319) | 90° Quick-Connect Fi 3/8" x 3/8" Hose Bar | | \$9.98 G |
| | 314731 | (RK23321) | 90° Quick-Connect Fi | tting Kit, | |

3/8" x 5/16" Hose Barb

Racor In-Line Gasoline Filter/Water Separator

Parker Raco



- 25 GPH.
- Head port size: 1/4"-18 NPTF.
- Anodized die cast aluminum head with clear, reusable plastic bowl.
- Features a high capacity Aquabloc II filter element that removes sediment down to 10 micron and 99% of water.
- For outboard engines, personal watercraft.
- Do not use with inboard engines or sterndrive boats.

| Order No. | Mfg. No. / Descript | tion | Price |
|-----------|---------------------|------------------------|-------------------|
| 314423 | (025-RAC-02) | Filter/Water Separator | \$102.98 F |
| 314515 | (S2502) | Replacement Filter | \$24.98 G |

Racor OEM Spin-On Gasoline Filter/Water Separators







- Now, owners of inboard or outboard engines can get smoother operation and longer life - all in one easy spin onto their existing engine filter heads.
- There's a choice of rugged, reusable clear bowl with a self-venting drain or a metal bowl with drain plug for inboard applications.
- Metal bowls are UL-listed and USCG accepted, clear bowls are for outboard applications only.
- These filters also feature high capacity Aquabloc II element that removes 99% of free water, and sediment down to 10 micron.
- These OEM spin-on gasoline filters were designed to fit most Quicksilver, Mercruiser and OMC applications.

FOR OUTBOARD APPLICATIONS ONLY - WITH CLEAR BOWL

• 60 GPH, height 7.2", diameter 3.8".

| | , , . | | |
|-----------|--------------------|--|------------------|
| Order No. | Mfg. No. / Descrip | tion | Price |
| 314498 | (B32013) | Fits 11/16"-16 Quicksilver Heads | \$66.98 G |
| 314505 | (S3213) | Replacement Filter for 314498 | \$25.98 G |
| 314499 | (B32014) | Fits 1"-12 OMC Heads | \$66.98 G |
| 314506 | (S3214) | Replacement Filter for 314499 | \$25.98 G |
| 314502 | (RK30475) | Repl. Clear Bowl Kit for 314498 & 314499 | \$48.98 G |

FOR INBOARD OR OUTBOARD APPLICATIONS - WITH METAL BOWL

• 3/8" metal plug.

\$7.98 G


• 60 GPH, height 6.5", diameter 3.8".

| Order No. | Mfg. No. / Descript | Price | |
|-----------|---------------------|---------------------------------|------------------|
| 314501 | (B32020MAM) | Fits 11/16"-16 Mercruiser Heads | \$73.98 G |
| 314503 | (S3220TUL) | Replacement Filter for 314501 | \$28.98 G |

Racor Par Fit Spin-On Gasoline Filter/Water Separator

Parker Racor


- Replaces standard fuel filters found on most Mercury, Mercruiser, Yamaha, Suzuki, Honda and Tohatsu marine gasoline applications.
- 11/16"-16 center threads for the most popular applications.
- High contaminant capacity and 96% @ 10 micron particle removal efficiency makes this filter suitable for all low or high pressure injection systems.
- Performance exceeds OEM specifications.



Racor 110 Series Replacement Fuel Filter/Water Separator Element

Par (er Racor

- Maximum flow rate: 15 GPH.
- Aquabloc II Filter Element: 10 Micron, Color code: Blue.
- Style: Paper cartridge with gasket, fuel type: Diesel or gasoline.
- Used in Model 110A Filter Assembly.



Sierra Replacement Elements





ELEMENT FOR RACOR 120R-RAC-01

• Also replaces: Honda 17670-ZW1-030GH, Racor S3240, Suzuki 99105-20006.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|------------------|
| 187947 | (18-7947) | \$21.72 H |

ELEMENT FOR RACOR 320R-RAC-01

Order No. Mfg. No. / Description

 Replaces: Honda 17670-ZW1-801AH, Mercury 35-886638, Racor S3227, Suzuki 99105-20005.

| 18/948 (18-/948) | \$25./0 H |
|--------------------------------------|-----------|
| | |
| ELEMENT FOR RACOR 660R-RAC-02, S3232 | |
| Order No. Mfg. No. / Description | Price |
| 187949 (18-7949) | \$36.30 H |

Racor Gasoline Spin-On Filter/Water Separators



- Designed for high performance applications and with flow rates between 30 and 120 GPH.
- Coated with a durable electrostatically applied powder coating for superior corrosion resistance.
- Features a high capacity Aquabloc II filter element that removes sediment down to 10 micron and 99% of water.
- This spin-on filter design is simple to replace and the reuseable clear plastic or metal contaminant collection bowls feature a self-venting drain, or metal plug, for removing unwanted muck and water.

| FOR OUTBOARD APPLICATIONS ONLY - WITH CLEAR BOWL | | | | | |
|--|---------------------|--|-------------------|--|--|
| Order No. | Mfg. No. / Descript | ion | Price | | |
| 314447 | (120R-RAC-01) | 30 GPH, Head Port: 1/4"-18 NPTF | \$101.98 G | | |
| 314523 | (S3240) | Replacement Filter for 314447 | \$21.98 G | | |
| 314511 | (RK10222) | Replacement Clear Bowl for 314447 | \$53.98 F | | |
| 314497 | (320R-RAC-01) | 60 GPH, Head Port: 1/4"-18 NPTF | \$107.98 G | | |
| 314516 | (S3227) | Replacement Filter for 314497 | \$25.98 G | | |
| 314502 | (RK30475) | Replacement Clear Bowl for 314497 | \$48.98 G | | |
| 314465 | (490R-RAC-01) | 90 GPH, Head Port: 3/8"-18 NPTF, Includes Primer Pump | \$140.98 G | | |
| 314516 | (S3227) | Replacement Filter for 314465 | \$25.98 G | | |
| 314473 | (660R-RAC-01) | 90 GPH, Head Port: 3/8"-18 NPTF | \$136.98 G | | |
| 314520 | (S3232) | Replacement Filter for 314473 | \$33.98 G | | |
| 314502 | (RK30475) | Replacement Clear Bowl for 314473 | \$48.98 G | | |

FOR INBOARD OR OUTBOARD APPLICATIONS - WITH METAL BOWL

• UL Marine Listed.

| Order No. | Mfg. No. / Descript | ion | Price |
|-----------|---------------------|------------------------------------|-------------------|
| 314450 | (120R-RAC-02) | 30 GPH, Head Port: 1/4"-18 NPTF | \$130.98 G |
| 314500 | (320R-RAC-02) | 60 GPH, Head Port: 1/4"-18 NPTF | \$137.98 G |
| 314518 | (S3228TUL) | Replacement Filter for 314500 | \$24.98 G |
| 314521 | (S3232TUL) | Replacement Filter for 660R-RAC-02 | \$35.98 G |

Racor Diesel Spin-On Fuel Filter/Water Separator

Price

- All units feature 1/4"-18 NPTF inlet and outlet fuel ports and a unitized mounting bracket.
- Features spin on, high capacity Aquabloc II replaceable filter elements which stop water and remove solid contamination.
- Has a replaceable spin on filters and contaminant collection bowl.
- Also have a spin on contaminant collection bowl.

| Order No. | Mfg. No. / | Description | Price |
|-----------|------------|-------------------------------|-------------------|
| 314435 | (120AS) | 15 GPH with 2 Micron Element | \$117.98 G |
| 314814 | (R12P) | Replacement Filter, 30 Micron | \$20.98 G |
| 314815 | (R12S) | Replacement Filter, 2 Micron | \$20.98 G |
| 314816 | (R12T) | Replacement Filter, 10 Micron | \$20.98 G |



Fun & Flotation

Anchor & Dock

Safety

Electronics

Trolling Motors

Lighting

Electrical Topside

Acc.
Cockpit
& Deck

Instruments

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tops & Covers

Pumps

Cleaning

& Care
Paint &

Paint Acc.

Fasteners Trailering

Misc.

Racor Diesel Spin-On Fuel Filter/Water Separators



Fun & Flotation

 All units feature 1/4"-18 NPTF inlet and outlet fuel ports and a unitized mounting bracket.

Anchor & Dock Safety

• They also include an in-head primer pump which allows the operator to hand prime the filter and simplifies service procedures. Features spin on, high capacity Aquabloc II replaceable filter elements which separate water and remove solid contamination.

Electronics

Trolling

Motors

Lighting

Electrical

Topside Acc Cockpit & Deck

Instruments

Steering. Controls

Perform

Fuel

Engine

& Parts

System

Also have a spin on contaminant collection bowl.

Mfg. No. / Description Order No. Price 314457 (230R30) 30 GPH with 30 Micron Element \$169.98 G 314459 (230R2) 30 GPH with 2 Micron Element \$165.98 G Replacement Filter, 2 Micron for 314459 314827 (R20S) **\$27.98** G \$171.98 LQ 314461 (245R2) 45 GPH with 2 Micron Element **314840** (R25S) Replacement Filter, 2 Micron for 314461 \$29.98 G

Racor Fuel Filter/Water Separator Replacement Element Assemblies



Mfg. No. / Description Engine Price Care 314817 (R15S) 15 GPH 2 Micron For Model 215R **\$40.98** G **\$34.98** G 314818 (R15T) 15 GPH 10 Micron For Model 215R Propellers 314826 30 GPH 30 Micron For Model 230R **\$27.98** G (R20P) 30 GPH 10 Micron **\$27.98** G 314828 (R20T) For Model 230R Seating & 314837 (R24T) 30 GPH 10 Micron For Model 220RMAM **\$30.98** G Pedestals 314838 (R24P) 30 GPH 30 Micron For Model 220R \$30.98 G Tons & 314842 (R26T) 45 GPH 10 Micron For Model 225R \$33.98 G Covers \$33.98 G 314843 (R26P) 45 GPH 30 Micron For Model 225R For 400 & 600 Series Pumps 314854 90 GPH 30 Micron \$35.98 G (R90P) For 400 & 600 Series 314857 (R120P) 120 GPH 30 Micron \$38.98 G

Sierra Diesel Fuel Filter





Misc Replaces: Fram FCS 1136 filter bracket.

> Order No. Mfg. No. / Description **187935** (18-7935) \$25.50 H

Sierra Diesel Fuel Filter





 For: KAD32P, TAMD42WJ, KAD43P/44P/300, KAMD43P/44P/300, KAMD42A KAD42A, KAMD42P, KAD42P, MD22L-A, MD22A-A, TMD22A-A, MD22L-B, MD22P-B, TMD22-B, TMD22P-C, TAMD22P-B, TAMD42B, KAMD42B, KAD42B, TMD31L, TAMD31P/L/M/S, AD31P/L, TMD41L, TAMD41P/L/ M/H,TMD41B, TAMD41B,D41B, AD41B (SN 2204141573&Up), TMD41D, TAMD41D, D41D, AD41D, D41 (SN2204141572 & Below), MD40, TMD40, TAMD40, AQAD40, KAD32P, TAMD42WJ, KAD43P/44P/300, KAMD43P/44P/300.

• Replaces: Volvo 838593, 3588378, 860874.

Order No. Mfg. No. / Description

187940 (18-7940)

\$72.67 H

Sierra Diesel Fuel Filter





 For: MD100A, TMD100A, MD100B, MD120A, TMD120A, TAMD120A, MD120B. TMD120B, TAMD120B, MD70B, TMD70B, TAMD70B, THAMD70B, AQAD70B, MD70C, TMD70C, TAMD70C, AQD70C, TAMD60A, TAMD60B, TAMD60C, D5/D7 MARINE GENSET, D5A-T, D5A-TA, D7A-T, D7A-TA, D7C-TA, D63 MARINE, D71/73 MARINE, KAD32P, TAMD42WJ, KAD43P/44P/300, KAMD43P/44P/300, TAMD103A, TAMD61A, TAMD62A, TAMD71A, TAMD72A, TAMD72P, TAMD72WJ, TAMD74, TAMD75 MARINE, TMD102A, TAMD102A, TAMD102D, TMD122A, TAMD122A, TAMD122P, TMD31L, TAMD31P/L/M/S, AD31P/L, TMD41L, TAMD41P/L/M/H.

Sierra Diesel Fuel Filter

Replaces: Volvo 466987, 3825133.

Order No. Mfg. No. / Description

Price \$23.68 H

187942 (18-7942)





 For: D4-180i-B, D4-180I-C, D4-210A-A, D4-210A-B, D4-210i-A, D4-210i-B, D4-225A-B, D4-225A-C, D4-225i-B, D4-225I-C, D4-260A-A, D4-260A-B, D4-260A-C, D4-260D-B, D4-260D-C, D4-260i-A, D4-260i-B, D4-260IC, D4-300A-A, D4-300A-C, D4-300D-A, D4-300D-C, D4-300I-A, D4-300I-C, D6-280A-A, D6-280A-B, D6-280i-A, D6-280i-B, D6-310A-A, D6-310A-B, D6-310DA, D6-310D-B, D6-310i-A, D6-310i-B, D6-330A-B, D6-330A-C, D6-330D-B, D6-330D-C, D6-330I-B, D6-330IC, D6-350A-A, D6-350A-B, D6-370A-B, D6-370A-C, D6-370D-A, D6-370D-B, D6-370D-C, D6-370i-A, D6-370i-B, D6-370I-C, D6-435D-A, D6-435D-C, D6-435i-A, D6-435I-C.

• Replaces: Volvo 3583443.

Order No. Mfg. No. / Description Price **188125** (18-8125)



Cleaning & Care

Paint &

Paint Acc.

Hardware,

Fasteners

Trailering

\$33.15 H

Racor Diesel Fuel Filter/Water Separator - Dual Filter



- · Maximum flow rate: 480 GPH (1817 LPH).
- Filter rating: 10 Micron.
- Port/connection size 1-1/4" NPT.
- Duplex Assembly, 100% all steel construction.

Order No. Mfg. No. / Description 314756 (75804MA10)

\$4,290.98 LQ

Racor Fuel Filter/Water Separators - Turbine Series



- Designed to be installed on the vacuum side of the fuel transfer pump for best efficiency and protect precision engine components from dirt, rust, algae, asphaltines, varnishes and especially water, which is prevalent in engine fuels.
- They remove contaminates from fuel using the following legendary three stage process: Separation, Coalescing and Filtration.
- Clear collection bowl.
- · Self-venting water drain.

TURBINE SERIES - 60 GPH

• Height 11.5", width 5.8", depth 4.8". Standard fuel ports: 3/4"-16.

Order No. Mfg. No. / Description **314696** (500FG2) 2 Micron Uses 2010SM-OR Filters \$255.98 F

TURBINE SERIES - 90 GPH

• Height 17", width 6", depth 7". Standard fuel ports: 7/8"-14.

| Order No. | Mfg. No. / De: | scription | | Price |
|-----------|----------------|-----------|------------------------|-------------------|
| 314722 | (900FH2) | 2 Micron | Uses 2040SM-OR Filters | \$378.98 F |
| 314723 | (900FH30) | 30 Micron | Uses 2040PM-OR Filters | \$367.98 F |

TURBINE SERIES - 180 GPH

• Height 22", width 6", depth 7". Standard fuel ports: 7/8"-14.

| Order No. | Mtg. No. / Des | cription | | Price |
|-----------|----------------|-----------|------------------------|-------------------|
| 314684 | (1000FH2) | 2 Micron | Uses 2020SM-OR Filters | \$408.98 G |
| 314685 | (1000FH30) | 30 Micron | Uses 2020PM-OR Filters | \$408.98 G |

Racor Fuel Filter/Water Separators - Marine Turbine Series



- Designed to be installed on the vacuum side of the fuel transfer pump for best efficiency and protect precision engine components from dirt, rust, algae, asphaltines, varnishes and especially water, which is prevalent in engine fuels.
- They remove contaminates from fuel using the following legendary three stage process: Separation, Coalescing and Filtration.
- Although the turbine has no moving parts, over 30% of the contaminants are removed here.

MARINE TURBINE SERIES - 60 GPH

• Height 11.5", width 5.8", depth 4.8". Standard fuel ports: 3/4"-16.

| Order No. | Mfg. No. / Description | Price |
|-----------|---|-------------------|
| 314702 | (500MA2) 2 Micron, Uses 2010SM-OR Filters | \$315.98 F |
| 314703 | (500MAM-30) 30 Micron, Metal Bowl, Uses 2010PM-OR Filters | \$352.98 F |

MARINE TURBINE SERIES - 90 GPH

• Height 17", width 6", depth 7". Standard fuel ports: 7/8"-14.

| Order No. | Mfg. No. / Description | Price |
|-----------|---|-------------------|
| 314726 | (900MA2) 2 Micron, Uses 2040SM-OR Filters | \$472.98 F |
| MARIN | F TURRINE SERIES - 180 GPH | |

• Height 22", width 6", depth 7". Standard fuel ports: 7/8"-14.

| Order No. | Mfg. No. / Description | Price |
|-----------|--|-------------------|
| 314687 | (1000MA2) 2 Micron, Uses 2020SM-OR Filters | \$522.98 G |
| 314704 | (1000MAM-30) 30 Micron, Metal Bowl, Uses 2010PM-OR Filters | \$509.98 F |

MARINE TURBINE SERIES - 120 GPH

• Height 11.5", width 14.5", depth 9.5". Standard fuel ports: 3/4"-16.

| Order No. | Mfg. No. / Description | Price |
|-----------|--|---------------------|
| 314750 | (75500MAX30) 30 Micron, Uses 2010SM-OR Filters | \$1,199.98 G |

MARINE TURBINE SERIES - 360 GPH

• Height 22", width 18.8", depth 11". Standard fuel ports: 7/8"-14.

| Order No. | Mfg. No. / Description | Price |
|-----------|---|---------------------|
| 314752 | (751000MAX2) 2 Micron, Uses 2020SM-OR Filters | \$1,699.98 G |
| 314761 | (751000MAXM2) | \$1,926.98 F |

MARINE TURBINE SERIES - 540 GPH

• Height 22", width 21.5", depth 11.8". Standard fuel ports: 3/4"-14.

| Urder No. | Mtg. No. / Description | Price |
|-----------|------------------------|---------------------|
| 314748 | (791000MAV2) 2 Micron | \$2,598.98 G |

Fun & Flotation Anchor

Safety

Electronics

Trolling Motors

Lighting

Electrical Topside

Acc Cockpit

Instruments Steering, Controls

Perform.

System

Engine & Parts

Engine Care

Propellers

Seating &

Pedestals

Tons &

Pumps

Cleaning & Care

Paint &

Paint Acc. Hardware,

Fasteners

Trailering

Misc.

Anchor & Dock

Safety

Electronics Trolling Motors

Lighting

Electrical

Fuel

Engine

& Parts

Engine Care

Seating & Pedestals Tons & Covers Pumps Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Comm.

System

Racor Fuel Filter/Water Separator



- 4 port, die-cast aluminum unitized head.
- Filters gasoline, diesel, and gasoline/oil blended fuels.
- Flow rates up to 35 GPH (132 LPH) with gasoline applications.
- · Compact design.
- · Heavy duty construction.
- Easy to service.

Order No. Mfg. No. / Description Fun & **314411** (110A) Flotation

\$131.98 LQ

Racor Replacement Filter Elements - Turbine Series







Price

Price

| Topside | | Separation of |
|---------|-----------|----------------------|
| Acc. | | 314562 |
| Cockpit | Order No. | Mfa No / Description |

| 314524 (2000SM-OR) 2 Mici | ron |
|--|------|
| 314526 (2000TM-OR) 10 Mi | cror |
| 314528 (2000PM-OR) 30 Mi | cror |
| Steering, 314548 (2010TM-OR) 10 Mi | cror |
| Controls 314560 (2010PM-OR) 30 Mi | cror |
| 314562 (2010SM-OR) 2 Mic | ron |
| ² erform. 314583 (2020PM-OR) 30 Mi | cror |

314613 (2040TM-OR)

314618 (2040PM-OR)

314625 (2040SM-OR) 2 Micro

| (2000SM-OR) | 2 Micron | For 200FG | \$20.98 H | |
|-------------|-----------|-------------------------------------|------------------|--|
| (2000TM-OR) | 10 Micron | For 200FG | \$20.98 H | |
| (2000PM-OR) | 30 Micron | For 200FG | \$20.98 H | |
| (2010TM-OR) | 10 Micron | For 314702 and 314750 | \$10.98 F | |
| (2010PM-OR) | 30 Micron | For 314702 and 314750 | \$10.98 F | |
| (2010SM-OR) | 2 Micron | For 314702 and 314750 | \$10.98 F | |
| (2020PM-OR) | 30 Micron | For 314687 and 314752 | \$11.98 F | |
| (2020TM-OR) | 10 Micron | For 314687 and 314752 | \$11.98 F | |
| (2020SM-OR) | 2 Micron | For 314687 and 314752 | \$11.98 F | |
| (2040TM-OR) | 10 Micron | For 314726 | \$10.98 F | |
| (2040PM-OR) | 30 Micron | For 314726 | \$10.98 F | |
| (2040SM-OR) | 2 Micron | For 314726 | \$10.98 F | |

Racor Replacement Diesel Filter Elements

Propellers

314586

314598







| Trailering | | |
|------------|-----------|------------------------|
| | Order No. | Mfg. No. / Description |
| Misc. | 314839 | (R24S) |

| Order No. | Mfg. No. / Description | on | Price |
|-----------|------------------------|--------------------------------|----------------------|
| 314839 | (R24S) | 2 Micron, Element for 220 | \$30.98 G |
| 314841 | (R26S) | 2 Micron, Element for 225 | \$33.98 G |
| 315134 | (RK 8023S/CM) | Includes Two Element Types and | |
| | | O-rings - 14 Elements Total | \$1,166.98 LQ |

Racor Fuel Filter/Water Separator Accessories

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|---|-------------------|
| 314514 | (RK30488) | Repl. Drain Assembly Kit for 1000FG | \$47.98 G |
| 314716 | (RK15405) | Clear Bowl Kit with Water Probe Port/Plug for 314696 | \$80.98 G |
| 314718 | (RK15211) | Assy. Seal Service Kit for 314696 | \$48.98 G |
| 314721 | (RK11341) | Bowl Drain Gasket Kit for 500 Series | \$8.98 F |
| 314724 | (RK11028B) | Check Ball & Seal for 900 and 1000 Series | \$23.98 G |
| 314728 | (RK11-1404) | Seal Service Kit for 900 and 1000 Series | \$40.98 G |
| 314729 | (RK 11734) | Bowl Kit for 900, 1000FF and FGMA Series | \$101.98 G |
| 314732 | (RK11-1606-1 | See-Thru Bowl with Water Probe Port/Plug for 900FG2 | \$74.98 F |
| 314733 | (11040) | Fitting, Drain for 900 and 1000FG | \$18.98 G |
| 314734 | (RK11007) | Gasket, Bowl for 900 and 1000FG | \$4.81 F |
| 314735 | (RK 11-1938) | Repl. Bowl for 900 and 1000 Series | \$86.98 G |
| 314736 | (RK 11037A) | Bowl Ring for 900 and 1000F Series | \$85.98 F |

Racor Pipe Fittings

⊋arker Racor





| | 9 |
|--------|----|
| | 60 |
| 314762 | 60 |

| FOR 50 | OFG (MAX) SERIES | | | | |
|---------------|------------------------|----------|----------|----------------|------------------|
| Order No. | Mfg. No. / Description | Thread 1 | Thread 2 | Tube/Hose Size | Price |
| 314762 | (911-08-F4) | 3/4"-16 | 1/4"-18 | 4 | \$8.98 G |
| 314764 | (911-08-F6) | 3/4"-16 | 3/8"-18 | 6 | \$8.98 D |
| 314766 | (911-08-F8) | 3/4"-16 | 1/2"-14 | 8 | \$16.98 G |
| 0 1 11 | NK N (B) (C | T1 14 | | T 1 #1 0: | D.: |
| Order No. | Mfg. No. / Description | Thread 1 | Hose ID | Tube/Hose Size | Price |
| 314784 | (913-08-H6) | 3/4"-16 | 3/8" | 6 | \$54.98 G |
| 314786 | (913-08-H8) | 3/4"-16 | 1/2" | 8 | \$26.98 G |
| | (0.0 00) | | -,- | | |
| | | | | | |

| FOR 900 | DFG (MAX) AND 100 | OFG (MAX) S | ERIES | | |
|-----------|--|---|---------------------------------|----------------------|--|
| Order No. | Mfg. No. / Description | Thread 1 | Thread 2 | Tube/Hose Size | Price |
| 314775 | (911-010-F6) | 7/8"-14 | 3/8"-18 | 6 | \$7.98 G |
| 314776 | (911-010-F8) | 7/8"-14 | 1/2"-14 | 8 | \$10.98 G |
| | Mfg. No. / Description (911-010-H6) (913-010-H6) (913-010-H8) | Thread 1 7/8"-14 7/8"-14 7/8"-14 | Hose ID 1/2" 3/8" 1/2" | Tube/Hose Size 6 6 8 | Price \$31.98 G \$41.98 G \$41.98 H |

Racor UL Listed Marine Shut-Off Valve Kit

Parker Racor



- May be retrofitted to fit most Racor Marine Fuel Filter/Water Separators to simplify draining contaminants from the collection bowl.
- Simple open/close valve for easy contaminant evacuation.
- 1/4" NPT threads on valve and plug.
- Coast Guard accepted in most diesel applications with use of supplied plug.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|------------------|
| 314738 | (RK-19492) | \$63.98 F |

Anchor

Safety

Electronics

Trolling

Motors

Lighting

Electrical

Topside Acc

Cockpit & Deck nstruments

Racor T-Handle Vacuum Gauge Kit



- 1/4" NPT threads.
- 9/16"-18 UNF fitting included.
- · Red tell-tale pointer follows black restriction pointer to highest reading.



Order No. Mfg. No. / Description 314740 (RK11-1669) \$164.98 F

Racor DL Series Master Control



- The DL Series Master Control is the same as the D Series except all units feature larger ports and greater fuel flow capacity.
- 10 lbs. oil setting without override.
- 1/2" inlet/outlet ports.

Order No. Mfg. No. / Description Price 314758 (DL-10V) \$403.98 F

Racor Heat Sensors

Par Car Racor





- Work in conjunction with the Master Control to protect the engine from abnormally high coolant, transmission oil or crankcase oil temperature.
- Temperature actuation settings of 180° to 260° F (82° F to 127° C) can be specified as required for engine coolant and lubricating oil, transmissions, driven compressors and more.
- The heat sensor must be monitoring moving fluid.

Order No. Mfg. No. / Description Price **314754** (H-218) 218° Fahrenheit 1/2" NPT \$207.98 LQ 314760 (HA-212) 212° Fahrenheit 3/8" NPT \$227.98 G

Racor Coolant Pressure Valve



- Made of fiberglass-filed nylon with an aluminum base.
- Monitors coolant system pressure to prevent expensive diesel engines from over heating by sudden loss of coolant.
- Allows smoother activation and the CPV will not cycle when the pilot pressure is low.
- These corrosion resistant materials are particularly important in underground, marine and hazardous environment applications.

Price Order No. Mfg. No. / Description 314759 (CPV) Includes One CPV Valve \$276.98 G

Racor Vacuum Gauge Kit with Fittings

⊋arker Racor





• Includes: Gauge (RK11233) and 1 (7232-4) and 1 (7234-4) fitting instrument panel installation.

Order No. Mfg. No. / Description Price **314741** (1606B) \$126.98 F

Racor D Series Master Controls

-Darker Racor






- Standard fuel flow coefficient (CV): approx. 2.85 GPM (10.7 LPM) diesel powered units.
- Fuel inlet/outlet port: 3/8" NPT.

| • I uci iii | ici/outici | port. 5/6 Nr 1. | |
|-------------|------------|--|--------------------|
| Order No. | Mfg. No. / | Description | Price |
| 314770 | (D-10) | 10 lbs. Oil Setting with Manual Override | \$397.98 LQ |
| 314753 | (D15) | 15 lbs. Oil Setting with Manual Override | \$420.98 G |
| 314771 | (MB-1) | Master Control Mounting Bracket | \$31.98 LQ |

Racor Versatile RVFS Series

⊒51 KG1 Racor



- RVFS vessels utilize proven filter design technology and can be used as coalescers, pre-filters or separators by changing internal components, flow direction or by selecting optional filter cartridges when ordering.
- The vessels are fabricated from carbon steel with an exterior primer coating of Gavlon suede gray and the interior is epoxy coated to meet MIL-C-4556E.
- Element choices include coalescers, separators, particulate, clay bags, pre-filters or water absorbing
- Completely dressed factory filter vessels can be specified with differential pressure gauges, water sight glasses, air eliminators, and manual or automatic drains.
- · Wall mount units can be special ordered.
- · Consult factory for other options.
- Fuel ports: 2. Maximum flow rate 50 GPM. Maximum working pressure: Jet A, AV Gas Flow Rates.
- Clear pressure drop: 50 GPM.
- Temperature rating: Diesel Fuel Flow Rates, 25 GPM.
- Design pressure: 245 PSI.
- Design temperature: 250 F.
- Replacement elements: RK 22610.
- Height 39. Width 13.75. Depth 13.5.
- Dry weight 68 lbs.
- Minimum overhead space required for element change: 16.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|-------------------------|---------------------|
| 314902 | (RVFS W/LEGS) | 25 Gallon Filter | \$5,172.98 G |
| 314513 | (RK22610) | Replacement Element Kit | \$173.98 G |



LIMITED

QUANTITIES



Engine Care

Propellers Seating &

Pedestals Tons &

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware. Fasteners

Trailering

Misc

Anchor & Dock

Safety

Electronics

Trolling

Motors

Lighting

Electrical

Topside Acc Cockpit & Deck Instruments Steering,

Controls

Perform

Engine

& Parts

Sierra Outboard Oil Filters



Epoxy coating all canisters for corrosion resistance. Using a heavy-wall steel canister for further corrosion protection. Using high-efficiency filter media that meets or exceeds the OE's filtration. Backed by Sierra's industry leading warranty.

Sierra Outboard Oil Filter





- Fits: F9.9/T9.9 1990-2005.
- Replaces: Mercury: 825467A1, 825467T1; Yamaha: 6G8-13440-00-00.

Order No. Mfg. No. / Description

187901 (18-7901)

\$15.58 H

Price

Sierra Outboard Oil Filter

- Thread Spec: 20mm x 1.5.
- Fits: F9.9/T9.9 2006-2007, F15 2000-2007, F25/ T25 2000-2006, F30 2001-2006, F40 2001-2006, F50/T50 2000-2005, F60/T60 2002-2005, F75/ F90 2003-2006, F80 2000-2003, F100 2000-2002, F115 2001-2006.
- Replaces: Honda: 15400-PFB-007; Nissan: 3R0076150M; Yamaha 5GH-13440-00-00.

Order No. Mfg. No. / Description

187911 (18-7911-1)

\$11.63 H

Price

Sierra Outboard Oil Filter





- Thread Spec: 3/4" x 16NPT.
- Replaces: OMC 434839.

Fuel Order No. Mfg. No. / Description **System 187916** (18-7916)

Price \$11.50 H

Sierra Outboard Oil Filter

Engine Care Propellers

Seating & Pedestals

Tons & Covers

Pumps

Cleaning & Care

Paint & Paint Acc. Hardware,

Fasteners

Trailering

Misc

- Thread Spec: 3/4" x 16NPT.
 - Fits: F350.
 - Replaces: Yamaha N26-13440-00-00.

Order No. Mfg. No. / Description

187954 (18-7954)

Price \$28.95 H

Sierra Outboard Oil Filter



- Thread Spec: 20mm x 1.5.
- Fits: F15 1998-1999, F25 1998-1999, F40 1999-2000, F50/T50 1995-1999, F80/F100 1999.
- Replaces: Yamaha: 3FV-13440-00-00.

Order No. Mfg. No. / Description **187902** (18-7902)

Price \$13.67 H

Sierra Outboard Oil Filter





- Thread Spec: 20mm x 1.5.
- Replaces: Mercury: 35-82262602, Q04.

Order No. Mfg. No. / Description **187914** (18-7914)

Price \$8.55 H

Sierra Outboard Oil Filter





- Thread Spec: 24mm x 1.5.
- For: Verado 200-300 HP, Inline 6 cylinder.
- Replaces: 35-883701K01, 35-877769K01.

Order No. Mfa. No. / Description

187918 (18-7918)

Thread Spec:

18mm x 1.5.

Volvo: 3827069.

187974 (18-7974)

Order No. Mfg. No. / Description

Replaces:

Price \$17.78 H

Sierra Outboard Oil Filter







Price \$27.88 H

Sierra Outboard Oil Filter





- Thread Spec: 3/4" x 16NPT.
- Replaces: Yamaha: 69J-13440-00-00; Mercury: 35-822626T7, Q15.

Order No. Mfg. No. / Description

187906 (18-7906-1)

Price \$9.98 H

Sierra Outboard Oil Filter





- Thread Spec: 3/4" x 16NPT.
- Replaces: Suzuki 16510-87J00; OMC 778885; OMC 5031411.

Order No. Mfg. No. / Description

187915 (18-7915-1)

Price \$9.82 H

Sierra Outboard Oil Filter





- Thread Spec:24mm x 1.5.
- Replaces: Mercury 35-896546T, 35-877767K01.

Order No. Mfg. No. / Description **187921** (18-7921)

Price \$8.75 H

Sierra Outboard Oil Filter





Replaces: Yamaha 5GH-13440-20.

Order No. Mfg. No. / Description **188700** (18-8700)

Sierra High Performance Oil Filter

Price \$12.67 H

Sierra Sterndrive and Inboard Oil Filter









- Short Ford.
- Thread Spec: 3/4" x 16NPT.
- Replaces: Chrysler: 3549957, L-19, L-1008; Mercruiser: 803470; OMC: 502904; Volvo: 430143, 1266286, 3517857.

Order No. Mfg. No. / Description Comm.

Price **187878** (18-7878-1) \$12.37 H



- Short GM, Chrome.
- Replaces: Chris-Craft: 16.81-08746; Crusader: 201104, Indmar: 50-1001;

Mercruiser: 35-8028850, 32716, 866340002, Q03, 866340K01, Mercruiser Vazer; OMC: 173232, 502902; Pleasurecraft: R077002; Volvo-Penta: 835440; Yamaha: YSC-10231-20-0C.

Order No. Mfg. No. / Description

Price \$11.38 H

187824C (18-7824C)



Anchor & Dock

Trolling

Motors

Lighting

Topside Acc Cockpit

& Deck nstruments

Sierra Outboard Oil Filters



Epoxy coating all canisters for corrosion resistance. Using a heavy-wall steel canister for further corrosion protection. Using high-efficiency filter media that meets or exceeds the OE's filtration. Backed by Sierra's industry leading warranty.

Sierra Outboard Oil Filter



 Replaces: 15400-POH-305PE, 15400-POH-305, 15400-ZJI-004, 15400-PLM-A01PE.

Sierra Diesel Oil Filter

Order No. Mfg. No. / Description **187909** (18-7909)

• Thread Spec: 3/4" x 16NPT.

Order No. Mfg. No. / Description

187884 (18-7884)

834337.

• Replaces: Universal: 299381; Volvo-Penta:

Price \$10.18 H

Sierra Outboard Oil Filter



• Fits: 75/90/115 H.P. (S/N 1B366823 (2006) & Up).

Sierra Diesel Oil Filter

• Replaces: 35-877761K01, 35-877761Q01.

Order No. Mfg. No. / Description **187758** (18-7758)

• Thread Spec: 20mm x 1.5.

Yanmar: 124450-35100.

Order No. Mfg. No. / Description

187910 (18-7910-1)

• Replaces: Westerbeke: 30220;

Price **\$9.42** H

Sierra Outboard Oil Filter





• Replaces: Honda 15400-PFB-014, Mercury: 35-822626Q1, Q03.

Thread Spec: 20mm x 1.5.

Order No. Mfg. No. / Description

187913 (18-7913)

Price \$9.55 H

Sierra Diesel Oil Filter





• Thread Spec: 20mm x 1.5.

• Replaces: Yanmar: 124450-35110, 124550-35110, 171056-35110, 171056-35111.

Order No. Mfg. No. / Description **187917** (18-7917)

Price \$23.68 H Electrical

\$13.22 H Sierra Diesel Oil Filter



- Thread Spec: 1" x 12NPT.
- Replaces: Volvo: 423135, 4785974.

Order No. Mfg. No. / Description **187926** (18-7926)

Price \$24.05 H

Price





• Thread Spec: 1-1/8" x 16NPT.

• Replaces: Caterpillar: 1R-0714.

Order No. Mfg. No. / Description Price **187927** (18-7927) \$49.48 H

Sierra Diesel Oil Filter

Star Brite Adjustable Oil Filter Wrench



Oversized handle for maximum torque.

Order No. Mfg. No. / Description **451605** (028908) Fits Canister Filters from 2-3/4" to 4" Diameter **\$12.98** G

OMC® Systematched™ Oil Filters





Steering, Controls Perform.

System

Engine

& Parts

Engine

Propellers

Seating & Pedestals

Tons &

Covers

Pumps

Care

GM LONG FILTER WITH THREAD 13/16" X 16" NPT

• L6, V8 All H.P. 1965-Thru. Replaces: 173233.

Price

\$9.35 H

Order No. Mfg. No. / Description \$10.99 L **B765564** (765564)

GM LONG FILTER WITH THREAD 18mm X 1.5

V6 H.P. 1983-Thru. Replaces: 173834.

Order No. Mfg. No. / Description Price **B765576** (765576) \$10.99 L

GM SHORT FILTER WITH THREAD 13/16" X 16" NP1

• L4, L6, V8 H.P. 1965-Thru. Replaces: 502902.

Order No. Mfg. No. / Description Price **B765568** (765568) \$9.99 L

FORD LONG FILTER WITH THREAD 3/4" X 16" NPT

• L6, V8 All H.P. 1975-Thru. Replaces: 173231.

Order No. Mfg. No. / Description Price **B765586** (765586) \$10.99 L

Cleaning & Care

Paint & Paint Acc.

Hardware.

Fasteners Trailering

Misc

Sierra Fuel Filter



• Replaces: OMC 910139 and 983870, Mercury 1397-2150, Rochester 17068453.

Order No. Mfg. No. / Description **187855** (18-7855)

Order No. Mfg. No. / Description

187861 (18-7861)

Price \$5.68 H

\$32.25 H

Price

Price

\$23.33 H

\$23.20 H

4 & 6 Cycle, Ford and GM V-8's up to 400 HP and all Mercruiser 224 CID.

For: Most GM Inline

• Replaces: 35-53336, 3302-9033, 35-533360.

Order No. Mfg. No. / Description **187859** (18-7859)

Price \$4.38 H

Price

\$6.95 H

Sierra Fuel Filter

• For: GM 2.5L/3.0L, Serial #6229718 & later; GM 5.0L/ 5.7L, Serial #6218462 & later; All 205 Serial #A331455 & later; 228 HP Serial #6021784 & later; 330 HP Serial #6083145 & later; GM 255 Serial #590768 & later; 5.7L SKI 340, 230 & 260 Inboards all Serial #.

Replaces: 1397-8767, 1397-8545.

Order No. Mfg. No. / Description **187869** (18-7869)

Price **\$7.72** H

Sierra Replacement Cannister and Filter

Sierra Fuel Filter Element

• Fits: 75 4-Stroke (2000 & Up), 90 4-Stroke (2000

Sierra Crusader Fuel Filter

& Up), 115 EFI 4-Stroke (2001 & Up).

Mercury 35-888289T2.

187936 (18-7936)

Order No. Mfg. No. / Description

• Fits 110 Series Filter, 10 Micron.

• Replaces: Crusader 47047.

Order No. Mfg. No. / Description

187958 (18-7958)



Safety

Electronics

Replaces: OMC 981911.

Trolling Motors

Lighting

Electrical Topside Acc.

& Deck Instruments

Cockpit

Steering, Controls

Fuel System Engine

Perform.

& Parts Engine Care

Propellers Seating & Pedestals

Tons & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc

• 5/16" inlet/outlet.

Comm.

• Replaces: Mercury 35-16494-1, 35-816296-1, 35-816296-T1, OMC 398327.

Order No. Mfg. No. / Description Price **187830** (18-7830) \$5.92 H

Sierra Inline Fuel Filter

Sierra Fuel Filter

Sierra Fuel Filter



- For: 6 HP thru 25 HP.
- Replaces: 35-87946A3, 35-87946-Q3, Q4.

Order No. Mfg. No. / Description **187802** (18-7802)

Sierra Fuel Filter



• Replaces: Mercury 881540.

Order No. Mfa. No. / Description **187979** (18-7979)

Price \$15.22 H

Price

Sierra Fuel Filter



- For: 1977-83 fuel system with add on filter kit.
- Replaces: OMC 173326.

Order No. Mfg. No. / Description

187930 (18-7930) \$18.37 H

Sierra Inline Fuel Filter



- Replaces: Mercury 35-802128A1, OMC 398319.

\$7.72 H

Sierra Fuel Filter





- For: Volvo 3.0L 1994-1999, OMC 3.0L 1995-1998.
- Replaces: 3855104.

Order No. Mfg. No. / Description **187792** (18-7792)

\$23.77 H

Sierra Fuel Filter



marked "6D8" ONLY.

• Replaces: Yamaha 6D8-WS24A-00-00, F50-F115 after April 2006.

Order No. Mfa. No. / Description 1879799 (18-79799)

Price \$19.37 H

Sierra Inline Fuel Filter



- 1/4" inlet/outlet.
- Large capacity for 1/4" fuel line.
- Replaces: Mercury 35-16494, 35-816296T, 35-816296.

Order No. Mfg. No. / Description **187829** (18-7829)

Price **\$5.65** H

Sierra Inline Fuel Filter



- 1/4" inlet/outlet.
- Small capacity for 1/4" fuel line.

Order No. Mfg. No. / Description **1878281** (18-7828-1) \$5.82 H

• 3/8" inlet/outlet.

Order No. Mfg. No. / Description

187831 (18-7831)

Sierra Inline Fuel Filter



- 5/16" inlet/outl_
- Fits: 25 4-Stroke (1998 & Up), 30 4-Stroke (1999-01), 30 3 cyl. 4-Stroke (1999-01), 40 4-Stroke (1998-01), 40 4-Stroke 4 cyl. (2001-02), 40 Carb 3 cyl. 4-Stroke (2002 & Up), 50 4-Stroke 4 cyl. (2001-02), 60 4-Stroke 4 cyl. (2001-02), 75 4-Stroke (2000 & Up), 90 4-Stroke (2000 & Up).
- Replaces: 35-877565T1.

Order No. Mfg. No. / Description Price **187714** (18-7714) \$17.13 H

Sierra Fuel Filter



Suzuki 15410-87J10.

Order No. Mfg. No. / Description **187716** (18-7716) \$9.18 H

Sierra Fuel Filter



- All MPI & EFI engines with boost pump, 8.1L & 496 cid, for 3/8" ID fuel lines.
- Replaces: 35-864572.

Order No. Mfg. No. / Description Price **187721** (18-7721) **\$46.27** H

Sierra VST Filter

 Yamaha, Fits: F150 TXR (2004-09), F150 TLR (2004-09), F150 TJR (2009), LF150 TXR (2004-09), F250 TXR (2005-09), F250 TUR (2005-09), F300 TXR (2007-09), F300 TUR (2007-09), F350 TXR (2007-09), F350 TUR (2007-09), F225TLR (2007-09).

Replaces: 63P-13915-00-00.

Order No. Mfg. No. / Description Price \$48.83 H **1879902** (18-79902)

Sierra Yamaha VST Filter Kits



| Order No. | Mfg. No. / Description | Price |
|-----------|----------------------------|------------------|
| 1879950 | (18-79950) Replaces: Kit 1 | \$94.50 H |
| 1879951 | (18-79951) Replaces: Kit 2 | \$55.10 H |
| 1879952 | (18-79952) Replaces: Kit 3 | \$80.45 H |
| | (18-79953) Replaces: Kit 4 | \$63.60 H |

Sierra Inline Fuel Filter



• For: 135/150/175 4-Stroke Verado (S/N 1B227000 & Up), 200/225 4-Stroke Verado (S/N OT980000 & Up), 250/275 4-Stroke Verado (S/N OT801000 & Up).

• Replaces: Mercury 35-879885T.

Order No. Mfg. No. / Description

Price **187718** (18-7718) \$11.65 H

Sierra Fuel Filter



Suzuki 15410-96J00.

• Replaces:

Order No. Mfg. No. / Description Price **187711** (18-7711) \$11.90 H

Sierra VST Filter




• Replaces: 60V-24251-01-00.

Order No. Mfg. No. / Description Price **1879907** (18-79907) \$97.93 H

Marpac Disposable Fuel Filters





• Easy viewing through clear vial.

• For portable fuel systems only.

Order No. Description Price \$4.98 G 7-6965 3/8" 7-6966 1/4" and 5/16" \$4.98 G

Sierra Fuel Filter Kit



• Kit contains: Housing, replaceable element and fittings for 1/4", 5/16" and 3/8" fuel lines.

Order No. Mfg. No. / Description **187790** (18-7790) \$17.32 H

Sierra Fuel Filter



• Fits: 3/8" and 7/16" hose.

Order No. Mfg. No. / Description Price **187724** (18-7724) \$5.42 H

Sierra Fuel Filter



· Replaces: Honda 16900-SR3-004.

Order No. Mfg. No. / Description **187720** (18-7720)

Price \$17.25 H

Sierra Fuel Filter



Order No. Mfg. No. / Description **187786** (18-7786)

\$8.17 H

OMC® Systematched™ Fuel Filter



· Replaces:

• 5/16".

• O.E. No. 5007335.

Order No. Mfg. No. / Description **B768720** (768720)

Price \$9.99 H

Boater Sports Universal Fuel Filter



Order No. Mfg. No. / Description 1-53113 (53113)

Price \$2.74 H

Marpac E.Z. View Universal In-Line Fuel Filter



Transparent housing.

• Easy do-it-your-self installation.

• For portable fuel systems only.

 Fits all boats, cars and trucks using carbureted fuel systems.

• Replaces any 1/4", 5/16" and 3/8" inline filter.

Order No. Price Description **7-0875** In-Line Fuel Filter \$11.98 R 7-0876 Replacement Filter Elements \$6.98 R

Anchor & Dock

Fun & Flotation

Safety

Electronics Trolling

Motors Lighting

Electrical

Topside

Cockpit & Deck

nstruments Steering,

Controls

Perform.

System

Engine & Parts Engine

Care

Propellers

Seating & Pedestals

Tons & Covers

Pumps

Cleaning & Care

Paint &

Paint Acc. Hardware.

> Fasteners Trailering

Misc.

Comm

Marpac Replacement Filter for Mercury Engines



- Fits Mercury outboard engines.
- Direct OEM replacement.
- 2 Micron.
- Sold each.

Order No. Description 4-7981 Replacement Filter

\$29.98 M

Racor Replacement Filter for Mercury Engines



Fun & Flotation

Fits Mercury outboard engines.

Anchor & Dock Legendary Aquabloc II, 2 micron filter media, removes up to 100% of free water and protects sensitive fuel system components from particulates.

Safety Sold two filters per pack.

> Order No. Mfg. No. / Description **314510** (31871)

Price \$56.98 F

Electronics Trolling Motors

Electrical Topside

Acc.

Cockpit

& Deck

Sierra Replacement Filter for Mercury Engines





Price

\$9.98 LQ

• Fits: All Verados, 90 HP (DFI) (3 cylinder), 115 HP (DFI) (3 cylinder)/200 HP (DFI). Including 3.0 L DFI.

Scepter 18" Flex Funnel

Replaces: 35-884380T, 35-8M0020349.

Made from a tough, high-density polypropylene.

· Stabilizing handle on all standard funnels conveniently

• Great for gas/oil mix 2-cycle engines need.

allows for smooth steady pouring.

Order No. Mfg. No. / Description

237507 (003603)

Instruments Order No. Mfg. No. / Description

Scepter

187981 (18-7981)

\$37.33 H

Price

Steering, Controls

Perform.

Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tons & Covers

Pumps Cleaning

& Care Paint & Paint Acc.

Hardware, Fasteners

Trailering

Misc

Order No. Mfg. No. / Description

fuel containers).

• Use for motor oil, transmission fluid, wiper fluid, antifreeze, etc. Fits 1 guart bottles, 1 gallon bottles and most other plastic bottles (except

360605 (37210) \$6.98 H

Star Brite Spill Buster Funnel

Groco Gasoline and Diesel Fuel Filter

GROCO





- Inlet and outlet are 3/8" NPT.
- Maximum flow rate 3.5 GPM.
- Maximum pressure 50 PSI.
- Separates dirt, sediment and water from fuel; 2 to 5 micron filtration.
- Use with gasoline or diesel fuel.
- Drain dirt, sediment and water by removing drain plug at bottom of filter
- Piping is not disturbed when changing element.
- Pressure tested bronze castings and adjustable mount bracket.
- Marine UL Listed.

Order No. Mfg. No. / Description Price **375053** (GF-376) \$59.98 LQ

Racor Replacement Filters for Closed Crankcase Ventilation (CCV)




High density filter replacement for CCV systems.

| Order No. | Mfg. No. / Description | Use With | Price |
|-----------|------------------------|----------|-------------------|
| 315108 | (CCV55222-08) | CCV8000 | \$75.98 G |
| 315110 | (CCV55248-08) | CCV4500 | \$42.98 G |
| 315122 | (CCV55274-08) | CCV6000 | \$60.98 G |
| 315109 | (CCV552221208) | CCV12000 | \$116.98 G |

Racor Filter Funnels








| • PTFE co | oated stair | nless steel filter. | • |
|-----------|-------------|---------------------|-------------------|
| Order No. | Mfg. No. | GMP / Micron | Price |
| 314859 | (RFF1C) | 2.7 / 127 | \$28.98 LQ |
| 314860 | (RFF3C) | 3.9 / 127 | \$33.98 LQ |
| 314861 | (RFF8C) | 5.0 / 127 | \$65.98 G |
| 314862 | (RFF15C) | 15 / 74 | \$92.98 G |

Boater Sports Funnel and Detach Flex Hose

\$3.95 J





Made from tough, high density polypropylene.

 Screen included to filter out sediment and large particulate.

Order No. Mfg. No. / Description 1-53282 (53282)



Anchor

Safety

Electronics

Trolling

Motors

Lighting

Electrical

Topside

Cockpit & Deck

nstruments

Steerina.

Controls

Perform.

Acc

Flotation

Jabsco Flangemount Blowers

JABSCO

- Tough reinforced plastic housing.
- · Mount to any surface.
- · Slip-on inlet and outlet ducting connection.
- · Corrosion resistant materials throughout.
- Note: 413904 (34744-0000) is not ignition protected and is not intended for bilge ventilation with gasoline engines.



| Price | Mfg. No. / Description | Order No. |
|-------------------|--|-----------|
| \$202.98 F | (34744-0000) 100 CFM, Inlet Port 3", 115V AC | 413904 |
| \$96.98 F | (35115-0020) 105 CFM, Inlet Port 3", 12V DC | 413916 |
| \$202.98 F | (35400-0000) 250 CFM, Inlet Port 4", 12V DC | 413966 |
| | | |

Johnson Pump Flange Mount Blower

> Johnson Pump

- Heavy duty blowers use a "squirrel cage" type blower wheel to produce a substantial output at relatively low rpm's.
- Lowest noise levels on the market make it ideal for heads and galleys as well as engine compartments.
- Long life is assured by the massive 3" diameter motor virtually idles at 3100 rpm's.
- · Tough molded housing shrugs off shock and vibration.
- Flange mount model is designed to mount directly to exhaust opening in the hull

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|-------------------|
| 4610082 | (54124) | \$109.98 Q |
| | | |

Attwood Turbo In-Line Blowers

(a) attwood

- The first vane axial-flow fan bilge blowers designed using aerospace technology to maximize performance.
- Patented in-line design provides ventilation for engine compartments, galleys, bilges, and heads.
- Nickel-plated motor can for corrosion resistance.
- Stiffening ribs to reduce housing distortion.
- Five-blade fan maximize airflow and efficiency.
- Tabs in intake and exhaust hold ventilation hose/clamp firmly in place.
- Built-in mounting feet allow easy vertical or horizontal install.
- All are CE certified, 16-gauge tinned and caulked copper wire leads.

| Order No. Mfg. No. / Description | | | Price |
|----------------------------------|-----------------|---------|------------------|
| 2350045 (1731-4) 3" White | Standard | 12 volt | \$29.98 H |
| 2350047 (1747-4) 4" White | Standard | 12 volt | \$33.98 H |
| 235110 (1733-4) 3" White | Water Resistant | 12 volt | \$30.98 R |
| 235113 (1749-4) 4" White | Water Resistant | 12 volt | \$36.98 R |

MPI Products Series 400 Blower Vent Hose





- For use in venting bilge gases and fumes.
- Strong, flexible construction of wire supported vinyl.
- Resistant to ozone, weather and sunlight. Will not support a flame.
- White.

| Order No. | Mfg. No. / Description | Price |
|-----------|-----------------------------|-----------|
| 771609 | (400-3003) 3" x 10' Package | \$8.98 H |
| 771610 | (400-4003) 4" x 10' Package | \$9.98 H |
| 771611 | (400-3006) 3" x 50' Box | \$33.98 H |
| 771623 | (400-4006) 4" x 50' Box | \$35.98 H |

Jabsco Flexmount Blowers

JABSCO'

- Tough reinforced plastic housing.
- Slip-on inlet and outlet ducting connection.
- Universal flexmount bracket permits outlet to face any direction.
- · Corrosion resistant materials throughout.
- Inlet port 3".
- 12V DC.
- ISO 9097, USCG 183.410 Compliant ignition protected.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|-------------------|
| 414019 | (35515-0010) 105 CFM | \$112.98 F |
| 414021 | (36740-0000) 150 CFM | \$177.98 F |

Rule In-Line Blowers

zzrule

- Efficient high volume air flow.
- · Slip on inlet and outlet ducting connections.
- Sealed motor shaft for moisture protection.
- · Corrosion resistant nickel plated motor housing.
- USCG 183.410 Compliant Ignition Protected.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|------------------|
| 237001 | (140) 3" Blower | \$34.98 G |
| 237013 | (240) 4" Blower | \$40.98 G |

DetMar In-Line Blower





 Features like its five-blade, bullet-nosed impeller and chambered vanes.

Order No. Mfg. No. / Description 2000543 (7-5-4C) 3"



\$26.98 LQ

Marpac Blower Hose


- For use in venting bilge gases and fumes.
- Strong, flexible construction of wire supported vinyl.
- Will not support a flame.
- Resistant to ozone, weather and sunlight.
- Meets UL, MVSS, ABYC and NMMA standards.

| Order No. | Description | Price |
|-----------|-------------|------------------|
| 7-2835 | 3" x 10' | \$25.98 H |

Perko Fig. 635 Inlet Check Valve



- Valves designed for use with plastic or metal tanks.
- Perko's new patent pending In-Pipe ICV fits inside the pipe itself.
- In-pipe ICVs mount inside standard 1-1/2" fill pipes near the connection to the fuel tank.
- Replaces in-line ICVs, eliminating 4 hose clamps & 2 leak points.
- Allows for full 18 GPM flow rates. Hose connection: 1-1/2". Length 1-1/4".







System Engine & Parts

Engine Care

Propellers

Seating & Pedestals

> Tons & Covers

Pumps

Cleaning & Care

Paint & Paint Acc

Hardware. Fasteners

Trailering

Misc.

Comm

- Attwood hull-mounted vents are designed to install by fastening as a complete unit from either inside or outside the hull.
- Ventilation hose (not included) twists into the bottom of the box to form a raised water barrier.
- All collector boxes and vents are designed for intake or exhaust and meet ABYC H-2 cross sectional area requirements.
- All-welded 304 stainless steel construction with polished finish.

Anchor 5 LOUVERED VENT & Dock

Fun &

Safety

Electronics

Trolling

Motors

Lighting

Electrical

Cockpit & Deck

Steering,

Controls

Fuel

Engine

& Parts

Engine

Propellers

Seating &

Pedestals

Tons &

Covers

Paint Acc. Hardware.

Care

System

Flotation

• Install with #8 screws.

• Requires collector box 1487A for 3" system or 1487B for 4" system.

Order No. Mfg. No. / Description Price 2350038 (1488-5) Dimensions: 3-1/4" x 10-3/8" \$50.98 H

8 LOUVERED VENT

• Install with #6 screws.

• For use with 3" systems and require a 1343 collector box.

Order No. Mfa. No. / Description

2350039 (1493-5) Open Hole Size: 2-1/16" x 15-15/16", Depth 9/16" \$44.98 H

Attwood Venturi Vent Topside Acc.

Instruments

(a) attwood

· Clean, contemporary, louver design.

 Corrosion Perform resistant ABS plastic.

> Designed to install by fastening as a complete unit from either inside or outside the hull

 Ventilation hose (not included) twists into the bottom of the box to form a raised water barrier.

 Designed for intake or exhaust and meet ABYC H-2 cross sectional area requirements.

• For 3" or 4" I.D. ventilation system.

- Requires (1341) collector box for 3" system or (1342) for 4" system.
- Opening hole size: 2" x 15-3/8". Install with #8 screws.

• Sized for installation even on highly-contoured decks.

Order No. Mfg. No. / Description 2350041 (1494A5) Black

Marpac 5 Louvered Vent



- · Polished stainless steel.
- Cut out: 3-3/8" x 12"
- Overall dimensions: 4-5/16" x 12-5/8".

Order No. Description **7-0092** 5 Louvered Vent

\$23.98 G

Attwood Plastic Louvered Vent



- · Attwood hull-mounted vents are designed to install by fastening as a complete unit from either inside or outside the hull.
- Ventilation hose (not included) twists into the bottom of the box to form a raised water barrier.
- All collector boxes and vents are designed for intake or exhaust and meet ABYC H-2 cross sectional area requirements.
- Constructed of corrosion-resistant ABS plastic with no sharp edges.
- For 3" I.D. ventilation system with 1345 collector box.
- Install with #8 screws.

Order No. Mfg. No. / Description

\$42.98 H

2350042 (1495B5) Chrome Plated, Open Hole Size: 2-1/4" x 16"

Perko Fig. 330 Locker Ventilators



- Chrome plated brass.
- Uses #6 R.H. fasteners.

Order No. Mfg. No. / Description

537425 (0330 DP1 CHR) Diameter 2-1/2" **\$7.98** R 537437 (0330 DP2 CHR) Diameter 3-1/4" \$10.98 R

T-H Marine Louvered Vent Covers



- Deflects rain and eliminates "See-Thru".
- 5-5/8" OD.
- Flange fits into 4" hole.

Order No. Mfg. No. / Description 6400219 (LV-1-DP) Black \$6.98 H 6400220 (LV-1FW-DP) Fish White \$6.98 H

Price \$22.98 H

Perko Fig. 336 Louver Ventilator



Fasteners

 Chrome plated brass. Trailering · Louvers length 3".

> • Dimensions: 4" x 5-3/8". • Uses #4 R.H. fasteners.

Order No. Mfg. No. / Description 537467 (0336 05A DP)

Marpac Louvered Vent



- Polished 304 stainless steel.
- Dimensions: 5" H x 2-5/8" W.
- Uses #6 fasteners.

Order No. Description Price 7-1400 Louvered Vent **\$5.98** G

Perko Fig. 550 Transom or Locker Ventilator



- Chrome plated brass.
- Dimensions: 7" x 2-1/2".
- Uses #8 fasteners.

Order No. Mfg. No. / Description **5315135** (550DPCHR) \$23.98 H

Comm.

Misc

\$38.98 R

Price

Fun & Flotation Anchor & Dock

Safety

Electronics

Trolling

Motors

Lighting

Flectrical

Topside Acc Cockpit

& Deck

nstruments

Steerina.

Perko Fig. 335 Louver Ventilators





- Chrome plated brass.
- · Louvers length 3".
- Uses #4 R.H. fasteners.

| Order No. | Mfg. No. / Description | Price |
|-----------|----------------------------------|------------------|
| 537451 | (0335 03A DP) Dim.: 4" x 3-1/2" | \$28.98 R |
| 537463 | (0335 09A DP) Dim.: 11" x 3-1/2" | \$45.98 R |

Perko Fig. 315 Midget Clam Shell Vents





- Chrome plated brass.
- .040 thickness.

DIMENSIONS BASE: 1-5/8" x 1-1/2"

- Height opening 7/16", width opening 7/8".
- Uses #4 fasteners.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|-----------------|
| 537247 | (0315 DP1 CHR) | \$6.98 R |
| | | |

DIMENSIONS BASE: 2" x 2"

- Height opening 9/16", width opening 1-7/8".
- Uses #6 fasteners.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|-----------------|
| 537261 | (0315 DP2 CHR) | \$9.98 R |
| | | |

Perko Fig. 1238 Transom or Locker Ventilator





- Chrome plated zinc alloy with anodized aluminum grill-type screen.
- Dimensions: 8-3/8" x 2-1/4".
- Uses #8 fasteners.

Order No. Mfg. No. / Description Price **533679** (1238 DP0 CHR) \$16.98 R

Perko Fig. 339 Clam Shell Vent





- · Chrome plated brass.
- Width opening 2-1/2", height opening 1-5/8".
- Base dimension 4" x 3-3/4".
- Uses #6 fasteners.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|------------------|
| 537487 | (0339 DP0 CHR) | \$41.98 R |

Boater Sports Clam Shell Vents



 Stainless steel construction. · For easy routing of cables.

| | , , | |
|-----------|------------------------|--|
| Order No. | Mfg. No. / Description | |
| | | |

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|----------|
| 1-54212 | (54212) 1/2" | \$3.30 H |
| 1-54214 | (54214) 5/8" | \$3.95 H |

Marpac Clam Shell Vents



Description Order No. Price 7-0089 Dimensions: 1-3/4" x 1-5/8" **\$1.95** G 7-0090 Dimensions: 2" x 2" **\$2.45** G

T-H Marine Clam Shell Vent





- UV and weather resistant.
- Opening 9/16" H x 1-7/8" W.
- Base 2" x 2".

| l | Order No. | Mfg. No. / Description | |
|---|-----------|------------------------|--|
| | 640806 | (CS-1-DP) Black | |

\$7.98 H

Controls Perform.

System Engine

& Parts

Engine

Propellers

Seating &

Pedestals

Tons &

Covers

Pumps

Cleaning

& Care

Paint &

Paint Acc.

Hardware.

Trailering

Care

Perko Fig. 870 Cowl Vent



- Chrome plated zinc alloy cowl with black PERKO • KOTE base.
- 3" duct threads into neck.
- Length 5-1/8", width 4", height 3-7/8".
- Cowl opening square 7-1/3".
- Uses #10 fasteners.
- Note: Hose clamps not required.

Order No. Mfg. No. / Description **542779** (0870 DP0 CHR)



Perko Fig. 1312 Cowl Vent



- Chrome plated zinc alloy cowl with black polymer base.
- 3" duct threads into neck.

• Length 5-3/4", width 4-3/8", height 2-5/8. Cowl opening square 8". • Uses #8 fasteners. Note: Hose clamps not required. Order No. Mfg. No. / Description Price

Attwood Cowl Ventilator





- Designed to install by fastening as a complete unit from either inside or outside the hull.
- Ventilation hose (not included) twists into the bottom of the box to form a raised water barrier.
- Plastic vents are corrosion-resistant, will not discolor.
- For use with 3" I.D. wire-supported ventilation hose.
- Features flexible hose flange that is screwed onto hose, then vent snaps onto the flange.
- Vent constructed of chrome-plated die-cast Perma-Plate ZAMAK.
- Flange is non-corrosive plastic.
- Dimensions: 5-5/16" W x 6" L x 2-1/4" H (Neck extends 1" below deck).
- Installs with #8 screws.

| Order No. Mfg. No. / Description | Price |
|----------------------------------|-----------|
| 2350034 (1364A3) | \$29.98 H |
| | |

Fasteners Н

Misc

Comm

534417 (1312 DP0 CHR)

\$33.98 R

& Dock

Electronics

Trolling

Motors

Lighting

Electrical

Topside Acc.

Cockpit & Deck

Instruments

Steering,

Controls

Perform.

Fuel

Engine

& Parts

Engine

Propellers

Tons &

Covers

Pumps

Cleaning

& Care Paint & Paint Acc.

Hardware. Fasteners

Trailering

Misc

Comm.

Care

System

Jabsco Reversible Vane Pump

JABSCO




- Ideal for transferring diesel fuel.
- Self-priming to about three feet and can pump against a discharge head of up to twenty feet.
- Flow rate: 6 GPM.
- With its integral on-off reversing switch, it is ideal for moving fuel between port and starboard fuel tanks.
- Port type: 1/2" NPT female or 1" hose barb.
- Duty cycle: 30 minutes at 10' at 86° F (30° C).
- 12 volt.

Order No. Mfg. No. / Description Fun & Flotation **417053** (18680-1000) \$377.98 F Anchor

Johnson Pump Reversible Impeller Oil Change Pump

> Johnson Pump Safety



- Designed to remove old oil from the engine/fill new oil back into the engine.
- 4 GPM.
- Connection 3/8" NPT.
- 12 volt.

Order No. Mfg. No. / Description

462000 (10-24760-03) F3B-19

\$291.98 Q

Reverso Oil Change System

REVERSO

- For larger oil sumps.
- Reversible flow, drains and fills engine.
- Self-priming.
- Flow rate: 3 GPM.
- With 3 valves.
- Dimensions: 11.5" x 9.5" x 4.5".
- 12 volt. Available in 24 volt.

Order No. Mfg. No. / Description 512295 (GPC-3023-12)

Price **\$997.98** Q

Marpac Fluid Xtractors









- Portable fluid extractor empties in 16 pumps or less.
- No power source needed. Warm or cold fluid extraction.
- · Includes: Extraction tube kit.

Price **7-0951** Holds 4.0 Liters or 4.2 Quarts or 1.1 Gallons \$96.98 G **7-0950** Holds 6.5 Liters or 6.9 Quarts or 1.7 Gallons \$119.98 G

Jabsco Vane Pump

JABSCO'

- Ideal for pumping light oil or transferring diesel fuel.
- Flow rate: 7.9 GPM.
- Self-priming with a suction lift of up to five feet and can pump against a discharge head of up to twenty feet.
- · Continuous duty 30 minutes maximum.
- Port type: 1/2" NPT female or 1" hose barb.
- 6' power cord.
- ISO 9097, USCG 183.410 Compliant ignition protected.
- 115V AC.

Order No. Mfg. No. / Description

Price

\$712.98 Q

414463 (18685-0000)

Reverso Oil Change System

REVERSO

- · Ideal for diesel, oil or water.
- Self-priming.
- · Flow rate: 3 GPM.
- 3 Position switch (On-Off-On).
- Reversible: Transfers hot or cold oil guickly and cleanly to and from the oil
- Ports: (Ext) 3/4" male hose, (Int) 3/8" female NPT.
- Dimensions: 9.46" x 4.29" x 3.5".
- 12 volt. Available in 24 volt.

| Order No. | Mfg. No. / Desc | ription | Price |
|-----------|-----------------|---|-------------------|
| 512233 | (OP-6-12) | Oil Change System | \$426.98 Q |
| 512245 | (SRK-360) | Repair Kit: 1 Oil/Water Impeller/Gasket | \$35.98 Q |
| 512257 | (360010) | Impeller Nitrile | \$29.98 Q |
| 512269 | (360014) | Impeller Chemical Resistant, Diesel | \$29.98 Q |
| 512283 | (SRK-361-2) | Rebuild Kit: 2 Oil/Water Impeller/Gasket/Seal | \$106.98 Q |

Sierra Oil Extractor

Sierra

- For quick, easy and clean oil changes
- Large 8.8 Liter (2.3 Gallon) capacity not only can extract fluids, but is capable of dispensing too!
- Simply move the bi-directional valve and this unit will create a vacuum or move the valve the other direction and it creates pressure to dispense the fluid.
- Built-in shut-off valve to prevent overfilling.
- Comes complete with 5 feet offlexible hose and two rigid dipstick tubes.

Order No. Description **185220** (18-5220-4) Price

\$252.55 H

Marpac Universal Hand Pump

- Self-priming design, great for pumping oil, water and other fluids.
- · Siphons tank contents for quick and easy removal of large liquid quantities.
- Small size stores practically anywhere, such as tackle boxes.
- Not for use with gasoline or diesel.

Order No. Description

\$23.98 G 7-2232 Universal Hand Pump





Boater Sports 12 Volt Oil Changer Kit



- · Pumps hot oil out through the dipstick tube without mess.
- Completely self-contained 12 volt electric rotary pump has the extra power to drain oil from larger vehicles.
- · Includes battery clips with eight foot leads.
- Magnetized bottom holds the unit to steel surfaces.
- . NOTE: Oil must be hot.

Price Order No. Mfg. No. / Description 1-52608 (52608) \$27.95

Johnson Pump Gear Oil Change Pump

> Johnson Pump





- Can run dry!
- Flow 2.6 GPM.
- 6 foot hose length.
- Light and compact gear pump with pump body and gears made of PTFE.
- In cold weather, the gears move the oil more easily than impeller pumps.
- Comes complete with oil dip stick, extraction tube, connection wires and battery clamps.

| Order No. | Mfg. No. / Description | Price |
|-----------|---|---------------------|
| 470090 | (80-47508-01) 12 volt, Fuse Size: 8 amp | \$165.98 G |
| 470091 | (80-47508-02) 24 volt, Fuse Size: 6 amp | \$165.98 G |
| 470747 | (65000) 12 volt, On Bucket, w/Reinforced Flange Face Design | n \$211.98 Q |

Jabsco Economy Engine Oil Changer





- Will extract up to 50 weight of oil at a temperature of 70° F through the engine's dip stick tube, usually in less than 5 minutes.
- The oil changer includes: Powerful suction pump with integral on/off switch, 10 quart bucket oil receiver with pouring spout, 7' power cord with alligator clips and 8' oil and heat resistant suction tube.
- 12 volt.

Order No. Mfg. No. / Description Price **415338** (17850-1012) \$199.98 G

Jabsco Permanent Oil Drain Kit



- Includes drain plug fitting, oil drain hose, cap and hose hanger clamp.
- It is an ideal oil drain kit for use in conjunction with a 415287 (17250-0003) drill pump or 415249 (34060-0010) hand pump.
- Drain plug fitting size is 1/2" 20.

Order No. Mfg. No. / Description **415299** (18080-0000) \$79.98 Q

Jabsco Flat Tank Economy Engine Oil Changer


JABSCO

- Will extract up to 50 weight of oil at a temperature of 70° F through the engine's dip stick tube, usually in less than 5 minutes.
- The oil changer includes: Powerful suction pump with integral power switch, 14 quart holding container, 7' power cord with alligator clips and 8' oil and heat resistant suction tube.
- 12 volt.

Order No. Mfg. No. / Description **415340** (17860-2012) \$192.98 G

Shurflo Oil Change System





- · Ignition protected. Buna impeller.
- 5' cable with battery clips.
- Hose kit included and 3.5 gallon storage container.
- Flow rate: 3.75 GPM.
- 12 volt.

Order No. Mfg. No. / Description **353235** (8050-305-426)

Jabsco Porta Quick Oil Changer

- Makes quick, clean and easy oil changes on-board any boat, because it uses the vessel's own power supply to operate the powerful oil reservoir mounted flexible impeller pump.
- Includes: Reversible pump, 14 quart holding container, 8' power cord with alligator clips, 4' neoprene hose with 40" Teflon dipstick probe and female garden hose connector.
- 12 volt.

Order No. Mfg. No. / Description (17800-2000) Porta Quick Oil Changer \$299.98 G 415326 \$46.98 E 418601 (9200-0023-P) Impeller

Jabsco Drill Pump



- Pumps up to 3.5 gpm.
- Self-priming to 3'.
- Provide a very versatile means of transferring fluid almost anywhere an electric drill with 1/4" to 3/8" chuck can be operated.
- Includes: 3.5 GPM self-priming drill pump that chucks into standard 1/4" or 3/8" drill, (2) 3/4" garden hose thread port adaptors, 3' of 1/2" hose, probe adaptor and 1/4" x 40" dipstick probe.
- Note: Not for pumping gasoline or flammable liquids.

| Order No. | Mfg. No. / Description | on | Price |
|-----------|------------------------|-------------------------------|------------------|
| 415275 | (17215-0000) | Complete Kit | \$58.98 C |
| 415287 | (17250-0003) | Drill Pump Only | \$40.98 F |
| 415353 | (17255-0003-P) | Repl. Impeller/Shaft Assembly | \$31.98 G |







Fun & Flotation Anchor

& Dock Safety

Electronics Trolling

Motors Lighting

Flectrical Topside

Price

\$194.98 G

Cockpit & Deck

nstruments

Steerina. Controls

Perform.

System Enaine

& Parts Engine

Propellers

Seating & Pedestals

Tons &

Covers

Pumps

Cleaning & Care

Paint & Paint Acc

Hardware.

Fasteners

Trailering

Misc



Flotation

Anchor

& Dock

Safety

Electronics Trolling Motors

Lighting

Electrical Topside Acc

Cockpit

& Deck

Instruments

Steering,

Controls

Perform.

Gold Eagle Sta-Bil® 360°™ Marine





- Prevents corrosion above and below the fuel line where no other additive
- Ultimate treatment and protection against Ethanol blended fuels.
- Cleans fuel system to improve performance.
- Stabilizes fuel up to 12 months.
- Use at every fill up.
- · Increase power and fuel efficiency.

| Order No. | Mfg. No. / Size | Treats Up To | Price |
|-----------|-----------------|--|------------------|
| 289489 | (22239) 8 oz. | 80 Gal. in Season (40 Gal. for Storage) | \$9.98 F |
| 289492 | (22241) 10 oz. | 100 Gal. in Season (50 Gal. for Storage) | \$9.98 F |
| 289505 | (22240) 32 oz. | 320 Gal. in Season (160 Gal. for Storage) | \$25.98 F |
| 289517 | (22250) Gallon | 1280 Gal. in Season (640 Gal. for Storage) | \$97.98 F |
| | | | |

Gold Eagle Sta-Bil Displays



• Display contains:

Order No. Mfg. No. / Description

289543 (22262) 4 oz. Display

289529 (22244) Display





(12) 32 oz. Marine Formula Sta-Bil (22240) (24) 8 oz. Marine Formula Sta-Bil (22239)



Fuel System

Engine & Parts

Engine Care

Propellers

Seating & Pedestals

Tons & Covers

Pumps

Cleaning & Care

Paint & Paint Acc.

Hardware,

Fasteners

Trailering

Misc

Comm.

Stabilizes fuel up to 8 months.

For all engines.

• Improves MPG and performance. Treats up to 100 gallons of gasoline or 72 gallons

Cleans combustible chamber deposits and port fuel injectors.

Mfg. No. / Description Order No. Price 216445 (MK4908) 8 fl. oz. \$15.98 LQ

\$415.98 LQ

\$49.98 LQ

Marykate Fuel Treatment and Stabilizer

Gold Eagle Sta-Bil® Fuel Stabilizer







- Keeps fuel fresh for up to 24 months during storage.
- Eliminates the need to drain fuel prior to storage.
- Ensures quick, easy starts after storage.
- Prevent gum and varnish build-up.
- Effective in all gasoline, including Ethanol blends.
- For all 2-cycle and 4-cycle gasoline engines.
- Recommended by over 125+ OEMS, Including: Marine Engines, Marine Manufactures OPE Engines, Lawn & Garden Equipment, Generators, Car Trucks, RV, ATV, UTV, Motorcycles and Snowmobiles.

| Order No. | Mfg. No. / Size | Treats Up To | Price |
|-----------|-----------------|--------------|------------------|
| 289454 | (22204) 4 oz. | 10 Gallons | \$5.98 F |
| 289466 | (22206) 10 oz. | 25 Gallons | \$7.98 F |
| 2890021 | (22207) 16 oz. | 40 Gallons | \$9.98 K |
| 289478 | (22214) 32 oz. | 80 Gallons | \$17.98 F |
| 289480 | (22213) Gallon | 320 Gallons | \$62.98 F |

CRC PhaseGuard4® Ethanol Fuel Treatment



- Protects all gas powered 2 and 4 cycle engines from the harmful effects of ethanol.
- Prevents phase separation, protects against corrosion, cleans the fuel system, stabilizes fuel and restores power.
- 1 oz. treats 10 gallons for everyday protection. 1 oz. treats 5 gallons for storage.
- Stabilizes fuel for 24+ months.
- Equally effective in E10 to E85 fuel.

Order No. Mfg. No. / Description 2899034 (GC15) 8 fl. oz.

\$3.50 Q

CRC Marine Fuel Stabilizer - Gas







- · A concentrated, high-potency formula that keeps stored gas fresh for easy start- up next season and optimum performance year round.
- Formulated to reduce the harmful impact of Ethanol- blended gasoline.
- · Protects against gum and resin build-up.
- 1 oz. treats 5 gallons.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|-----------------|------------------|
| 289303 | (06161) 8 fl. oz. | Treats 40 Gal. | \$7.98 H |
| 289315 | (06162) 16 fl. oz. | Treats 80 Gal. | \$9.98 H |
| 289327 | (06163) 30 fl. oz. | Treats 160 Gal. | \$15.98 H |
| 289339 | (06164) Gallon | Treats 640 Gal. | \$47.98 H |

Flotation Anchor & Dock

Safety

Electronics

Trolling

Motors

Lighting

Flectrical

Topside

Cockpit & Deck

nstruments

Steerina.

Controls

Perform.

System

Acc

CRC Gas Additive for Gas Tanks





- Isopropanol based formula that removes water from gasoline.
- Prevents fuel line freeze while protecting and cleaning the fuel system year round.
- Protects down to -50° F.
- · Assures quicker starting and faster pick-up.

Sea Foam Motor Treatment

• Recommended use 3-4 times a year.

Order No. Mfg. No. / Description **290546** (05343) 12 fl. oz.

• Contains a powerful anti-oxidant, degummers, inhibitors and metal deactivators.

- · Keeps gasoline and diesel fuel refinery-fresh.
- · Contains NO alcohol or methanol.
- · Also helps prevent octane loss during storage.

Order No. Mfg. No. / Description 460797 (MDR-549) 4 fl. oz. Treats 20 Gal. \$7.98 G


MDR Stor-N-Start Gas Stabilizer

OMC® Systematched™ Fuel Conditioner



Price

\$6.98 LQ



- Recommended year-round use and off-season storage.
- Protects fuel system in a number of ways: Slows the chemical breakdown of gasoline; Protects metal fuel system components from corrosion; Ethanol Protection Formula.

Order No. Mfg. No. / Description Price **B765732** (765732) 8 oz. \$7.99 H **B765733** (765733) 16 oz. \$14.99 H

Heet Starting Fluid

- 100% pure petroleum, use in all engines, in all seasons.
- 2 cycle and 4 cycle engines.
- Treats three critical areas: Fuel tank, fuel systems and crankcase.
- Cleans fuel injectors. Cleans carburetor jets.

289404 (SF16) 16 oz. Can

· Cleans carbon. Stabilizes fuels.

Mfg. No. / Description

• Upper cylinder lube. Removes moisture in fuel.

OMC® Systematched™ Fuel System Cleaner



- · High concentrate fuel system cleaner helps to maintain smooth running engines by keeping injectors and carburetors free of deposits.
- For use in 2 cycle and 4 cycle gasoline engines.

Mfg. No. / Description Order No. B765728 (765728) 12 oz.

Price \$10.99 H



Price

\$12.98 H

Order No. Mfg. No. / Description

· Saves starter and battery.

and corrosion inhibitor.

catalytic converts.

equipment).

• Contains upper cylinder lube

Safe for oxygen sensors and

• For all gasoline and diesel

buses, marine engines,

engines (cars, trucks, tractors,

lawnmowers, snowmobiles,

snowblowers & construction

483141 (SA-16) 11 oz.

\$4.98 Q

MDR Crankcase Stor-N-Start


- Winterizing motor oil additive protects against rust on pistons, rings and lower cylinder walls during winter storage.
- During storage, motor oil eventually drains off cylinder walls, pistons, rings, bearings, and all other internal metal engine parts, exposing them to corrosion.
- Forms a protective shield on all internal parts, preventing rusting during storage.

Order No. Mfg. No. / Description 460820 (MDR-600) 8 fl. oz.

\$12.98 G

Price

OMC® Systematched™ Carb X™



- Protects engine parts.
- Helps keep valves free of carbon.
- Increases engine life.
- Reduces the possibility of piston ring sticking.
- Allows better overall engine performance.

Order No. Mfg. No. / Description

Price \$24.99 H

B765735 (765735) 12 oz.

Sierra Combustion Clean



- Dissolves gum and varnish from fuel system.
- Removes internal carbon deposits.
- Frees sticky rings.
- Displaces moisture.
- Stabilizes fuel during storage.
- Designed for use in 2 and 4-cycle marine engines.

Mfg. No. / Description

Sierra Fuel Stabilizer

189580 (18-9580-3) 12 oz.

Price \$11.53 H

Engine

Care

Engine & Parts

Propellers

Seating & Pedestals

> Tons & Covers

Cleaning & Care Paint &

Paint Acc Hardware.

> Fasteners Trailering

Misc.

Price

\$7.80 H

Comm



K100-MG Fuel Treatment - Gas



time between uses

- · Eliminates water in the fuel to prevent winter freeze-ups and phase separation in E-10, and improves fuel performance by altering the burn chemistry for more complete combustion, boosting the octane, and reducing oil fumes and toxic
- Cleans engines and fuel systems, dissolving gums and varnishes for maximum engine performance and fuel system life.

Order No. Mfg. No. / Description Price 289590 (401) 8 fl. oz. \$8.98 Q 289591 (403) 32 fl. oz. \$27.98 Q



• Promotes quick starting.

• Keeps carburetor and fuel system clean.

Reduces gum and varnish build up.

Improves engine performance.

Stabilizes gasoline without ethanol up to 24 months.

• 1/4 oz. per gallon for everyday use or 1/2 oz. for storage

Order No. Mfg. No. / Description **189013** (18-9013) 8 fl. oz.

Safety

Electronics

Trolling

Motors

Lighting

Electrical

Topside Acc Cockpit & Deck

Steering, Controls

Perform.

Fuel

Engine

& Parts

Engine

Propellers

Seating &

Pedestals

Tons &

Cleaning & Care Paint & Paint Acc.

Care

System

Star Brite Ez-To-Store Crankcase







- · Stabilizes oil chemistry during storage prevents oxidation and formation of resins and varnish.
- Protects cylinder walls, connecting rods, crankshaft and other internal metal engine components from rust and corrosion.
- Treats 5 quarts.

Order No. Mfg. No. / Descriptions 460886 (84708) 8 fl. oz.

\$12.98 LQ

Star Brite Ez-To-Store Gas Storage Additive



Anchor & Dock



- Prevents corrosion of fuel tank & fuel delivery system. One product does it all - stabilizes and fogs in one step.
- Protects gas and engine components during storage.
- · Concentrated formula 1 fl. oz. treats 5 gallons

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|-----------------|------------------|
| 460880 | (84308P) 8 fl. oz. | Treats 40 Gal. | \$8.98 G |
| 460882 | (84316) 16 fl. oz. | Treats 80 Gal. | \$11.98 G |
| 460884 | (84332) 32 fl. oz. | Treats 160 Gal. | \$16.98 G |

Star Brite Star Tron Ring Clean +

Instruments <u>Star britte</u>

- Formulated with latest technology deposit control compounds, plus a proprietary enzyme package designed to remove existing deposits and help prevent the formation of new deposits.
- Improves fuel combustibility to keep engines clean and operating at peak performance levels.
- Keeps carburetors, fuel injectors, intake ports and combustion chambers clean.
- Works in all gas and diesel engines; use every time fuel is added to keep engines in optimal condition.

Order No. Mfg. No. / Description Price 627180 (95616) 16 fl. oz. \$17.98 G

Star Brite Star Tron Tank Cleaner

Star britte

- · Exceptional in cleaning sludge and algae from gasoline and diesel tanks.
- Removes water that encourages microbial growth in diesel fuel.
- Cleans tanks better than any tank cleaning service.
- Exceptional at eliminating varnish and gum "gel" from E-10 gas after a water phase-separation occurrence.



Order No. Mfg. No. / Description 675852 (93664) 64 fl. oz. \$32.98 G

Star Brite Star Tron Enzyme Fuel Treatment - Concentrated Gas Formula

- · Reduces all emissions.
- · Prevents fuel oxidation and stabilizes fuel chemistry for at least 1 year.
- Lowers fuel system maintenance.
- Eliminates carbon build-up in fuel delivery system and on exhaust components.
- Increases fuel economy.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|-----------------|------------------|
| 675848 | (93008) 8 fl. oz. | Treats 128 Gal. | \$12.98 G |
| 675849 | (93016) 16 fl. oz. | Treats 256 Gal. | \$19.98 G |
| 675851 | (93032) 32 fl. oz. | Treats 512 Gal. | \$32.98 G |

Star Brite Star Tron Enzyme Fuel Treatment - Classic Gas Formula

<u>Star britte</u>





- ethanol problems.
- Makes all engines start easily, run smoothly; improves performance.
- · Removes and prevents gum, carbon and varnish
- 1 fl. oz. treats 6 gallons of fuel.

| Order No. | Mfg. No. / Description | Price |
|-----------|--|------------------|
| 431328 | (14301) Two 1 fl. oz. | \$4.98 H |
| 431329 | (14324) Counter Top Display - Contains: (24) 1 fl. oz. Bottles | \$57.98 G |

Star Brite Star Tron Counter Top Displays

Covers Star britte Pumps





- This display solves most common ethanol problems.
- Great for both gas and diesel customers.
- Solve gas, diesel or both gas and diesel fuel related problems with one display.

| Order No. | Mfg. No. / Description | Price |
|-----------|---|-------------------|
| 431327 | (93615) Contains: (6) 93008 - Fuel Treatment | \$72.98 H |
| 431321 | (93624) Contains: (18) 93008 & (6) 93108 - Fuel Treatment | \$286.98 H |
| 675847 | (93625) Contains: (24) 93008 - Fuel Treatment | \$269.98 G |



Misc

Comm.

Anchor

& Dock

Safety

Electronics

Trolling Motors Lighting

Electrical

Topside Acc

Cockpit

& Deck

nstruments

Steerina.

Controls

Perform.

Engine & Parts

Engine Care

Propellers

System

Flotation

Star Brite Star Tron Small Floor Display

Star britte

- This display solves most common ethanol problems.
- Complete Star Tron additive display utilize only a few square feet of floor space.
- · Solve gas, diesel or both gas and diesel fuel related problems with one display.
- Contains:
- (18) 675848 (93008) Star Tron Gas Additive, 8 fl. oz.
- 675849 (93016) Star Tron Gas Additive, 16 fl. oz. 675846 (93108) Star Tron Diesel Additive, 8 fl. oz.
- 675850 (93116) Star Tron Diesel Additive, 16 fl. oz.

Order No. Mfg. No. **431324** (93636) \$529.98 H

Star Brite Small Star Tron Floor Display



- Contains all 3 top-selling sizes of Star Tron; 8 fl. oz., 16 fl. oz. and 32 fl. oz.
- Free-standing display can be placed in high-traffic areas.
- Durable, attractive display features key product info and easy-to-refill trays.
- Display's QR code allows consumers to access product info instantly.
- Contains:
- (24) 675848 (93008) Star Tron Gas Additive, 8 fl. oz. (12) 675849 (93016) Star Tron Gas Additive, 16 fl. oz.
- (12) 675851 (93032) Star Tron Gas Additive, 32 fl. oz.

Order No. Mfg. No. 431331 (93640) \$858.98 H

Star Brite Ez-To-Store Diesel Storage Additive







- · Helps increases fuel economy.
- · Makes engines start easier, run smoother.
- Disperses bacteria without the use of poisons/biocides.
- · Reduces all emissions, including carcinogenic, particulate smoke - eliminate diesel soot.
- Stabilizes diesel fuel for up two years.
- Lowers fuel system maintenance.
- Eliminates carbon build-up from burners. injectors and exhaust components.
- 1 fl. oz. treats 32 gallons of diesel fuel.

| Order No. | Mfg. No. / Description | n | Price |
|-----------|------------------------|-------------------|------------------|
| 675846 | (93108) 8 fl. oz. | Treats 256 Gal. | \$15.98 G |
| 675850 | (93116) 16 fl. oz. | Treats 512 Gal. | \$24.98 G |
| 675863 | (93132) 32 fl. oz. | Treats 1,024 Gal. | \$40.98 G |
| 675861 | (093100N) Gal. | Treats 4,096 Gal. | \$153.98 G |





- · Prevents corrosion of fuel tank and fuel delivery system.
- · Stops formation of gum and sludge, insures quick starts after storage.
- One product does it all stabilizes and fogs in one
- Stabilizes diesel fuel for two years.
- Concentrated formula 1 fl. oz. treats 10 gallons.

Order No. Mfg. No. / Description 460892 (84408) 8 fl. oz. Treats 80 Gal. \$9.98 LQ 460894 (84416) 16 fl. oz. Treats 160 Gal. \$11.98 LQ (84432) 32 fl. oz. Treats 320 Gal. \$16.98 LQ

Star Brite Star Tron Small Floor Display - Gas Only

Star britte



This display solves most common ethanol problems.

- Complete Star Tron additive display utilize only a few square feet of floor space.
- Solve gas, diesel or both gas and diesel fuel related problems with one display.
- · Contains:

STAR-TRON

(24) 675848 (93008) Star Tron Gas Additive, 8 fl. oz. (12) 675849 (93016) Star Tron Gas Additive, 16 fl. oz.

Order No. Mfg. No. **431326** (93637) \$497.98 H

Star Brite Star Tron A-Frame Marine Formula Display





- One display cures and prevents ethanol problems.
- Unique eye-catching design features scannable QR codes for more information.
- Compact design requires minimal floor area.
- Display can be placed anywhere in store.
- Pods are easily refillable.
- Includes:

(48) 675848 (93008) Star Tron Gas Additive, 8 fl. oz. (24) 675849 (93016) Star Tron Gas Additive, 16 fl. oz.

Order No. Mfg. No.

431323 (93672) \$999.98 H

Star Brite Pro Star LPC Diesel Fuel Additive





- A multi-functional diesel fuel additive. Enhances engine performance and protects against premature engine wear. Cold weather use; boosts cetane level.
- Increases lubricity to extend engine life.
- For use in all diesel engines.
- Ideal for use with Star Tron Diesel Formula Enzyme Fuel Treatment.
- Reduces pour point for cold weather use.
- Improves engine cold-starting performance without compromising warm weather performance.
- Enhances engine performance and protects against premature engine wear.

Order No. Mfg. No. / Description 675843 (095532) 32 fl. oz. Treats 192 Gal. \$20.98 LQ





Seating & Pedestals Tons & Covers **Pumps**

Cleaning & Care

Paint &

Paint Acc Hardware.

Fasteners

Trailering

Misc.

Comm

Flotation Anchor & Dock Safety

Electronics Trolling Motors

Lighting

Electrical

Topside

Cockpit

& Deck

Instruments

Steering. Controls Perform **Fuel**

System

Propellers

Seating &

Pedestals

Tons &

Covers

Pumps

Cleaning

& Care

Paint &

Paint Acc.

Acc

CRC Marine Fuel Stabilizer - Diesel








- A concentrated, high-potency formula that keeps stored fuel fresh for easy start-up next season and optimum performance year round.
- Protects against gum and resin build-up.
- Protects internal engine components and fuel system from corrosion.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|-----------------|------------------|
| 289416 | (06171) 12 fl. oz. | Treats 80 Gal. | \$7.98 H |
| 289428 | (06172) 16 fl. oz. | Treats 160 Gal. | \$9.98 LQ |

Penray Fuel Prep™ 2012 Concentrated Diesel Fuel Conditioner





- Reduces or eliminates conditions conducive to bacterial and fungal growth.
- Helps clean dirty injectors, enhances fuel lubricity and improves fuel stability to reduce filter plugging.
- Prevents corrosion and prepares fuel tanks for winter conditions and storage.
- Reduces accumulation of unburned carbon particles so engines stay cleaner.
- Note: One gallon treats 12,500 gallons.

| Order No. | Mfg. No. / Description | Price |
|-----------|------------------------|--|
| 604226 | (2012-01) Gallon | \$66.98 Q |
| 604238 | (2012-05) 5 Gallon | \$273.98 Q |
| | 604226 | Order No. Mfg. No. / Description 604226 (2012-01) Gallon 604238 (2012-05) 5 Gallon |

BioborMD Diesel Biocide and Lubricity Additive



Engine Care Raises cetane up to 6 numbers.

- Cleans injectors and valves.
- Lubricates injection systems and pumps.
- Prevents corrosion and water build up.
- · Stabilizes fuel in-between usage and storage.
- Maximizes engine performance and efficiency.
- Reduces soot and smoke.
- Prevents gelling and icing in cold climates.
- For everyday use in all diesel engines.

Order No. Mfg. No. / Description Price 289742 (BBMD16EZ01US) 16 oz. \$18.98 F 289746 (BBMD32EZ01US) 32 oz. \$33.98 F



Sta-Bil Fuel Stabilizer - Diesel Formula







- Prevents sludge and sediment formation.
- Cleans and lubricates fuel injectors to improve performance.
- Helps remove water that microbes and algae require for growth.
- Recommended for use at every fill up.
- Safe for all diesel fuels and all diesel engines.

| Order No. | Mfg. No. / Description | | Price |
|-----------|------------------------|-------------------|-------------------|
| 289555 | (22254) 32 oz. | Treats 320 Gal. | \$29.98 F |
| 289567 | (22255) Gallon | Treats 1,280 Gal. | \$107.98 F |

BioborJF Diesel Biocide and Lubricity Additive

- · Kills and prevents bacteria and slime.
- Prevents plugged fuel filters. Prevents corrosion.
- Adds lubricity protects injectors and pumps.
- Recommended by major diesel engine manufacturers.
- · Dual Phase both fuel and water soluble to ensure a complete kill - as recommended by engine manufacturers.
- Continuous use keeps fuel free of bio-contamination and adds lubricity — "All the fuel....All the time".
- Shock dosage eliminates existing contamination.

| Treat | s more fuel: 1 oz. tr | eats 80 ga | allons. | |
|-------------------------|--------------------------|------------|---------|------------|
| Order No | . Mfg. No. / Description | 1 | | Price |
| 289710 | (BB16EZ01US-2) | 16 oz. | | \$26.98 F |
| 289714 | (BB32EZ01US-2) | 32 oz. | | \$49.98 F |
| 289718 | (BBJUG01US) | Gallon | | \$162.98 F |

K100-MD Fuel Treatment - Diesel



- Contains enhanced stabilizers to keep fuel fresh, essential for equipment that will sit for extended time between uses.
- Eliminates water in the fuel to prevent microbe growth and winter freeze-ups, improves fuel performance by altering the burn chemistry for more complete combustion, boosting the cetane, and reducing black smoke, pollutants
- · Cleans engines and fuel systems while adding lubricity for maximum engine performance and fuel system life.



Briter Engine Check Up Test Strips



- By analyzing one drop of oil, you can determine the type and degree of contamination present in your engine.
- Enable you to schedule maintenance exactly when it is needed.
- Contents: Six complete tests.
- Each test will fully analyze the range of contaminants in your engine, including: Dirt/Grime, Carbon/Oxide, Water, Glycol and Fuel.



Trailering

Misc

Order No. Mfg. No. / Description 350025 (ECU-6)

\$19.98 LQ

